Akizumi Tsutsumi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7643976/publications.pdf

Version: 2024-02-01

279798 330143 1,600 62 23 37 citations h-index g-index papers 65 65 65 1327 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Participatory Intervention for Workplace Improvements on Mental Health and Job Performance Among Blue-Collar Workers: A Cluster Randomized Controlled Trial. Journal of Occupational and Environmental Medicine, 2009, 51, 554-563.	1.7	121
2	The Japanese version of the Effort-Reward Imbalance Questionnaire: A study in dental technicians. Work and Stress, 2001, 15, 86-96.	4.5	111
3	The Stress Check Program: a new national policy for monitoring and screening psychosocial stress in the workplace in Japan. Journal of Occupational Health, 2016, 58, 1-6.	2.1	102
4	The effect of exposure to long working hours on ischaemic heart disease: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. Environment International, 2020, 142, 105739.	10.0	95
5	Development of a Short Questionnaire to Measure an Extended Set of Job Demands, Job Resources, and Positive Health Outcomes: The New Brief Job Stress Questionnaire. Industrial Health, 2014, 52, 175-189.	1.0	83
6	The effect of exposure to long working hours on stroke: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. Environment International, 2020, 142, 105746.	10.0	78
7	Relationship between sickness presenteeism (WHO–HPQ) with depression and sickness absence due to mental disease in a cohort of Japanese workers. Journal of Affective Disorders, 2015, 180, 14-20.	4.1	55
8	A Japanese Stress Check Program screening tool predicts employee longâ€term sickness absence: a prospective study. Journal of Occupational Health, 2018, 60, 55-63.	2.1	54
9	Effects of a Supervisory Education for Positive Mental Health in the Workplace: A Quasiâ€Experimental Study. Journal of Occupational Health, 2005, 47, 226-235.	2.1	48
10	Development of a Short Version of the New Brief Job Stress Questionnaire. Industrial Health, 2014, 52, 535-540.	1.0	47
11	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on stroke. Environment International, 2018, 119, 366-378.	10.0	44
12	Effects of the Job Stress Education for Supervisors on Psychological Distress and Job Performance among Their Immediate Subordinates: A Supervisorâ€Based Randomized Controlled Trial. Journal of Occupational Health, 2006, 48, 494-503.	2.1	42
13	Development of an Evidenceâ€based Guideline for Supervisor Training in Promoting Mental Health: Literature Review. Journal of Occupational Health, 2011, 53, 1-9.	2.1	42
14	Optimal Cutoff Values of WHO-HPQ Presenteeism Scores by ROC Analysis for Preventing Mental Sickness Absence in Japanese Prospective Cohort. PLoS ONE, 2014, 9, e111191.	2.5	40
15	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on ischaemic heart disease. Environment International, 2018, 119, 558-569.	10.0	39
16	Effects of an Education Program for Stress Reduction on Supervisor Knowledge, Attitudes, and Behavior in the Workplace: A Randomized Controlled Trial. Journal of Occupational Health, 2007, 49, 190-198.	2.1	37
17	Work Engagement as a Predictor of Onset of Major Depressive Episode (MDE) among Workers, Independent of Psychological Distress: A 3-Year Prospective Cohort Study. PLoS ONE, 2016, 11, e0148157.	2.5	35
18	Association of Job Demands with Work Engagement of Japanese Employees: Comparison of Challenges with Hindrances (J-HOPE). PLoS ONE, 2014, 9, e91583.	2.5	33

#	Article	IF	Citations
19	Associations among job demands and resources, work engagement, and psychological distress: fixedâ€effects model analysis in Japan. Journal of Occupational Health, 2018, 60, 254-262.	2.1	33
20	Association between working hours, work engagement, and work productivity in employees: A crossâ€sectional study of the Japanese Study of Health, Occupation, and Psychosocial Factors Relates Equity. Journal of Occupational Health, 2019, 61, 182-188.	2.1	32
21	Optimum Cutâ€off Point of the Japanese Short Version of the Effortâ€Reward Imbalance Questionnaire. Journal of Occupational Health, 2013, 55, 340-348.	2.1	31
22	How accurately does the Brief Job Stress Questionnaire identify workers with or without potential psychological distress?. Journal of Occupational Health, 2017, 59, 356-360.	2.1	26
23	Association Between Reported Long Working Hours and History of Stroke in the CONSTANCES Cohort. Stroke, 2019, 50, 1879-1882.	2.0	26
24	Occupational stress and the risk of turnover: a large prospective cohort study of employees in Japan. BMC Public Health, 2020, 20, 174.	2.9	25
25	Work engagement and high-sensitivity C-reactive protein levels among Japanese workers: a 1-year prospective cohort study. International Archives of Occupational and Environmental Health, 2015, 88, 651-658.	2.3	21
26	Effects of two types of smartphone-based stress management programmes on depressive and anxiety symptoms among hospital nurses in Vietnam: a protocol for three-arm randomised controlled trial. BMJ Open, 2019, 9, e025138.	1.9	20
27	Effect of the National Stress Check Program on mental health among workers in Japan: A 1â€year retrospective cohort study. Journal of Occupational Health, 2018, 60, 298-306.	2.1	19
28	Validation of the Job Content Questionnaire among hospital nurses in Vietnam. Journal of Occupational Health, 2020, 62, e12086.	2.1	18
29	Workâ€Related Factors Associated with Visiting a Doctor for a Medical Diagnosis after a Worksite Screening for Diabetes Mellitus in Japanese Male Employees. Journal of Occupational Health, 2004, 46, 374-381.	2.1	17
30	Effects of Smartphone-Based Stress Management on Improving Work Engagement Among Nurses in Vietnam: Secondary Analysis of a Three-Arm Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e20445.	4.3	16
31	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam. PLoS ONE, 2020, 15, e0233119.	2.5	16
32	Interaction effect of job insecurity and role ambiguity on psychological distress in Japanese employees: a cross-sectional study. International Archives of Occupational and Environmental Health, 2018, 91, 391-402.	2.3	15
33	Prevention and management of work-related cardiovascular disorders. International Journal of Occupational Medicine and Environmental Health, 2014, 28, 4-7.	1.3	14
34	Cumulative Exposure to Long Working Hours and Occurrence of Ischemic Heart Disease: Evidence From the CONSTANCES Cohort at Inception. Journal of the American Heart Association, 2020, 9, e015753.	3.7	13
35	Workstyle reform for Japanese doctors. Environmental and Occupational Health Practice, 2020, 2, n/a.	0.5	12
36	Organizational Justice and Physiological Coronary Heart Disease Risk Factors in Japanese Employees: a Cross-Sectional Study. International Journal of Behavioral Medicine, 2015, 22, 775-785.	1.7	10

#	Article	IF	CITATIONS
37	Preventing overworkâ€related deaths and disorders—needs of continuous and multiâ€faceted efforts. Journal of Occupational Health, 2019, 61, 265-266.	2.1	10
38	Psychosocial Work Environment Explains the Association of Job Dissatisfaction With Long-term Sickness Absence: A One-Year Prospect Study of Japanese Employees. Journal of Epidemiology, 2020, 30, 390-395.	2.4	9
39	Reliability and validity of the Vietnamese version of the 9-item Utrecht Work Engagement Scale. Journal of Occupational Health, 2020, 62, e12157.	2.1	9
40	Extremely Low-Frequency Electromagnetic Control of Bloodstream on Imitative Blood-Circulation System. IEEE Transactions on Magnetics, 2014, 50, 1-4.	2.1	8
41	Association between maternity harassment and depression during pregnancy amid the COVID-19 state of emergency. Journal of Occupational Health, 2021, 63, e12196.	2.1	8
42	Workplace social capital and refraining from seeking medical care in Japanese employees: a 1-year prospective cohort study. BMJ Open, 2020, 10, e036910.	1.9	7
43	Implementation and effectiveness of the Stress Check Program, a national program to monitor and control workplace psychosocial factors in Japan: a systematic review. Translated secondary publication. International Journal of Workplace Health Management, 2020, 13, 649-670.	1.9	6
44	Effect of implementing an overwork-prevention act on working hours and overwork-related disease: A mediation analysis. Journal of Occupational Health, 2020, 62, e12148.	2.1	6
45	Associations between work-related stressors and QALY in a general working population in Japan: a cross-sectional study. International Archives of Occupational and Environmental Health, 2021, 94, 1375-1383.	2.3	6
46	Modification Effects of Changes in Job Demands on Associations Between Changes in Testosterone Levels and Andropause Symptoms: 2-Year Follow-up Study in Male Middle-Aged Japanese Workers. International Journal of Behavioral Medicine, 2016, 23, 464-472.	1.7	4
47	Proposed guidelines for primary prevention for mental health at work: an update. Environmental and Occupational Health Practice, 2019, 1, 2-12.	0.5	4
48	Association Between Adaptation of Management Philosophy and Mission Statement, and Work Engagement Among Japanese Workers. Journal of Occupational and Environmental Medicine, 2021, 63, e601-e604.	1.7	4
49	Psychosocial Mechanisms of Psychological Health Disparity in Japanese Workers. Industrial Health, 2013, 51, 472-481.	1.0	3
50	Suggestions for new organizational-level item pools for the national Stress Check Program from management philosophy and mission statement: A qualitative study using unsupervised learning. Journal of Occupational Health, 2022, 64, e12335.	2.1	3
51	Work Stress and Health: The Case of Japan. Aligning Perspectives on Health, Safety and Well-being, 2016, , 173-188.	0.3	2
52	Cross-sectional association between working and depression prevalence in cancer survivors: a literature review. Environmental and Occupational Health Practice, 2020, 2, n/a.	0.5	2
53	Role ambiguity as an amplifier of the association between job stressors and workers' psychological ill-being: Evidence from an occupational survey in Japan. Journal of Occupational Health, 2021, 63, e12310.	2.1	2
54	Association Between Cortisol to DHEA-s Ratio and Sickness Absence in Japanese Male Workers. International Journal of Behavioral Medicine, 2018, 25, 362-367.	1.7	1

#	Article	lF	CITATIONS
55	Guidelines for Primary Prevention for Mental Health at Work. , 2016, , 61-75.		1
56	Japan's Miracle Decades. , 2020, , 85-100.		1
57	Determining whether periodic health checkups have any preventive effect on deterioration in health among middle-aged adults: A hazards model analysis in Japan. Journal of Occupational Health, 2021, 63, e12291.	2.1	1
58	Reliability and Validity of the Japanese Version of the 12-Item Psychosocial Safety Climate Scale (PSC-12J). International Journal of Environmental Research and Public Health, 2021, 18, 12954.	2.6	1
59	Suicide prevention for workers in the era of with- and after-Corona. Environmental and Occupational Health Practice, 2021, 3, n/a.	0.5	O
60	Emerging issues in the occupational health field. Environmental and Occupational Health Practice, 2020, 2, n/a.	0.5	0
61	Combined effect of high stress and job dissatisfaction on long-term sickness absence: a 1-year prospective study of Japanese employees. Environmental and Occupational Health Practice, 2020, 2, n/a.	0.5	0
62	Data sharing in scientific journals: how can we introduce it to environmental and occupational health studies?. Environmental and Occupational Health Practice, 2022, 4, n/a.	0.5	O