

Adriaan B Houtsmuller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7644258/publications.pdf>

Version: 2024-02-01

86
papers

5,207
citations

76031

42
h-index

107981

68
g-index

90
all docs

90
docs citations

90
times ranked

7273
citing authors

#	ARTICLE	IF	CITATIONS
1	Androgen receptor mutations modulate activation by 11-oxygenated androgens and glucocorticoids. <i>Prostate Cancer and Prostatic Diseases</i> , 2023, 26, 293-301.	2.0	12
2	Externally triggered smart drug delivery system encapsulating idarubicin shows superior kinetics and enhances tumoral drug uptake and response. <i>Theranostics</i> , 2021, 11, 5700-5712.	4.6	16
3	High Resolution View on the Regulation of Recombinase Accumulation in Mammalian Meiosis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 672191.	1.8	10
4	Structured illumination microscopy with noise-controlled image reconstructions. <i>Nature Methods</i> , 2021, 18, 821-828.	9.0	40
5	CTCF chromatin residence time controls three-dimensional genome organization, gene expression and DNA methylation in pluripotent cells. <i>Nature Cell Biology</i> , 2021, 23, 881-893.	4.6	30
6	DNA binding alters ARv7 dimer interactions. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	7
7	Quantitative 3D microscopy highlights altered von Willebrand factor α granule storage in patients with von Willebrand disease with distinct pathogenic mechanisms. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021, 5, e12595.	1.0	7
8	Growth factor dependent changes in nanoscale architecture of focal adhesions. <i>Scientific Reports</i> , 2021, 11, 2315.	1.6	6
9	The androgen receptor depends on ligand α binding domain dimerization for transcriptional activation. <i>EMBO Reports</i> , 2021, 22, e52764.	2.0	20
10	RNA polymerase II is required for spatial chromatin reorganization following exit from mitosis. <i>Science Advances</i> , 2021, 7, eabg8205.	4.7	70
11	A Layered View on Focal Adhesions. <i>Biology</i> , 2021, 10, 1189.	1.3	39
12	Uptake and subcellular distribution of radiolabeled polymersomes for radiotherapy. <i>Nanotheranostics</i> , 2020, 4, 14-25.	2.7	15
13	Comparison of High- and Low-LET Radiation-Induced DNA Double-Strand Break Processing in Living Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6602.	1.8	38
14	Structure α function relation of the developing calyx of Held synapse <i>in vivo</i> . <i>Journal of Physiology</i> , 2020, 598, 4603-4619.	1.3	8
15	Super-resolution imaging of RAD51 and DMC1 in DNA repair foci reveals dynamic distribution patterns in meiotic prophase. <i>PLoS Genetics</i> , 2020, 16, e1008595.	1.5	27
16	Redundant and specific roles of cohesin STAG subunits in chromatin looping and transcriptional control. <i>Genome Research</i> , 2020, 30, 515-527.	2.4	54
17	AMPA Auxiliary Protein SHISA6 Facilitates Purkinje Cell Synaptic Excitability and Procedural Memory Formation. <i>Cell Reports</i> , 2020, 31, 107515.	2.9	17
18	Dynamics and distribution of paxillin, vinculin, zyxin and VASP depend on focal adhesion location and orientation. <i>Scientific Reports</i> , 2019, 9, 10460.	1.6	63

#	ARTICLE	IF	CITATIONS
19	Modular actin nano-architecture enables podosome protrusion and mechanosensing. <i>Nature Communications</i> , 2019, 10, 5171.	5.8	56
20	Repetitive switching between DNA binding modes enables target finding by the glucocorticoid receptor. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	8
21	Three-dimensional architecture of common benign and precancerous prostate epithelial lesions. <i>Histopathology</i> , 2019, 74, 1036-1044.	1.6	11
22	ARv7 Represses Tumor-Suppressor Genes in Castration-Resistant Prostate Cancer. <i>Cancer Cell</i> , 2019, 35, 401-413.e6.	7.7	127
23	CDK1-mediated phosphorylation at H2B serine 6 is required for mitotic chromosome segregation. <i>Journal of Cell Biology</i> , 2019, 218, 1164-1181.	2.3	21
24	Halogen-substituted anthranilic acid derivatives provide a novel chemical platform for androgen receptor antagonists. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 188, 59-70.	1.2	14
25	SMoLR: visualization and analysis of single-molecule localization microscopy data in R. <i>BMC Bioinformatics</i> , 2019, 20, 30.	1.2	14
26	Live-cell analysis of endogenous GFP-RPB1 uncovers rapid turnover of initiating and promoter-paused RNA Polymerase II. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E4368-E4376.	3.3	166
27	Staphylococcal Protein A Is a Key Factor in Neutrophil Extracellular Traps Formation. <i>Frontiers in Immunology</i> , 2018, 9, 165.	2.2	28
28	Structure of the homodimeric androgen receptor ligand-binding domain. <i>Nature Communications</i> , 2017, 8, 14388.	5.8	131
29	Architectural plasticity of human BRCA2-RAD51 complexes in DNA break repair. <i>Nucleic Acids Research</i> , 2017, 45, 4507-4518.	6.5	48
30	Correlation profiling of brain sub-cellular proteomes reveals co-assembly of synaptic proteins and subcellular distribution. <i>Scientific Reports</i> , 2017, 7, 12107.	1.6	55
31	In vitro induction of NETosis: Comprehensive live imaging comparison and systematic review. <i>PLoS ONE</i> , 2017, 12, e0176472.	1.1	158
32	Three-dimensional microscopic analysis of clinical prostate specimens. <i>Histopathology</i> , 2016, 69, 985-992.	1.6	71
33	Incorporation of a Valine-Leucine-Lysine-Containing Substrate in the Bacterial Cell Wall. <i>Bioconjugate Chemistry</i> , 2016, 27, 2418-2423.	1.8	2
34	Insulator speckles associated with long-distance chromatin contacts. <i>Biology Open</i> , 2016, 5, 1266-1274.	0.6	11
35	Group 1 metabotropic glutamate receptors 1 and 5 form a protein complex in mouse hippocampus and cortex. <i>Proteomics</i> , 2016, 16, 2698-2705.	1.3	52
36	Actomyosin-dependent dynamic spatial patterns of cytoskeletal components drive mesoscale podosome organization. <i>Nature Communications</i> , 2016, 7, 13127.	5.8	57

#	ARTICLE	IF	CITATIONS
37	The Effect of F877L and T878A Mutations on Androgen Receptor Response to Enzalutamide. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1702-1712.	1.9	73
38	VASP, zyxin and TES are tension-dependent members of Focal Adherens Junctions independent of the β -catenin-vinculin module. <i>Scientific Reports</i> , 2015, 5, 17225.	1.6	56
39	SUMO and ubiquitin-dependent XPC exchange drives nucleotide excision repair. <i>Nature Communications</i> , 2015, 6, 7499.	5.8	90
40	Analysis of Biomolecular Dynamics by FRAP and Computer Simulation. <i>Methods in Molecular Biology</i> , 2015, 1251, 109-133.	0.4	16
41	Quantitation of Glucocorticoid Receptor DNA-Binding Dynamics by Single-Molecule Microscopy and FRAP. <i>PLoS ONE</i> , 2014, 9, e90532.	1.1	55
42	Differential binding kinetics of replication protein A during replication and the pre- and post-incision steps of nucleotide excision repair. <i>DNA Repair</i> , 2014, 24, 46-56.	1.3	3
43	BRCA2 diffuses as oligomeric clusters with RAD51 and changes mobility after DNA damage in live cells. <i>Journal of Cell Biology</i> , 2014, 207, 599-613.	2.3	60
44	Androgen receptor complexes probe DNA for recognition sequences by short random interactions. <i>Journal of Cell Science</i> , 2014, 127, 1406-16.	1.2	18
45	A multi-parameter imaging assay identifies different stages of ligand-induced androgen receptor activation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013, 83, 806-817.	1.1	8
46	Stepwise androgen receptor dimerization. <i>Journal of Cell Science</i> , 2012, 125, 1970-9.	1.2	108
47	The residence time of focal adhesion kinase (FAK) and paxillin at focal adhesions in renal epithelial cells is determined by adhesion size, strength and life cycle status.. <i>Journal of Cell Science</i> , 2012, 125, 4498-506.	1.2	28
48	The Leukemia-Associated Fusion Protein MN1-TEL Blocks TEL-Specific Recognition Sequences. <i>PLoS ONE</i> , 2012, 7, e46085.	1.1	2
49	Nuclear proteins: finding and binding target sites in chromatin. <i>Chromosome Research</i> , 2011, 19, 83-98.	1.0	44
50	A 629RKLKK633 motif in the hinge region controls the androgen receptor at multiple levels. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 1919-1927.	2.4	43
51	Replication Factor C Recruits DNA Polymerase δ to Sites of Nucleotide Excision Repair but Is Not Required for PCNA Recruitment. <i>Molecular and Cellular Biology</i> , 2010, 30, 4828-4839.	1.1	55
52	Chromatin interaction of TATA-binding protein is dynamically regulated in human cells. <i>Journal of Cell Science</i> , 2010, 123, 2663-2671.	1.2	48
53	Assembly of multiprotein complexes that control genome function. <i>Journal of Cell Biology</i> , 2009, 185, 21-26.	2.3	41
54	UV-DDB-dependent regulation of nucleotide excision repair kinetics in living cells. <i>DNA Repair</i> , 2009, 8, 767-776.	1.3	71

#	ARTICLE	IF	CITATIONS
55	FRAP and FRET Methods to Study Nuclear Receptors in Living Cells. <i>Methods in Molecular Biology</i> , 2009, 505, 69-96.	0.4	25
56	Chromatin structure and DNA damage repair. <i>Epigenetics and Chromatin</i> , 2008, 1, 9.	1.8	82
57	Cellular Concentrations of DDB2 Regulate Dynamic Binding of DDB1 at UV-Induced DNA Damage. <i>Molecular and Cellular Biology</i> , 2008, 28, 7402-7413.	1.1	33
58	Versatile DNA damage detection by the global genome nucleotide excision repair protein XPC. <i>Journal of Cell Science</i> , 2008, 121, 2850-2859.	1.2	109
59	Fluorescence Recovery After Photobleaching (FRAP) to Study Nuclear Protein Dynamics in Living Cells. <i>Methods in Molecular Biology</i> , 2008, 464, 363-385.	0.4	64
60	Compartmentalization of androgen receptor protein-protein interactions in living cells. <i>Journal of Cell Biology</i> , 2007, 177, 63-72.	2.3	139
61	Activation of multiple DNA repair pathways by sub-nuclear damage induction methods. <i>Journal of Cell Science</i> , 2007, 120, 2731-2740.	1.2	157
62	UTF1 is a chromatin-associated protein involved in ES cell differentiation. <i>Journal of Cell Biology</i> , 2007, 178, 913-924.	2.3	80
63	Dynamic in vivo interaction of DDB2 E3 ubiquitin ligase with UV-damaged DNA is independent of damage-recognition protein XPC. <i>Journal of Cell Science</i> , 2007, 120, 2706-2716.	1.2	95
64	Cdt1 associates dynamically with chromatin throughout G1 and recruits Geminin onto chromatin. <i>EMBO Journal</i> , 2007, 26, 1303-1314.	3.5	69
65	DNA damage repair: anytime, anywhere?. <i>Current Opinion in Cell Biology</i> , 2006, 18, 240-246.	2.6	71
66	Analysis of DNA Recombination and Repair Proteins in Living Cells by Photobleaching Microscopy. <i>Methods in Enzymology</i> , 2006, 408, 463-485.	0.4	21
67	Recruitment of the Nucleotide Excision Repair Endonuclease XPG to Sites of UV-Induced DNA Damage Depends on Functional TFIIH. <i>Molecular and Cellular Biology</i> , 2006, 26, 8868-8879.	1.1	88
68	Nuclear Dynamics of PCNA in DNA Replication and Repair. <i>Molecular and Cellular Biology</i> , 2005, 25, 9350-9359.	1.1	361
69	Antiandrogens prevent stable DNA-binding of the androgen receptor. <i>Journal of Cell Science</i> , 2005, 118, 4187-4198.	1.2	98
70	Fluorescence Recovery after Photobleaching: Application to Nuclear Proteins. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2005, 95, 177-199.	0.6	49
71	Mathematical Modeling of Nucleotide Excision Repair Reveals Efficiency of Sequential Assembly Strategies. <i>Molecular Cell</i> , 2005, 19, 679-690.	4.5	60
72	Dynamics of Protein Binding to Telomeres in Living Cells: Implications for Telomere Structure and Function. <i>Molecular and Cellular Biology</i> , 2004, 24, 5587-5594.	1.1	82

#	ARTICLE	IF	CITATIONS
73	DNA damage stabilizes interaction of CSB with the transcription elongation machinery. <i>Journal of Cell Biology</i> , 2004, 166, 27-36.	2.3	126
74	In vivo dynamics of chromatin-associated complex formation in mammalian nucleotide excision repair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 15933-15937.	3.3	64
75	The androgen receptor ligand-binding domain stabilizes DNA binding in living cells. <i>Journal of Structural Biology</i> , 2004, 147, 50-61.	1.3	86
76	Condensed chromatin domains in the mammalian nucleus are accessible to large macromolecules. <i>EMBO Reports</i> , 2003, 4, 861-866.	2.0	109
77	Xeroderma Pigmentosum Group A Protein Loads as a Separate Factor onto DNA Lesions. <i>Molecular and Cellular Biology</i> , 2003, 23, 5755-5767.	1.1	140
78	Rapid Switching of TFIIH between RNA Polymerase I and II Transcription and DNA Repair In Vivo. <i>Molecular Cell</i> , 2002, 10, 1163-1174.	4.5	187
79	The Transcription Cycle In Vivo. <i>Molecular Cell</i> , 2002, 10, 1264-1266.	4.5	16
80	Nuclear dynamics of RAD52 group homologous recombination proteins in response to DNA damage. <i>EMBO Journal</i> , 2002, 21, 2030-2037.	3.5	217
81	Macromolecular dynamics in living cell nuclei revealed by fluorescence redistribution after photobleaching. <i>Histochemistry and Cell Biology</i> , 2001, 115, 13-21.	0.8	148
82	Apoptosis is present in the primate macula at all ages. , 2000, 238, 508-514.		10
83	Cytogenetic clonality analysis of megakaryocytes in myelodysplastic syndrome by dual-color fluorescence in situ hybridization and confocal laser scanning microscopy. <i>Genes Chromosomes and Cancer</i> , 1999, 25, 332-338.	1.5	16
84	Kinetics, localization, and mechanism of 5-aminolevulinic acid-induced porphyrin accumulation in normal and Barrett's-like rat esophagus. , 1999, 24, 3-13.		28
85	Cytogenetic clonality analysis of megakaryocytes in myelodysplastic syndrome by dual-color fluorescence in situ hybridization and confocal laser scanning microscopy. <i>Genes Chromosomes and Cancer</i> , 1999, 25, 332-8.	1.5	6
86	Expression and functions of EGF FGF and TGF β -growth-factor family members and their receptors in invasive human transitional-cell-carcinoma cells. , 1997, 71, 284-291.		37