

F J Guti  rrez Ortiz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7644678/publications.pdf>

Version: 2024-02-01

56
papers

1,528
citations

257450

24
h-index

330143

37
g-index

57
all docs

57
docs citations

57
times ranked

1553
citing authors

#	ARTICLE	IF	CITATIONS
1	Biofuel production from supercritical water gasification of sustainable biomass. <i>Energy Conversion and Management</i> : X, 2022, 14, 100164.	1.6	2
2	Heat Transfer Limitations in Supercritical Water Gasification. <i>Energies</i> , 2022, 15, 177.	3.1	2
3	Energy Hybridization with Combined Heat and Power Technologies in Supercritical Water Gasification Processes. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 5497.	2.5	1
4	A new time-dependent rate constant of the coalescence kernel for the modelling of fluidised bed granulation. <i>Powder Technology</i> , 2021, 379, 321-334.	4.2	6
5	Development of contemporary engineering graduate attributes through open-ended problems and activities. <i>European Journal of Engineering Education</i> , 2021, 46, 441-456.	2.3	15
6	Life cycle assessment of the Fischer-Tropsch biofuels production by supercritical water reforming of the bio-oil aqueous phase. <i>Energy</i> , 2020, 210, 118648.	8.8	17
7	Techno-economic assessment of supercritical processes for biofuel production. <i>Journal of Supercritical Fluids</i> , 2020, 160, 104788.	3.2	44
8	The use of process simulation in supercritical fluids applications. <i>Reaction Chemistry and Engineering</i> , 2020, 5, 424-451.	3.7	30
9	A pilot-scale laboratory experience for an inductive learning of hydrodynamics in a sieve-tray tower. <i>Education for Chemical Engineers</i> , 2019, 29, 42-55.	4.8	1
10	Modeling of fixed-bed columns for gas physical adsorption. <i>Chemical Engineering Journal</i> , 2019, 378, 121985.	12.7	22
11	Integral energy valorization of municipal solid waste reject fraction to biofuels. <i>Energy Conversion and Management</i> , 2019, 180, 1167-1184.	9.2	27
12	Hydrogen production from supercritical water reforming of acetic acid, acetol, 1-butanol and glucose over Ni-based catalyst. <i>Journal of Supercritical Fluids</i> , 2018, 138, 259-270.	3.2	16
13	Techno-economic assessment of an energy self-sufficient process to produce biodiesel under supercritical conditions. <i>Journal of Supercritical Fluids</i> , 2017, 128, 349-358.	3.2	25
14	Fischer-Tropsch biofuels production from syngas obtained by supercritical water reforming of the bio-oil aqueous phase. <i>Energy Conversion and Management</i> , 2017, 150, 599-613.	9.2	28
15	Techno-economic assessment of bio-oil aqueous phase-to-liquids via Fischer-Tropsch synthesis and based on supercritical water reforming. <i>Energy Conversion and Management</i> , 2017, 154, 591-602.	9.2	22
16	Effect of mixing bio-oil aqueous phase model compounds on hydrogen production in non-catalytic supercritical reforming. <i>Reaction Chemistry and Engineering</i> , 2017, 2, 679-687.	3.7	8
17	Supercritical water reforming of model compounds of bio-oil aqueous phase: Acetic acid, acetol, butanol and glucose. <i>Chemical Engineering Journal</i> , 2016, 298, 243-258.	12.7	39
18	Turnover rates for the supercritical water reforming of glycerol on supported Ni and Ru catalysts. <i>Fuel</i> , 2016, 180, 417-423.	6.4	14

#	ARTICLE	IF	CITATIONS
19	Techno-economic assessment of biogas plant upgrading by adsorption of hydrogen sulfide on treated sewage-sludge. <i>Energy Conversion and Management</i> , 2016, 126, 411-420.	9.2	23
20	High performance regenerative adsorption of hydrogen sulfide from biogas on thermally-treated sewage-sludge. <i>Fuel Processing Technology</i> , 2016, 145, 148-156.	7.2	6
21	Supercritical water reforming of glycerol: Performance of Ru and Ni catalysts on Al ₂ O ₃ support. <i>Energy</i> , 2016, 96, 561-568.	8.8	27
22	Prediction of fixed-bed breakthrough curves for H ₂ S adsorption from biogas: Importance of axial dispersion for design. <i>Chemical Engineering Journal</i> , 2016, 289, 93-98.	12.7	54
23	Techno-economic assessment of hydrogen and power production from supercritical water reforming of glycerol. <i>Fuel</i> , 2015, 144, 307-316.	6.4	43
24	Life cycle assessment of hydrogen and power production by supercritical water reforming of glycerol. <i>Energy Conversion and Management</i> , 2015, 96, 637-645.	9.2	42
25	Hydrogen production from supercritical water reforming of glycerol over Ni/Al ₂ O ₃ -SiO ₂ catalyst. <i>Energy</i> , 2015, 84, 634-642.	8.8	43
26	Biogas desulfurization by adsorption on thermally treated sewage-sludge. <i>Separation and Purification Technology</i> , 2014, 123, 200-213.	7.9	45
27	Syngas methanation from the supercritical water reforming of glycerol. <i>Energy</i> , 2014, 76, 584-592.	8.8	12
28	Modeling and simulation of the adsorption of biogas hydrogen sulfide on treated sewage-sludge. <i>Chemical Engineering Journal</i> , 2014, 253, 305-315.	12.7	37
29	Investigation into the parameters of influence on dust cake porosity in hot gas filtration. <i>Powder Technology</i> , 2014, 264, 592-598.	4.2	21
30	Autothermal Reforming of Glycerol with Supercritical Water for Maximum Power through a Turbine Plus a Fuel Cell. <i>Energy & Fuels</i> , 2013, 27, 576-587.	5.1	12
31	Methanol synthesis from syngas obtained by supercritical water reforming of glycerol. <i>Fuel</i> , 2013, 105, 739-751.	6.4	76
32	Optimization of power and hydrogen production from glycerol by supercritical water reforming. <i>Chemical Engineering Journal</i> , 2013, 218, 309-318.	12.7	40
33	Experimental study of the supercritical water reforming of glycerol without the addition of a catalyst. <i>Energy</i> , 2013, 56, 193-206.	8.8	46
34	An energy and exergy analysis of the supercritical water reforming of glycerol for power production. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 209-226.	7.1	42
35	Process integration and exergy analysis of the autothermal reforming of glycerol using supercritical water. <i>Energy</i> , 2012, 42, 192-203.	8.8	28
36	Thermodynamic study of the supercritical water reforming of glycerol. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 8994-9013.	7.1	67

#	ARTICLE	IF	CITATIONS
37	Modeling of fire-tube boilers. Applied Thermal Engineering, 2011, 31, 3463-3478.	6.0	49
38	Thermodynamic analysis of the autothermal reforming of glycerol using supercritical water. International Journal of Hydrogen Energy, 2011, 36, 12186-12199.	7.1	32
39	Assessment of plate-wire electrostatic precipitators based on dimensional and similarity analyses. Fuel, 2011, 90, 2827-2835.	6.4	7
40	Assessment performance of high-temperature filtering elements. Fuel, 2010, 89, 848-854.	6.4	27
41	Dimensional analysis for assessing the performance of electrostatic precipitators. Fuel Processing Technology, 2010, 91, 1783-1793.	7.2	23
42	A simple realistic modeling of full-scale wet limestone FGD units. Chemical Engineering Journal, 2010, 165, 426-439.	12.7	22
43	Using Neural Networks to Address Nonlinear pH Control in Wet Limestone Flue Gas Desulfurization Plants. Industrial & Engineering Chemistry Research, 2010, 49, 2263-2272.	3.7	19
44	Model Predictive Control of a Wet Limestone Flue Gas Desulfurization Pilot Plant. Industrial & Engineering Chemistry Research, 2009, 48, 5399-5405.	3.7	23
45	A realistic approach to modeling an in-duct desulfurization process based on an experimental pilot plant study. Chemical Engineering Journal, 2008, 141, 141-150.	12.7	9
46	Modeling of the in-duct sorbent injection process for flue gas desulfurization. Separation and Purification Technology, 2008, 62, 571-581.	7.9	17
47	Dynamic Analysis and Identification of a Wet Limestone Flue Gas Desulfurization Pilot Plant. Industrial & Engineering Chemistry Research, 2008, 47, 8263-8272.	3.7	9
48	Controllability Analysis and Decentralized Control of a Wet Limestone Flue Gas Desulfurization Plant. Industrial & Engineering Chemistry Research, 2008, 47, 9931-9940.	3.7	10
49	Catalytic Seawater Flue Gas Desulfurization Process: An Experimental Pilot Plant Study. Environmental Science & Technology, 2007, 41, 7114-7119.	10.0	42
50	A technical assessment of a particle hybrid collector in a pilot plant. Chemical Engineering Journal, 2007, 127, 131-142.	12.7	32
51	Pilot-Plant Technical Assessment of Wet Flue Gas Desulfurization Using Limestone. Industrial & Engineering Chemistry Research, 2006, 45, 1466-1477.	3.7	147
52	Catalytic Oxidation of S(IV) in Seawater Slurries of Activated Carbon. Environmental Science & Technology, 2005, 39, 5031-5036.	10.0	25
53	Flue-Gas Desulfurization in an Advanced in-Duct Desulfurization Process: An Empirical Model from an Experimental Pilot-Plant Study. Industrial & Engineering Chemistry Research, 2003, 42, 6625-6637.	3.7	12
54	A technical pilot plant assessment of flue gas desulfurisation in a circulating fluidised bed. Journal of Environmental Management, 2002, 7, 73-85.	1.7	11

#	ARTICLE	IF	CITATIONS
55	Flue-Gas Desulfurization in Circulating Fluidized Beds: An Empirical Model from an Experimental Pilot-Plant Study. <i>Industrial & Engineering Chemistry Research</i> , 2001, 40, 5640-5648.	3.7	11
56	A pilot plant technical assessment of an advanced in-duct desulphurisation process. <i>Journal of Hazardous Materials</i> , 2001, 83, 197-218.	12.4	14