

Heiko Ihmels

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7645187/heiko-ihmels-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

3,091
citations

30
h-index

48
g-index

176
ext. papers

3,374
ext. citations

4
avg, IF

5.2
L-index

#	Paper	IF	Citations
149	Borylated norbornadiene derivatives: Synthesis and application in Pd-catalyzed Suzuki-Miyaura coupling reactions.. <i>Beilstein Journal of Organic Chemistry</i> , 2022 , 18, 368-373	2.5	0
148	9-Nitrobenzo[b]quinolizinium as a fluorogenic probe for the detection of nitroreductase in vitro and in Escherichia coli. <i>New Journal of Chemistry</i> , 2021 , 46, 39-43	3.6	0
147	Berberrubine Phosphate: A Selective Fluorescent Probe for Quadruplex DNA. <i>Molecules</i> , 2021 , 26,	4.8	3
146	Selective, pH-Dependent Colorimetric and Fluorimetric Detection of Quadruplex DNA with 4-Dimethylamino(phenyl)-Substituted Berberine Derivatives. <i>Chemistry - A European Journal</i> , 2021 , 27, 8580-8589	4.8	2
145	Synthesis of 10--aryl-substituted berberine derivatives by Chan-Evans-Lam coupling and investigation of their DNA-binding properties. <i>Beilstein Journal of Organic Chemistry</i> , 2021 , 17, 991-1000 ^{2.5}	2.5	0
144	Fluorimetric Detection of Zn, Mg, and Fe with 3-Hydroxy-4-Pyridylisoquinoline as Fluorescent Probe. <i>Journal of Fluorescence</i> , 2021 , 31, 269-277	2.4	1
143	Synthesis, DNA-binding and antiproliferative properties of diarylquinolizinium derivatives. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 878-890	3.9	1
142	DNA-Triggered Enhancement of Singlet Oxygen Production by Pyridinium Alkynylanthracenes. <i>Chemistry - A European Journal</i> , 2021 , 27, 13591-13604	4.8	1
141	Synthesis and investigation of quadruplex-DNA-binding, 9--substituted berberine derivatives. <i>Beilstein Journal of Organic Chemistry</i> , 2020 , 16, 2795-2806	2.5	5
140	Cation-induced ring-opening and oxidation reaction of photoreluctant spirooxazine-quinolizinium conjugates. <i>Beilstein Journal of Organic Chemistry</i> , 2020 , 16, 904-916	2.5	0
139	Photoinduced Release of DNA-Binding Ligands from the [4+4] Dimers of Benzo[b]quinolizinium and Anthracene Derivatives. <i>ChemPhotoChem</i> , 2020 , 4, 520-525	3.3	2
138	Studies on the photocyclization reaction of 8-styryl-substituted coralyne derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2020 , 57, 1435-1441	1.9	1
137	Reversible photoswitching of the DNA-binding properties of styrylquinolizinium derivatives through photochromic [2 + 2] cycloaddition and cycloreversion. <i>Beilstein Journal of Organic Chemistry</i> , 2020 , 16, 111-124	2.5	9
136	Photocontrolled DNA minor groove interactions of imidazole/pyrrole polyamides. <i>Beilstein Journal of Organic Chemistry</i> , 2020 , 16, 60-70	2.5	7
135	Visible-Light-Induced Di- π -Methane Rearrangement of Dibenzobarrelene Derivatives. <i>ChemPhotoChem</i> , 2020 , 4, 132-137	3.3	1
134	Mild Synthesis of Fluorosolvatochromic and Acidochromic 3-Hydroxy-4-pyridylisoquinoline Derivatives from Easily Available Substrates. <i>Journal of Organic Chemistry</i> , 2019 , 84, 3011-3016	4.2	9
133	Structural flexibility versus rigidity of the aromatic unit of DNA ligands: binding of aza- and azoniastilbene derivatives to duplex and quadruplex DNA. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 6404-6413	3.9	5

132	Diphenylaminostyryl-substituted quinolizinium derivatives as fluorescent light-up probes for duplex and quadruplex DNA. <i>Photochemical and Photobiological Sciences</i> , 2019 , 18, 1373-1381	4.2	16
131	Colorimetric and Fluorimetric DNA Detection with a Hydroxystyryl-Quinolizinium Photoacid and Its Application for Cell Imaging. <i>Chemistry - A European Journal</i> , 2019 , 25, 12703-12707	4.8	11
130	Synthesis of a crystallochromic indolizine dye by a base- and catalyst-free photochemical route. <i>Chemical Communications</i> , 2019 , 55, 11071-11074	5.8	11
129	Synthesis of 5-Alkyl- and 5-Phenylamino-Substituted Azothiazole Dyes with Solvatochromic and DNA-Binding Properties. <i>Chemistry - A European Journal</i> , 2019 , 25, 16088	4.8	4
128	Spectroscopic studies on the interactions of 5-ethyl-6-phenyl-3,8-bis((3-aminoalkyl)propanamido)phenanthridin-5-ium derivatives with G-quadruplex DNA. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 196, 432-438	4.4	3
127	Synthesis of 9-arylalkynyl- and 9-aryl-substituted benzo[<i>g</i>]quinolizinium derivatives by Palladium-mediated cross-coupling reactions. <i>Beilstein Journal of Organic Chemistry</i> , 2018 , 14, 1871-1884 ^{2.5}	4.5	2
126	NMR-spectroscopic investigation of the complex between tetraazoniapentapheno[6,7- <i>h</i>]pentaphene and quadruplex DNA Tel26. <i>New Journal of Chemistry</i> , 2018 , 42, 13813-13818	3.6	1
125	Governing the DNA-binding mode of styryl dyes by the length of their alkyl substituents - from intercalation to major groove binding. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 545-554	3.9	23
124	Fluorimetric Detection of G-Quadruplex DNA in Solution and Adsorbed on Surfaces with a Selective Trinuclear Cyanine Dye. <i>Langmuir</i> , 2018 , 34, 11866-11877	4	11
123	8-Styryl-substituted coralyne derivatives as DNA binding fluorescent probes. <i>RSC Advances</i> , 2017 , 7, 10660-10667	4.5	7
122	Ratiometric Detection of Water in Acetonitrile with 9-Hydroxybenzo[<i>b</i>]Quinolizinium as Fluorosolvatochromic Probe. <i>Journal of Fluorescence</i> , 2017 , 27, 1221-1224	2.4	5
121	Interactions between photoacidic 3-hydroxynaphtho[1,2- <i>g</i>]quinolizinium and cucurbit[7]uril: Influence on acidity in the ground and excited state. <i>Beilstein Journal of Organic Chemistry</i> , 2017 , 13, 203-212	2.5	3
120	Optical differentiation between quadruplex DNA and duplex DNA with a [2.2.2]heptamethinecyanine dye. <i>Journal of Physical Organic Chemistry</i> , 2017 , 30, e3736	2.1	4
119	Control of the DNA-Binding and Antiproliferative Properties of Hydroxybenzo[<i>b</i>]quinolizinium Derivatives with pH and Light. <i>Chemistry - A European Journal</i> , 2017 , 23, 370-379	4.8	13
118	Ionic Pathways in the Photochemistry of Cyclic Sulfite Esters. <i>Journal of Heterocyclic Chemistry</i> , 2017 , 54, 1656-1659	1.9	
117	Benzo[<i>b</i>]quinolizinium Derivatives Have a Strong Antimalarial Activity and Inhibit Indoleamine Dioxygenase. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 115-25	5.9	10
116	Hydroxybenzo[<i>b</i>]quinolizinium Ions: Water-Soluble and Solvatochromic Photoacids. <i>Journal of Organic Chemistry</i> , 2016 , 81, 10942-10954	4.2	14
115	A novel Hsp70 inhibitor prevents cell intoxication with the actin ADP-ribosylating <i>Clostridium perfringens</i> iota toxin. <i>Scientific Reports</i> , 2016 , 6, 20301	4.9	22

114	Photodependent Melting of Unmodified DNA Using a Photosensitive Intercalator: A New and Generic Tool for Photoreversible Assembly of DNA Nanostructures at Constant Temperature. <i>Nano Letters</i> , 2016 , 16, 773-80	11.5	42
113	Studies of the binding interactions of dicationic styrylimidazo[1,2-a]pyridinium dyes with duplex and quadruplex DNA. <i>Dyes and Pigments</i> , 2016 , 125, 241-248	4.6	20
112	Synthesis and fluorosolvatochromism of 3-arylnaphtho[1,2-b]quinolizinium derivatives. <i>Beilstein Journal of Organic Chemistry</i> , 2016 , 12, 854-62	2.5	8
111	Playing Around with the Size and Shape of Quinolizinium Derivatives: Versatile Ligands for Duplex, Triplex, Quadruplex and Abasic Site-Containing DNA. <i>Synlett</i> , 2016 , 27, 1775-1793	2.2	23
110	Regiospecific Photocyclization of Mono- and Bis-Styryl-Substituted N-Heterocycles: A Synthesis of DNA-Binding Benzo[c]quinolizinium Derivatives. <i>Journal of Organic Chemistry</i> , 2016 , 81, 9075-9085	4.2	16
109	DNA-ligand interactions gained and lost: light-induced ligand redistribution in a supramolecular cascade. <i>Chemical Communications</i> , 2015 , 51, 4906-9	5.8	43
108	Interaction of crown ether-annelated styryl dyes with double-stranded DNA. <i>Photochemistry and Photobiology</i> , 2015 , 91, 723-31	3.6	14
107	Synthesis and photophysical properties of fluorescent arylstyrylimidazo[1,2-a]pyridine-based donor-acceptor chromophores. <i>Dyes and Pigments</i> , 2015 , 113, 465-473	4.6	26
106	Photoinduced formation of stable Ag-nanoparticles from a ternary ligand-DNA-Ag(+) complex. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 3766-70	3.9	6
105	Arylstyrylimidazo[1,2-a]pyridine-based donor-acceptor acidochromic fluorophores: Synthesis, photophysical, thermal and biological properties. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015 , 310, 113-121	4.7	8
104	The benzo[b]quinolizinium ion as a water-soluble platform for the fluorimetric detection of biologically relevant analytes. <i>Arkivoc</i> , 2015 , 2015, 494-523	0.9	26
103	Switching off the charge transfer and closing the S1-T1 ISC channel in excited states of quinolizinium derivatives: a theoretical study. <i>Journal of Organic Chemistry</i> , 2014 , 79, 3799-808	4.2	7
102	Selective ratiometric detection of H ₂ O ₂ in water and in living cells with boronobenzo[b]quinolizinium derivatives. <i>Chemical Communications</i> , 2014 , 50, 8242-5	5.8	36
101	Targeting abasic site-containing DNA with annelated quinolizinium derivatives: the influence of size, shape and substituents. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 1725-34	3.9	29
100	Licht fñMedizin und Diagnostik. <i>Nachrichten Aus Der Chemie</i> , 2014 , 62, 612-616	0.1	3
99	A comparative study of the interactions of cationic hetarenes with quadruplex-DNA forming oligonucleotide sequences of the insulin-linked polymorphic region (ILPR). <i>Beilstein Journal of Organic Chemistry</i> , 2014 , 10, 2963-74	2.5	10
98	Selective stabilization of abasic site-containing DNA by insertion of sterically demanding biaryl ligands. <i>Chemistry - A European Journal</i> , 2014 , 20, 9883-7	4.8	13
97	Stereoselective Di-pi-Methane Rearrangement of a BINOL-Substituted Dibenzobarrelene Derivative. <i>Zeitschrift Fur Physikalische Chemie</i> , 2014 , 228, 229-242	3.1	1

96	Photoswitchable DNA-binding properties of a photochromic spirooxazine derivative. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 5184-8	3.9	24
95	Light up G-quadruplex DNA with a [2.2.2]heptamethinecyanine dye. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 480-7	3.9	24
94	9-(4-Dimethylaminophenyl)benzo[b]quinolizinium: a near-infrared fluorophore for the multicolor analysis of proteins and nucleic acids in living cells. <i>Chemistry - A European Journal</i> , 2013 , 19, 8736-41	4.8	44
93	Fluorimetric detection of Mg ²⁺ and DNA with 9-(alkoxyphenyl)benzo[b]quinolizinium derivatives. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 3010-8	3.9	21
92	Photoinduced in situ generation of a DNA-binding benzothiazoloquinolinium derivative. <i>Chemical Communications</i> , 2012 , 48, 4603-5	5.8	26
91	Studies of the solvatochromic emission properties of N-arylorea derivatives II: influence of hydrogen-bonding interactions. <i>Photochemical and Photobiological Sciences</i> , 2012 , 11, 1914-28	4.2	4
90	Studies of the solvatochromic emission properties of N-arylorea derivatives I: Influence of the substitution pattern. <i>Photochemical and Photobiological Sciences</i> , 2012 , 11, 752-67	4.2	8
89	Photoreactions of cyclic sulfite esters: Evidence for diradical intermediates. <i>Beilstein Journal of Organic Chemistry</i> , 2012 , 8, 1208-12	2.5	3
88	Polycyclic azoniaheterarenes: assessing the binding parameters of complexes between unsubstituted ligands and G-quadruplex DNA. <i>Chemistry - A European Journal</i> , 2012 , 18, 10903-15	4.8	23
87	Studies of the fluorescence light-up effect of amino-substituted benzo[b]quinolizinium derivatives in the presence of biomacromolecules. <i>Photochemical and Photobiological Sciences</i> , 2011 , 10, 1535-45	4.2	37
86	Influence of DNA-binding on the photochromic equilibrium of a chromene derivative. <i>Photochemical and Photobiological Sciences</i> , 2011 , 10, 1279-82	4.2	21
85	Effects of anion complexation on the photoreactivity of bisureido- and bistioureido-substituted dibenzobarrelene derivatives. <i>Beilstein Journal of Organic Chemistry</i> , 2011 , 7, 278-89	2.5	7
84	Synthesis of cationic dibenzosemibullvalene-based phase-transfer catalysts by di- π -methane rearrangements of pyrrolinium-annelated dibenzobarrelene derivatives. <i>Beilstein Journal of Organic Chemistry</i> , 2011 , 7, 119-26	2.5	5
83	Intercalation of Organic Ligands as a Tool to Modify the Properties of DNA 2011 , 49-76		7
82	Selective Colorimetric Detection of Hg ²⁺ and Mg ²⁺ with Crown Ether Substituted N-Aryl-9-aminobenzo[b]quinolizinium Derivatives. <i>European Journal of Organic Chemistry</i> , 2011 , 2011, 4145-4153	3.2	17
81	Ethyl 1,6-dimethyl-2-oxo-4-(quinolin-4-yl)-1,2,3,4-tetra-hydro-pyrimidine-5-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1762-3		1
80	DNA cleavage by the Cu(II) complex of the DNA-intercalating 9-bis(pyridin-2-ylmethyl)aminobenzo[b]quinolizinium. <i>Dalton Transactions</i> , 2010 , 39, 8195-202	4.3	15
79	Elucidation of Different Steps Involved in Allylamine Functionalization of the Diamond Surface and Its Polymerization by Time-of-Flight Secondary Ion Mass Spectrometry. <i>Chemistry of Materials</i> , 2010 , 22, 4414-4418	9.6	17

78	Selective detection of Hg ²⁺ in the microenvironment of double-stranded DNA with an intercalator crown-ether conjugate. <i>Chemical Communications</i> , 2010 , 46, 5719-21	5.8	33
77	Allylamine-mediated DNA attachment to polycrystalline diamond surface. <i>Applied Physics Letters</i> , 2009 , 95, 143703	3.4	15
76	Controlling the regioselectivity of the di- π -methane rearrangements of 1,2-naphtho-annelated barrelene derivatives: Solution versus solid-state photochemistry. <i>Canadian Journal of Chemistry</i> , 2009 , 87, 619-626	0.9	4
75	Synthesis of Fluorescent 9-Aryl-Substituted Benzo[b]quinolizinium Derivatives. <i>Synthesis</i> , 2009 , 2009, 4226	2.9	3
74	Selective ratiometric detection of mercury(II) ions in water with an acridizinium-based fluorescent probe. <i>Chemical Communications</i> , 2009 , 3175-7	5.8	117
73	Excited-state acidity of the 8-hydroxyacridizinium ion-a water-soluble photoacid. <i>Photochemical and Photobiological Sciences</i> , 2009 , 8, 309-11	4.2	6
72	Diazonia- and tetraazoniapolycyclic cations as motif for quadruplex-DNA ligands. <i>Chemical Communications</i> , 2009 , 1249-51	5.8	25
71	Water-soluble, pH-sensitive fluorescent probes on the basis of acridizinium ions. <i>Photochemical and Photobiological Sciences</i> , 2008 , 7, 405-7	4.2	21
70	Synthesis of 6-amino-3,4-dihydroisoquinolinium derivatives by ring-opening reactions of acridizinium ions. <i>Organic Letters</i> , 2008 , 10, 757-60	6.2	7
69	Absence of 2-Deoxyguanosine-carbon 8-bound ochratoxin A adduct in rat kidney DNA monitored by isotope dilution LC-MS/MS. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 472-82	5.9	41
68	Diazoniapolycyclic ions inhibit the activity of topoisomerase I and the growth of certain tumor cell lines. <i>ChemMedChem</i> , 2008 , 3, 1671-6	3.7	14
67	The reversible [4+4] photocycloaddition of acridizinium derivatives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008 , 200, 3-9	4.7	18
66	Relationship between the structure and the DNA binding properties of diazoniapolycyclic duplex- and triplex-DNA binders: efficiency, selectivity, and binding mode. <i>Biochemistry</i> , 2007 , 46, 12721-36	3.2	51
65	Cucurbit[8]uril/cucurbit[7]uril controlled off/on fluorescence of the acridizinium and 9-aminoacridizinium cations in aqueous solution. <i>Chemistry - A European Journal</i> , 2007 , 13, 6468-73	4.8	67
64	Targeting Abasic Sites in DNA by Aminoalkyl-Substituted Carboxamidoacridizinium Derivatives and Acridizinium-Adenine Conjugates. <i>European Journal of Organic Chemistry</i> , 2007 , 2007, 4721-4730	3.2	21
63	Acridizinium Salts as a Novel Class of DNA-binding and Site-selective DNA-photodamaging Chromophores. <i>Photochemistry and Photobiology</i> , 2007 , 74, 505-511	3.6	1
62	Dual fluorescence of 2-methoxyanthracene derivatives. <i>Journal of Physical Chemistry A</i> , 2007 , 111, 1036-48	4.8	18
61	9-donor-substituted acridizinium salts: versatile environment-sensitive fluorophores for the detection of biomacromolecules. <i>Journal of the American Chemical Society</i> , 2007 , 129, 1254-67	16.4	115

60	Synthesis of 9-amino- and 9-sulfanyl-substituted benzo[b]quinolizinium derivatives. <i>Arkivoc</i> , 2007 , 2007, 136-149	0.9	2
59	Selective stabilization of triple-helical DNA by diazoniapolycyclic intercalators. <i>ChemBioChem</i> , 2006 , 7, 1031-3	3.8	11
58	Comparative studies on the DNA-binding properties of linear and angular dibenzoquinolizinium ions. <i>Journal of Organic Chemistry</i> , 2006 , 71, 8401-11	4.2	15
57	Detection of biomacromolecules with fluorescent light-up probes. <i>Pure and Applied Chemistry</i> , 2006 , 78, 2325-2331	2.1	6
56	Efficient Photoinduced DNA Damage by Coralyne. <i>Photochemistry and Photobiology</i> , 2006 , 82, 1572	3.6	1
55	Efficient Photoinduced DNA Damage by Coralyne. <i>Photochemistry and Photobiology</i> , 2006 , 82, 1572-1576	3.6	23
54	Efficient photoinduced DNA damage by coralyne. <i>Photochemistry and Photobiology</i> , 2006 , 82, 1572-6	3.6	2
53	Anthryl-substituted heterocycles as acid-sensitive fluorescence probes. <i>Journal of Organic Chemistry</i> , 2005 , 70, 3929-38	4.2	53
52	Studies on the mechanism of the photo-induced DNA damage in the presence of acridizinium salts-involvement of singlet oxygen and an unusual source for hydroxyl radicals. <i>Journal of the American Chemical Society</i> , 2005 , 127, 76-85	16.4	73
51	N-aryl-9-amino-substituted acridizinium derivatives as fluorescent "light-up" probes for DNA and protein detection. <i>Organic Letters</i> , 2005 , 7, 5119-22	6.2	53
50	N-Acylureido functionality as acceptor substituent in solvatochromic fluorescence probes: detection of carboxylic acids, alcohols, and fluoride ions. <i>Journal of the American Chemical Society</i> , 2005 , 127, 17158-9	16.4	49
49	Design of a chiral mesoporous silica and its application as a host for stereoselective di-pi-methane rearrangements. <i>Journal of Organic Chemistry</i> , 2005 , 70, 2315-21	4.2	55
48	Intercalation of organic dye molecules into double-stranded DNA. Part 2: the annelated quinolizinium ion as a structural motif in DNA intercalators. <i>Photochemistry and Photobiology</i> , 2005 , 81, 1107-15	3.6	86
47	Synthesis of Substituted Diazoniapentaphene Salts by an Unexpected Rearrangement-Cyclodehydration Sequence. <i>European Journal of Organic Chemistry</i> , 2005 , 2005, 4098-4108	2.2	3
46	Electrocyclic reaction of crown-containing 2-styrylbenzothiazoles. <i>Russian Chemical Bulletin</i> , 2005 , 54, 1328-1330	1.7	3
45	A Novel Technology to Create Monolithic Instruments for Micro Total Analysis Systems. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 869, 381		4
44	Ochratoxin A: lack of formation of covalent DNA adducts. <i>Chemical Research in Toxicology</i> , 2004 , 17, 234-42	4.2	122
43	Evaluation of the DNA-Binding Properties of Cationic Dyes by Absorption and Emission Spectroscopy 2004 , 172-190		2

42	DNA-binding and DNA-photocleaving properties of 12a,14a-diazoniapentaphene. <i>Arkivoc</i> , 2004 , 2004, 219-230	0.9	7
41	The Influence Of The Substitutionpattern Of Acridizinium Salts On The Regioselectivity Of The Solid-State Photodimerization. <i>Molecular Crystals and Liquid Crystals</i> , 2003 , 390, 105-112	0.5	2
40	Einkristalle des disubstituierten Anthracens 9,10-(Ph ₂ P=S) ₂ C ₁₄ H ₈ detektieren selektiv und reversibel Toluol durch Festkörper-Fluoreszenz-Emission. <i>Angewandte Chemie</i> , 2003 , 115, 807-811	3.6	32
39	Single crystals of the disubstituted anthracene 9,10-(Ph ₂ P=S) ₂ C ₁₄ H ₈ selectively and reversibly detect toluene by solid-state fluorescence emission. <i>Angewandte Chemie - International Edition</i> , 2003 , 42, 783-7	16.4	140
38	6-Aminoacridizinium bromide: a fluorescence probe which lights up in AT-rich regions of DNA. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 2999-3001	3.9	13
37	Highly Regioselective Solid-State Photodimerization of Naphthoquinolizinium Salts. <i>European Journal of Organic Chemistry</i> , 2002 , 2002, 2624	3.2	20
36	Indolo[2,3-b]-quinolizinium bromide: an efficient intercalator with DNA-photodamaging properties. <i>ChemBioChem</i> , 2002 , 3, 550-8	3.8	23
35	Differential scanning calorimetry in studies of solid-state reactions in photochromic materials. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2002 , 151, 83-88	4.7	2
34	Medium-dependent type selectivity in photoreactions of a crown ether-annelated dibenzobarrelele derivative. <i>Organic Letters</i> , 2002 , 4, 3247-50	6.2	14
33	Naphthoquinolizinium derivatives as a novel platform for DNA-binding and DNA-photodamaging chromophores. <i>Photochemical and Photobiological Sciences</i> , 2002 , 1, 882-9	4.2	18
32	Reactions of a cyclotrisilane with styrene derivatives and diarylacetylenes—evidence for nucleophilic silylenes. <i>Tetrahedron</i> , 2001 , 57, 511-517	2.4	19
31	Synthesis and Investigation of the DNA-Binding and DNA-Photodamaging Properties of Indolo[2,3-b]quinolizinium Bromide. <i>European Journal of Organic Chemistry</i> , 2001 , 2001, 1157-1161	3.2	9
30	Solid-State Photodimerization of 9-Substituted Acridizinium Salts-Selectivity by Directional π Stacking. <i>Molecular Crystals and Liquid Crystals</i> , 2001 , 356, 433-441		5
29	Regioselectivity of the Di- π -Methane Rearrangements of 1,4-Dialkoxy-9,10-bis(methoxycarbonyl)dibenzobarrelelenes in Solution and in the Solid State. <i>Synthesis</i> , 2001 , 112, 1175	2.9	2
28	Studies on single-strand scissions to cell-free plasmid DNA by the dopaminergic neurotoxin α -ClOR (1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline). <i>Neuroscience Letters</i> , 2001 , 304, 41-4	3.3	14
27	Acridizinium salts as a novel class of DNA-binding and site-selective DNA-photodamaging chromophores. <i>Photochemistry and Photobiology</i> , 2001 , 74, 505-11	3.6	26
26	New dyes based on amino-substituted acridizinium salts—synthesis and exceptional photochemical properties. <i>Chemistry - A European Journal</i> , 2000 , 6, 2854-64	4.8	36
25	Solid-State Photolysis of Anthracene-Linked Ammonium Salts: The Search for Topochemical Anthracene Photodimerizations. <i>Tetrahedron</i> , 2000 , 56, 6867-6875	2.4	34

24	Novel fluorescence probes based on 2,6-donor-acceptor-substituted anthracene derivatives. <i>Organic Letters</i> , 2000 , 2, 2865-7	6.2	45
23	New Dyes Based on Amino-Substituted Acridinium Salts-Synthesis and Exceptional Photochemical Properties 2000 , 6, 2854		1
22	Silylenes Coordinated to Lewis Bases. <i>Advances in Organometallic Chemistry</i> , 1999 , 43, 1-42	3.8	26
21	The Norrish type II reaction in the crystalline state: Toward a better understanding of the geometric requirements for hydrogen atom abstraction. <i>Tetrahedron</i> , 1999 , 55, 885-907	2.4	91
20	Photolysis of N-phenylhydroxylamine: a novel photochemical disproportionation reaction in N-D bond cleavage assisted by hydrogen bonding. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1999 , 122, 7-10	4.7	7
19	11,12-Bis(diethylaminomethyl)-9,10-dihydro-9,10-ethenoanthracene: A probe for the heavy atom effect in solid state photoreactions. <i>Tetrahedron</i> , 1999 , 55, 2171-2182	2.4	3
18	Synthesis, Fluorescence Properties, and Head-to-Tail Regioselectivity in the Photodimerization of a Donor-Acceptor-Substituted Anthracene. <i>European Journal of Organic Chemistry</i> , 1999 , 1999, 1595-1600	3.2	21
17	Regioselective Photodimerization of 9-Substituted Acridinium Salts in the Solid State. <i>Journal of Organic Chemistry</i> , 1999 , 64, 5715-5718	4.2	16
16	New Dichlorosilanes, Cyclotrisilanes, and Silacyclopropanes as Precursors of Intramolecularly Coordinated Silylenes. <i>Chemistry - A European Journal</i> , 1998 , 4, 852-863	4.8	35
15	Synthesis and enhanced regioselectivity in the photodimerization of 9-aminoacridinium perchlorate. <i>Tetrahedron Letters</i> , 1998 , 39, 8641-8642	2	12
14	Photochemistry of 11,12-bis(Aminomethyl)-9,10-dihydro-9,10-ethenoanthracene in Solution and in the Solid State. <i>Liebigs Annalen</i> , 1997 , 1997, 1925-1929		10
13	Reactions of a Silanediyl with Carbon-Oxygen and Carbon-Nitrogen Double Bonds. <i>Journal of Organic Chemistry</i> , 1996 , 61, 3315-3319	4.2	48
12	Chalcogen Transfer to Bis[2-(dimethylaminomethyl)phenyl]silanediyl by Isocyanates and Isothiocyanates. <i>Chemische Berichte</i> , 1996 , 129, 125-130		18
11	Reactivity of a silanediyl towards nitriles - the role of azasilacyclopropenes as intermediates. <i>Tetrahedron Letters</i> , 1995 , 36, 8187-8190	2	2
10	Reactions of a Cyclotrisilane with Olefins and Dienes: Evidence for an Equilibrium between Silylenes and a Cyclotrisilane. <i>Organometallics</i> , 1995 , 14, 305-311	3.8	40
9	Reactions of a cyclotrisilane with alkynes: synthesis and first crystal structure of 1,2-disilacyclobut-3-enes. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 1989		17
8	Structures of 2-(Me ₂ NCH ₂)C ₆ H ₄ -Substituted Oligosilanes. <i>Angewandte Chemie International Edition in English</i> , 1994 , 33, 1854-1855		8
7	Strukturen 2-(Me ₂ NCH ₂)C ₆ H ₄ -substituierter Oligosilane. <i>Angewandte Chemie</i> , 1994 , 106, 1949-1950	3.6	8

- 6 A novel route to stable silacyclopropenes - First synthesis of silacyclopropenes bearing vinylic hydrogen. *Tetrahedron Letters*, **1993**, 34, 6541-6544 2 38
- 5 Oxidation of diazo compounds by dimethyl dioxirane: an extremely mild and efficient method for the preparation of labile α -aldehydes. *Tetrahedron Letters*, **1991**, 32, 6215-6218 2 38
- 4 Intercalation of Organic Dye Molecules into Double-Stranded DNA -- General Principles and Recent Developments 161-200
- 3 Monolithic integrated optical detection for microfluidic systems using thin film photodiodes based on amorphous silicon 3
- 2 Cyclotrisilane and Silacyclopropane - An Equilibrium 75-79
- 1 Cyclotrisilane and Silacyclopropane - An Equilibrium 75-79