

Jun Qi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7646065/publications.pdf>

Version: 2024-02-01

66
papers

1,003
citations

623734

14
h-index

501196

28
g-index

68
all docs

68
docs citations

68
times ranked

1950
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of machine learning with multiparametric dual-energy computed tomography of the breast to differentiate between benign and malignant lesions. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 810-822.	2.0	4
2	Plasma IL-6 and TNF- α levels correlate significantly with grading changes in localized prostate cancer. <i>Prostate</i> , 2022, 82, 531-539.	2.3	9
3	Comparison of the effects of extrinsic compression on the drainage performance of three ureteric stents. <i>BJU International</i> , 2022, 130, 343-349.	2.5	2
4	Comparison of Typical Prostate Adenocarcinoma and Rare Histological Variant Prostate Cancer Showed Different Characteristics and Prognosis: A Surveillance, Epidemiology, and End Results Database Analysis. <i>European Urology</i> , 2022, 82, 152-155.	1.9	4
5	Targeting circDGKD Intercepts TKI's Effects on Up-Regulation of Estrogen Receptor β and Vasculogenic Mimicry in Renal Cell Carcinoma. <i>Cancers</i> , 2022, 14, 1639.	3.7	5
6	Understanding of mouse and human bladder at single-cell resolution: integrated analysis of trajectory and cell-cell interactive networks based on multiple scRNA-seq datasets. <i>Cell Proliferation</i> , 2022, 55, e13170.	5.3	4
7	Squalene Epoxidase Metabolic Dependency Is a Targetable Vulnerability in Castration-Resistant Prostate Cancer. <i>Cancer Research</i> , 2022, 82, 3032-3044.	0.9	10
8	Emerging roles of the TRPV4 channel in bladder physiology and dysfunction. <i>Journal of Physiology</i> , 2021, 599, 39-47.	2.9	12
9	The prognostic value and potential subtypes of immune activity scores in three major urological cancers. <i>Journal of Cellular Physiology</i> , 2021, 236, 2620-2630.	4.1	3
10	Serum interleukin 6 and acute urinary retention in elderly men with benign prostatic hyperplasia in China: a cross-sectional study. <i>Translational Andrology and Urology</i> , 2021, 10, 455-465.	1.4	6
11	Characteristics and prognostic value of potential dependency genes in clear cell renal cell carcinoma based on a large-scale CRISPR-Cas9 and RNAi screening database DepMap. <i>International Journal of Medical Sciences</i> , 2021, 18, 2063-2075.	2.5	23
12	Early urinary continence recovery following retzius-sparing robotic-assistant radical prostatectomy with suprapubic catheter: a short-term follow-up outcome. <i>World Journal of Urology</i> , 2021, 39, 3251-3257.	2.2	0
13	Resveratrol could attenuate prostatic inflammation in rats with Oestradiol-induced chronic prostatitis. <i>Andrologia</i> , 2021, 53, e14004.	2.1	5
14	Diagnosis of chronic prostatitis by noninvasive methods in elderly patients with benign prostatic hyperplasia in China. <i>Andrologia</i> , 2021, 53, e14055.	2.1	2
15	Correlation of prostatic morphological parameters and clinical progression in aging Chinese men with benign prostatic hyperplasia: Results from a cross-sectional study. <i>Prostate</i> , 2021, 81, 478-486.	2.3	5
16	Partial inhibition of activin receptor-like kinase 4 alleviates bladder fibrosis caused by bladder outlet obstruction. <i>Experimental Cell Research</i> , 2021, 406, 112724.	2.6	2
17	Variation of prostatic morphology in Chinese benign prostatic hyperplasia patients of different age decades. <i>Aging Male</i> , 2020, 23, 457-463.	1.9	5
18	The association between body mass index and testosterone deficiency in aging Chinese men with benign prostatic hyperplasia: results from a cross-sectional study. <i>Aging Male</i> , 2020, 23, 841-846.	1.9	3

#	ARTICLE	IF	CITATIONS
19	High serum concentration of estradiol may be a risk factor of prostate enlargement in aging male in China. <i>Aging Male</i> , 2020, 23, 1-6.	1.9	9
20	ARID1A upregulation predicts better survival in patients with urothelial bladder carcinoma. <i>Journal of International Medical Research</i> , 2020, 48, 030006051989568.	1.0	10
21	The possible association between serum interleukin 8 and acute urinary retention in Chinese patients with benign prostatic hyperplasia. <i>Andrologia</i> , 2020, 52, e13763.	2.1	3
22	The pattern and prognostic relevance of immune activity scores and tumor-infiltrating immune cells in metastatic clear cell renal cell carcinoma: Evidence from multiple datasets. <i>International Immunopharmacology</i> , 2020, 85, 106651.	3.8	4
23	<p>Prospective Study of the Clinical Impact of Epithelial and Mesenchymal Circulating Tumor Cells in Localized Prostate Cancer<p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 4549-4560.	1.9	6
24	A novel definition of microvessel density in renal cell carcinoma: Angiogenesis plus vasculogenic mimicry. <i>Oncology Letters</i> , 2020, 20, 1-1.	1.8	7
25	Prostate volume does not provide additional predictive value to prostate health index for prostate cancer or clinically significant prostate cancer: results from a multicenter study in China. <i>Asian Journal of Andrology</i> , 2020, 22, 539.	1.6	7
26	MicroRNAâ€101 protects bladder of BOO from hypoxiaâ€induced fibrosis by attenuating TGFâ€Î²â€smad2/3 signaling. <i>IUBMB Life</i> , 2019, 71, 235-243.	3.4	17
27	Urinary neutrophil gelatinase-associated lipocalin as a biomarker to monitor renal function in patients with obstructive ureteral calculi. <i>World Journal of Urology</i> , 2019, 37, 1197-1204.	2.2	6
28	Phi-based risk calculators performed better in the prediction of prostate cancer in the Chinese population. <i>Asian Journal of Andrology</i> , 2019, 21, 592.	1.6	5
29	Adrenomedullin serves a role in the humoral pathway of delayed remote ischemic preconditioning via a hypoxia-inducible factor-1Î±-associated mechanism. <i>Molecular Medicine Reports</i> , 2018, 17, 4547-4553.	2.4	7
30	Estrogen receptor Î² promotes renal cell carcinoma progression via regulating LncRNA HOTAIR-miR-138/200c/204/217 associated CeRNA network. <i>Oncogene</i> , 2018, 37, 5037-5053.	5.9	93
31	The risk factors of Urethrocutaneous fistula after hypospadias surgery in the youth population. <i>BMC Urology</i> , 2018, 18, 64.	1.4	26
32	Genome-wide Association Study (GWAS) of Germline Copy Number Variations (CNVs) Reveal Genetic Risks of Prostate Cancer in Chinese population. <i>Journal of Cancer</i> , 2018, 9, 923-928.	2.5	13
33	Functional outcomes and complications following B-TURP versus HoLEP for the treatment of benign prostatic hyperplasia: a review of the literature and Meta-analysis. <i>Aging Male</i> , 2017, 20, 1-8.	1.9	22
34	Ultrasound image features of intravesical prostatic protrusion indicated failure of medication therapy of finasteride and doxazosin in patients with benign prostatic hyperplasia (LUTS/BPH). <i>International Urology and Nephrology</i> , 2017, 49, 399-404.	1.4	9
35	<i>TEX15</i>: A DNA repair gene associated with prostate cancer risk in Han Chinese. <i>Prostate</i> , 2017, 77, 1271-1278.	2.3	9
36	Genetic variants in 5p13.2 and 7q21.1 are associated with treatment for benign prostatic hyperplasia with the Î±-adrenergic receptor antagonist. <i>Aging Male</i> , 2017, 20, 250-256.	1.9	10

#	ARTICLE	IF	CITATIONS
37	Prostate health index significantly reduced unnecessary prostate biopsies in patients with PSA 2-10 ng/mL and PSA >10 ng/mL: Results from a Multicenter Study in China. <i>Prostate</i> , 2017, 77, 1221-1229.	2.3	26
38	Validation of the novel susceptibility loci for prostate cancer in a Chinese population. <i>Oncology Letters</i> , 2017, 15, 2567-2573.	1.8	3
39	Bioinformatic analysis of microRNA-mRNA expression profiles of bladder tissue induced by bladder outlet obstruction in a rat model. <i>Molecular Medicine Reports</i> , 2017, 16, 4803-4810.	2.4	7
40	A possible relationship between serum sex hormones and benign prostatic hyperplasia/lower urinary tract symptoms in men who underwent transurethral prostate resection. <i>Asian Journal of Andrology</i> , 2017, 19, 230.	1.6	11
41	Race-specific genetic risk score is more accurate than nonrace-specific genetic risk score for predicting prostate cancer and high-grade diseases. <i>Asian Journal of Andrology</i> , 2016, 18, 525.	1.6	11
42	microRNA-372 Suppresses Migration and Invasion by Targeting p65 in Human Prostate Cancer Cells. <i>DNA and Cell Biology</i> , 2016, 35, 828-835.	1.9	40
43	Upper Tract Urothelial Carcinomas Accompanied by Previous or Synchronous Nonmuscle-Invasive Bladder Cancer and Preoperative Hydronephrosis Might Have Worse Oncologic Outcomes After Radical Nephroureterectomy. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e469-e477.	1.9	11
44	Preoperative pyuria predicts advanced pathologic tumor stage and worse survival in patients with urothelial carcinoma of the upper urinary tract treated by radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 418.e1-418.e7.	1.6	9
45	JNK2 downregulation promotes tumorigenesis and chemoresistance by decreasing p53 stability in bladder cancer. <i>Oncotarget</i> , 2016, 7, 35119-35131.	1.8	12
46	Performance of the Prostate Health Index in predicting prostate biopsy outcomes among men with a negative digital rectal examination and transrectal ultrasonography. <i>Asian Journal of Andrology</i> , 2016, 18, 633.	1.6	10
47	Association of genetic polymorphisms in the telomerase reverse transcriptase gene with prostate cancer aggressiveness. <i>Molecular Medicine Reports</i> , 2015, 12, 489-497.	2.4	11
48	A Misdiagnosed Vaginal Leiomyoma: Case Report. <i>Urology Case Reports</i> , 2015, 3, 82-83.	0.3	10
49	Analysis of gene mutations in PKD1/PKD2 by multiplex ligation-dependent probe amplification: some new findings. <i>Renal Failure</i> , 2015, 37, 366-371.	2.1	6
50	Efficacy of 5 α -reductase inhibitors for patients with large benign prostatic hyperplasia (>80 mL) after transurethral resection of the prostate. <i>Aging Male</i> , 2015, 18, 238-243.	1.9	15
51	miR-133 modulates TGF- β 1-induced bladder smooth muscle cell hypertrophic and fibrotic response: Implication for a role of microRNA in bladder wall remodeling caused by bladder outlet obstruction. <i>Cellular Signalling</i> , 2015, 27, 215-227.	3.6	55
52	Which Stage of ADPKD Is More Appropriate for Decortication? A Retrospective Study of 137 Patients from a Single Clinic. <i>PLoS ONE</i> , 2015, 10, e0120696.	2.5	2
53	Tumor-suppressive microRNA-497 targets IKK β to regulate NF- κ B signaling pathway in human prostate cancer cells. <i>American Journal of Cancer Research</i> , 2015, 5, 1795-804.	1.4	25
54	Performance of serum prostate-specific antigen isoform [p2]proPSA (p2PSA) and the prostate health index (PHI) in a Chinese hospital-based biopsy population. <i>Prostate</i> , 2014, 74, 1569-1575.	2.3	36

#	ARTICLE	IF	CITATIONS
55	A new Model Consists of Intravesical Prostatic Protrusion, Prostate Volume and Serum Prostatic-Specific Antigen in the Evaluation of Prostate Cancer. Pathology and Oncology Research, 2014, 20, 439-443.	1.9	7
56	Two cases of dural arteriovenous fistula presenting with parkinsonism and progressive cognitive dysfunction. Journal of the Neurological Sciences, 2014, 343, 211-214.	0.6	12
57	Evaluation of reported prostate cancer risk-associated SNPs from genome-wide association studies of various racial populations in Chinese men. Prostate, 2013, 73, 1623-1635.	2.3	28
58	LILRA3 Is Associated with Benign Prostatic Hyperplasia Risk in a Chinese Population. International Journal of Molecular Sciences, 2013, 14, 8832-8840.	4.1	7
59	Predictors of postoperative renal functional damage after nephron-sparing surgery. World Journal of Surgical Oncology, 2013, 11, 216.	1.9	8
60	Association of a Common Variant at 10q26 and Benign Prostatic Hyperplasia Aggressiveness in Han Chinese Descent. Biochemistry Research International, 2013, 2013, 1-5.	3.3	1
61	Genetic Variants in 2q31 and 5p15 Are Associated With Aggressive Benign Prostatic Hyperplasia in a Chinese Population. Prostate, 2013, 73, 1182-1190.	2.3	13
62	Replication and cumulative effects of GWAS-identified genetic variations for prostate cancer in Asians: a caseâ€“control study in the ChinaPCa consortium. Carcinogenesis, 2012, 33, 356-360.	2.8	38
63	Genome-wide association study in Chinese men identifies two new prostate cancer risk loci at 9q31.2 and 19q13.4. Nature Genetics, 2012, 44, 1231-1235.	21.4	160
64	Transitional Zone Index and Intravesical Prostatic Protrusion in Benign Prostatic Hyperplasia Patients: Correlations according to Treatment Received and Other Clinical Data. Korean Journal of Urology, 2012, 53, 253.	1.2	9
65	Systematic confirmation study of reported prostate cancer riskâ€“associated single nucleotide polymorphisms in Chinese men. Cancer Science, 2011, 102, 1916-1920.	3.9	41
66	Management of Renal Cell Carcinoma WithÂ Tumor Thrombus in Renal Vein and theÂ Inferior Vena Cava. Annals of Vascular Surgery, 2010, 24, 1089-1093.	0.9	12