

# Tatyana Lomova

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7646642/tatyana-lomova-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128  
papers

796  
citations

12  
h-index

20  
g-index

139  
ext. papers

908  
ext. citations

1.5  
avg, IF

4.49  
L-index

#	Paper	IF	Citations
128	Generation and Spectral Properties of Oxidized Forms of Iridium and Rhenium Porphyrin Complexes. <i>Russian Journal of Inorganic Chemistry</i> , <b>2022</b> , 67, 338-349	1.5	
127	Photoinduced Absorption Spectra of Donor-Acceptor Systems Based on Cobalt(II) and Manganese(III) Phthalocyanine Complexes with Femtosecond Time Resolution. <i>Russian Journal of Physical Chemistry A</i> , <b>2022</b> , 96, 717-723	0.7	
126	Modification of magnetocaloric properties upon a change in the spin state of iron(III) in tetrapyrrole paramagnets. <i>Synthetic Metals</i> , <b>2021</b> , 274, 116696	3.6	0
125	Recent progress in organometallic porphyrin-based molecular materials for optical sensing, light conversion, and magnetic cooling. <i>Applied Organometallic Chemistry</i> , <b>2021</b> , 35, e6254	3.1	1
124	N Basicity of Substituted Fullero[60]/[70]pyrrolidines According to DFT/TD-DFT Calculations and Chemical Thermodynamics. <i>Journal of Physical Chemistry A</i> , <b>2021</b> , 125, 5365-5374	2.8	0
123	Recent advances in the practical use of the redox properties of manganese porphyrins. <i>Journal of Organometallic Chemistry</i> , <b>2021</b> , 945, 121880	2.3	1
122	The first experimental evidence of room-temperature magnetocaloric effect in fullerenes. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 3065-3071	4.1	1
121	Carbazole-functionalized cobalt(II) porphyrin axially bonded with C60/C70 derivatives: synthesis and characterization. <i>New Journal of Chemistry</i> , <b>2021</b> , 45, 9053-9065	3.6	3
120	Thermodynamic Basicity Constants of Highly Substituted Manganese Porphyrines and Their Connection to the Structure of Molecules. <i>Russian Journal of Physical Chemistry A</i> , <b>2021</b> , 95, 1791-1797	0.7	
119	The donor-acceptor dyad based on high substituted fullero[70]pyrrolidine-coordinated manganese (III) phthalocyanine for photoinduced electron transfer. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2021</b> , 263, 120166	4.4	1
118	Mechanism of the Self-Assembly of Donor-Acceptor Triads Based on Cobalt(II) Porphyrin Complex and Fullero[60]pyrrolidine, According to Data Obtained by Spectroscopic and Electrochemical Means. <i>Russian Journal of Physical Chemistry A</i> , <b>2020</b> , 94, 1159-1166	0.7	6
117	Spectral properties of supramolecular systems based on cobalt(II)/manganese(III) phthalocyanine and fullero[60]pyrrolidines with PET. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 11262-11270	3.6	7
116	Effects of a Central Atom and Peripheral Substituents on Photoinduced Electron Transfer in the Phthalocyanine Fullerene Donor-Acceptor Solution-Processable Dyads. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 4010-4023	3.8	16
115	Macroheterocyclic Compounds - a Key Building Block in New Functional Materials and Molecular Devices. <i>Macroheterocycles</i> , <b>2020</b> , 13, 311-467	2.2	36
114	Novel fluorescence quenching triad based on molybdenum(V) tetra-p-tolylporphyrin and substituted fullero[60]pyrrolidine. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2020</b> , 24, 1224-1232	1.8	0
113	Equilibria and Rates of Reactions between Organic N-Bases and Substituted Manganese Phthalocyanine. <i>Russian Journal of Physical Chemistry A</i> , <b>2019</b> , 93, 236-242	0.7	6
112	Formation Reaction, Spectroscopy, and Photoelectrochemistry of the Donor-Acceptor Complex (5,10,15,20-Tetraphenyl-21,23H-porphinato)cobalt(II) with Pyridyl-Substituted Fullero[60]pyrrolidine. <i>Russian Journal of Inorganic Chemistry</i> , <b>2019</b> , 64, 605-614	1.5	10

111	New dyads based on trifluoromethylated phthalocyanine derivatives and substituted fullerene with possible application photoinduced electron transfer. <i>Journal of Fluorine Chemistry</i> , <b>2019</b> , 224, 113-120	2.1	12
110	New paramagnets based on nanocarbon and cobalt(II)porphyrin: Magnetocaloric effect and specific heat capacity. <i>Synthetic Metals</i> , <b>2019</b> , 253, 116-121	3.6	9
109	Stepwise Mechanism of the Rhenium(V) Porphyrin Reaction with Pyridine, and the Chemical Structure of the Donor-Acceptor Complex. <i>Russian Journal of Physical Chemistry A</i> , <b>2019</b> , 93, 703-709	0.7	6
108	New Molecular Chemosensors Based on Niobium(V) 5,10,15,20-(Tetra-4-tert-butylphenyl)porphine for Detection of VOCs. <i>Russian Journal of Inorganic Chemistry</i> , <b>2019</b> , 64, 1538-1547	1.5	4
107	Magnetocaloric behavior of REE porphyrin-based paramagnets at room temperature. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2019</b> , 23, 1110-1117	1.8	2
106	Synthesis and properties of the novel (tetraazaporphinato)/(phthalocyaninato) manganese(III) $\pi$ Pyridyl-substituted [60]fulleropyrrolidine dyads assembled through donor-acceptor bonding. <i>Dyes and Pigments</i> , <b>2018</b> , 153, 225-232	4.6	21
105	Formation Reaction and Chemical Structure of a Novel Supramolecular Triad Based on Cobalt(II) 5,10,15,20-(Tetra-4-Tert-Butylphenyl)-21H,23H-Porphyrin and 1-Methyl-2-(Pyridin-4?-Yl)-3,4-Fullero[60]Pyrrolidine. <i>Journal of Structural Chemistry</i> , <b>2018</b> , 59, 711-719	0.9	15
104	PorphyrinFullerene Dyad Based on Indium(III) Complex. Donor-Acceptor Complex Formation Equilibrium. <i>Russian Journal of Inorganic Chemistry</i> , <b>2018</b> , 63, 391-399	1.5	8
103	Synthesis, Physicochemical Characterization and Pyridine Binding to (2,3,7,8,12,18-Hexamethyl-13,17-diethyl-5-(2-pyridylporphinato)cobalt(II). <i>Macroheterocycles</i> , <b>2018</b> , 11, 79-84	2.2	5
102	Self-assembled cobalt(II)porphyrinfulleropyrrolidine triads via axial coordination with photoinduced electron transfer. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 12449-12456	3.6	22
101	Synthesis and properties of a novel porphyrinFullerene triad assembled through donor-acceptor bonding. <i>Mendeleev Communications</i> , <b>2018</b> , 28, 426-428	1.9	17
100	Complex Formation of Cobalt(II) Octakis(3,5-di-tert-butylphenoxy)phthalocyanine with 2?--(Pyridin-4-yl)-5?--(Pyridin-2-yl)-1?--(Pyridin-2-ylmethyl)-2?,4?-Dihydro-1?H-Pyrrolo[3?,4?:1,2][C60-Ih][5,6]fullerene. <i>Russian Journal of Inorganic Chemistry</i> , <b>2018</b> , 63, 1453-1460	1.5	7
99	Chemical Structure of Pyridine Complexes Of Oxo(5,10,15,20-Tetraphenyl-21H,23H-Porphinato) Niobium(V) Chloride According to Formation Thermodynamics/Kinetics And Spectroscopy Data. <i>Journal of Structural Chemistry</i> , <b>2018</b> , 59, 1880-1890	0.9	4
98	Basicity of Highly Substituted $\pi$ Octaalkyl-meso-aryl- and -meso-thienyl Porphyrins. <i>Russian Journal of Organic Chemistry</i> , <b>2018</b> , 54, 1553-1558	0.7	1
97	Synthesis and Antimicrobial Activity of a Pyridine Complex of (Acetato)[5,10,15,20-tetrakis(N-methylpyridin- 4-yl)porphinato]manganese(III) Tetratosylate. <i>Russian Journal of General Chemistry</i> , <b>2018</b> , 88, 1657-1662	0.7	1
96	New Trends in the Direct Synthesis of Phthalocyanine/Porphyrin Complexes <b>2018</b> , 239-278		2
95	Bornane[2,3-b]pyrazino-fused [30]trithiadodecaazahexaphyrin. Synthesis, acid-base behavior and nickel(II) coordination ability. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2017</b> , 21, 135-143	1.8	
94	Cobalt(II) porphyrin axially coordinated with 2?--(pyridin-4-yl)-5?--(pyridin-2-yl)-1?--(pyridin-2-ylmethyl)-2?,4?-dihydro-1?H-pyrrolo[3?,4?:1,2][C60-Ih][5,6]fullerene: formation, chemical structure, and spectroscopic properties. <i>Journal of Coordination Chemistry</i> , <b>2017</b> , 70, 2271-2282	1.6	16

93	Chemical composition of donor-acceptor complexes of hydroxyoxo(5,10,15,20-tetraphenylporphinato)molybdenum(V) with 3,5-dimethylpyrazole and equilibrium constants for their formation. <i>Russian Journal of Physical Chemistry A</i> , <b>2017</b> , 91, 2085-2091	0.7	3
92	Pyridine coordination to manganese(III) porphyrins: The effect of multiple functional substitution in porphyrin. <i>Russian Journal of Inorganic Chemistry</i> , <b>2017</b> , 62, 1483-1487	1.5	5
91	Thermodynamics of the equilibrium of the reaction between (5,10,15,20-tetra(2-methoxyphenyl)porphinato)chloroindium(III) and pyridine. <i>Russian Journal of Physical Chemistry A</i> , <b>2017</b> , 91, 1279-1284	0.7	1
90	5,15-bis(4-methoxyphenyl)-3,7,13,17-tetramethyl-2,8,12,18-tetraethylporphyrin axial complexes of rhenium: Synthesis and reactions in protic solvents. <i>Russian Journal of Inorganic Chemistry</i> , <b>2017</b> , 62, 1576-1583 <sup>6</sup>	1.5	6
89	New soluble octakis-substituted Co(II) phthalocyanines: Synthesis, spectra, supramolecular chemistry. <i>Dyes and Pigments</i> , <b>2016</b> , 128, 263-270	4.6	20
88	Kinetics of the chemical oxidation of (5,10,15,20-tetraphenyl-21H,23H-porphinato)(chloro)(aqua)iridium(III). <i>Russian Journal of Physical Chemistry A</i> , <b>2016</b> , 90, 37-42	0.7	2
87	Magnetocaloric properties of manganese(III) porphyrins bearing 2,6-di-tert-butylphenol groups. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2016</b> , 401, 86-90	2.8	10
86	Phthalocyanine-based molecular paramagnets. Effect of double-decker structure on magnetothermal properties of gadolinium complexes. <i>Journal of Organometallic Chemistry</i> , <b>2016</b> , 819, 209-215	2.3	12
85	Synthesis and properties of a new (octaethylporphyrinato)-manganese(III)-pyridinyl-substituted pyrrolidinofullerene dyad. <i>Russian Journal of Organic Chemistry</i> , <b>2016</b> , 52, 1503-1508	0.7	14
84	Phthalocyaninato lanthanide(III) acetates as a new class of molecular paramagnets with large magnetocaloric effect. <i>Mendeleev Communications</i> , <b>2016</b> , 26, 301-303	1.9	7
83	Molecular paramagnets. The effect of structural modification on (porphyrinato) gadolinium(III) magnetothermal properties. <i>Synthetic Metals</i> , <b>2016</b> , 220, 502-507	3.6	6
82	Chemical structure and reactions of axially coordinated iridium(III) porphyrins. <i>Russian Journal of Inorganic Chemistry</i> , <b>2015</b> , 60, 157-165	1.5	4
81	Kinetics of Mn(III)tetraazaporphyrin/C60-pyridyl supramolecular system formation. <i>Tetrahedron</i> , <b>2015</b> , 71, 6659-6664	2.4	17
80	Protonation equilibria of (octakis(3-trifluoromethylphenyl)-, (3-trifluoromethylphenoxy)-, and (3,5-di-tert-butylphenoxy)phthalocyaninato) manganese(III) acetate. <i>Russian Journal of Physical Chemistry A</i> , <b>2015</b> , 89, 190-195	0.7	4
79	Dissociation of cerium(III) and neodymium(III) phthalocyanines. <i>Russian Journal of Physical Chemistry A</i> , <b>2015</b> , 89, 1178-1183	0.7	2
78	Mutual effects of equatorial and axial ligands on the stability of praseodymium(III) and samarium(III) phthalocyanine complexes. <i>Russian Journal of Inorganic Chemistry</i> , <b>2015</b> , 60, 1123-1128	1.5	
77	Axial ligands and (acido) (phthalocyaninato) lanthanides(III) stability on examples of erbium and lutetium. <i>Russian Journal of General Chemistry</i> , <b>2015</b> , 85, 915-921	0.7	1
76	Magnetothermal properties of (octakis-trifluoromethylphenyltetraazaporphinato)manganese(III) acetate in aqueous suspension. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2015</b> , 19, 1262-1269	1.8	6

75	Reactivity of Rare Earth Metal Porphyrins/Phthalocyanines in Acid Media. <i>Macroheterocycles</i> , <b>2015</b> , 8, 32-46	2.2	4
74	Synthesis and spectroscopic characterization of super-stable rhenium(V)porphyrins. <i>Journal of Molecular Structure</i> , <b>2014</b> , 1061, 82-89	3.4	12
73	Variations in functional substitution of the macroheterocycle and structure of stable rhenium(V) porphyrins. <i>Russian Journal of Organic Chemistry</i> , <b>2014</b> , 50, 1361-1368	0.7	9
72	Structure and stability of H <sup>+</sup> associates of (5,10,15,20-tetraphenylporphinato)silver(II) in trifluoroacetic acid. <i>Russian Journal of Physical Chemistry A</i> , <b>2014</b> , 88, 1345-1350	0.7	3
71	Kinetics of the single-electron chemical oxidation of rhenium(V) meso-phenyl- $\beta$ -octaethylporphyrinate. <i>Russian Journal of Physical Chemistry A</i> , <b>2014</b> , 88, 1719-1725	0.7	6
70	Central atom/substituent effects on magnetothermal properties of metal porphyrins in aqueous suspension. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2014</b> , 186, 54-63	3.1	11
69	The Hammett acidity function H <sub>0</sub> in trifluoroacetic acid-dichloromethane mixtures. <i>Tetrahedron Letters</i> , <b>2014</b> , 55, 4325-4327	2	9
68	Ion-molecular interactions in the metalloporphyrin-acid system in liquid solutions. <i>Journal of Structural Chemistry</i> , <b>2014</b> , 55, 180-190	0.9	5
67	Synthesis and chemical stability of (5,15-bis(2-thienyl)- and 5,15-diphenyl-3,7,13,17-tetramethyl-2,8,12,18-tetra-n-butyl-21H,23H-porphinato)copper(II). <i>Russian Journal of Inorganic Chemistry</i> , <b>2014</b> , 59, 237-243	1.5	
66	Novel 2-(pyridin-4-yl)-5-(pyridin-2-yl)-1-(pyridin-2-yl)methylpyrrolidinyl[60]fullerene-hydroxyoxo(5,10,15,20-tetraphenyl-21H-molybdenum(V) dyads. <i>Russian Journal of General Chemistry</i> , <b>2014</b> , 84, 946-952	0.7	1
65	Synthesis and investigation of 2,8,12,18-tetrabutyl-3,7,13,17-tetramethyl-5,15-bis(2-thienyl)-21H,23H-porphin and its complexes with manganese (III) acetate and chloride. <i>Russian Journal of Organic Chemistry</i> , <b>2014</b> , 50, 285-290	0.7	1
64	Properties of chemically generated radical cations and molecules of (meso-phenyl- $\beta$ -octaethylporphyrinato)rhenium(V) with axial molecular oxygen. <i>Russian Journal of Inorganic Chemistry</i> , <b>2014</b> , 59, 1445-1453	1.5	5
63	Peripheral modification and basicity of (phthalocyaninato)-copper(II) according to the electronic spectroscopy and quantum chemical calculation data. <i>Russian Journal of Organic Chemistry</i> , <b>2013</b> , 49, 1819-1827	0.7	
62	The state of 5,10,15,20-tetraphenyl-21H,23H-porphine rhenium(V) complexes in solutions of acids. <i>Russian Journal of Inorganic Chemistry</i> , <b>2013</b> , 58, 1366-1373	1.5	10
61	Quantitative study of the quasiequilibrium in the system (hydroxo)oxo-(5,10,15,20-tetraphenylporphyrinato)-molybdenum(V)-piperidine in toluene medium. <i>Russian Journal of General Chemistry</i> , <b>2013</b> , 83, 1435-1443	0.7	2
60	Structure and properties of tetrakis[3(4)-chlorophthalocyaninato]copper(II) protonated forms in the isolated state and in the sulfuric acid solutions. <i>Russian Journal of General Chemistry</i> , <b>2013</b> , 83, 1563-1570	0.7	1
59	Generation, Spectral Properties and Stability of p-Cation Radicals of (5,10,15,20-Tetraphenylporphyrinato)(chloro)rhodium(III). <i>Macroheterocycles</i> , <b>2013</b> , 6, 144-151	2.2	5
58	New Donor-Acceptor Porphyrin-Fullerene Dyades. <i>Macroheterocycles</i> , <b>2013</b> , 6, 327-333	2.2	9

57	Synthesis, structure, and reactions of iridium(I) complexes with 5,10,15,20-tetraphenyl-21H,23H-porphine and 5,10,15,20-tetraphenyl-21H,23H-porphine dianion. <i>Russian Journal of Inorganic Chemistry</i> , <b>2012</b> , 57, 197-204	1.5	5
56	Reactions of manganese(III) and copper(II) complexes with 3,7,12,18-tetramethyl-2,8,13,17-tetrabutylporphine in AcOH-H <sub>2</sub> SO <sub>4</sub> mixed solvents. <i>Russian Journal of Inorganic Chemistry</i> , <b>2012</b> , 57, 462-469	1.5	1
55	The magnetothermal properties of substituted (tetraazaporphyrinato)manganese(III) in aqueous suspension. <i>Russian Journal of Physical Chemistry A</i> , <b>2012</b> , 86, 1165-1170	0.7	6
54	One-pot synthesis of 5,10,15,20-tetraphenyl-21H,23H-porphyrin complexes with rhenium and iridium in various oxidation states. <i>Mendeleev Communications</i> , <b>2012</b> , 22, 196-198	1.9	7
53	Use of chemical kinetics for the description of metal porphyrin reactivity. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2012</b> , 16, 1040-1054	1.8	4
52	Coordination of 5,10,15,20-tetraphenyl-21H,23H-porphin by rhenium in various oxidation states. <i>Russian Journal of Inorganic Chemistry</i> , <b>2012</b> , 57, 1295-1301	1.5	12
51	A New Protonated form of Porphyrins in Solutions. <i>Mendeleev Communications</i> , <b>2012</b> , 22, 281-283	1.9	4
50	The magnetocaloric effect and the heat capacity of aqueous suspensions of porphyrin complexes of rare earth elements according to microcalorimetric data. <i>Russian Journal of Physical Chemistry A</i> , <b>2012</b> , 86, 504-508	0.7	10
49	Effect of peripheral modification of manganese(III) porphyrine on its reactivity in the coordination of imidazole. <i>Russian Journal of Organic Chemistry</i> , <b>2011</b> , 47, 1581-1587	0.7	9
48	Role of the central manganese(III) ion in the hydrogen peroxide oxidation mechanism of (2,3,7,8,12,13,17,18-octaalkyl-5(5,10)(5,15)-phenyl(diphenyl)porphinato)chloromanganese(III). <i>Russian Journal of Inorganic Chemistry</i> , <b>2011</b> , 56, 2001-2008	1.5	2
47	Structural modification and kinetic stability of octaethylporphyrin complexes with palladium (II). <i>Russian Journal of Physical Chemistry A</i> , <b>2011</b> , 85, 926-933	0.7	7
46	Synthesis and stability of bis(acetato)(5,10,15,20-tetraphenylporphyrinato)zirconium(IV). <i>Russian Journal of Inorganic Chemistry</i> , <b>2010</b> , 55, 640-645	1.5	6
45	Hydroxyoxo(5,10,15,20-tetraphenylporphinato)tungsten(V) as a receptor for foodstuff and drug components. Thermodynamics of supramolecular complexation. <i>Russian Journal of Inorganic Chemistry</i> , <b>2010</b> , 55, 727-733	1.5	5
44	Thermodynamics and kinetics of the formation of the supramolecular complexes bisacetato(5,10,15,20-tetraphenylporphinato)zirconium(IV) with pyridine and imidazole. <i>Russian Journal of Physical Chemistry A</i> , <b>2010</b> , 84, 749-754	0.7	
43	Magnetocaloric effect and heat capacity of high-spin manganese complexes in a disperse state. <i>Russian Journal of Physical Chemistry A</i> , <b>2010</b> , 84, 1631-1635	0.7	7
42	The influence of modification of periphery of hydroxo(phthalocyaninato)aluminum(III) and (phthalocyaninato)copper(II) on the structure and stability of the molecules as studied by computer simulation and kinetic experiment. <i>Russian Journal of General Chemistry</i> , <b>2010</b> , 80, 341-350	0.7	2
41	Formation of supramolecular complex between imidazole and dichloro(5,10,15,20-tetraphenylporphinato)zirconium(IV). <i>Russian Journal of General Chemistry</i> , <b>2010</b> , 80, 842-848	0.7	5
40	Kinetics and mechanism of decomposition of hydrogen peroxide in the presence of manganese(III) porphyrins. <i>Russian Journal of General Chemistry</i> , <b>2010</b> , 80, 1011-1017	0.7	3



39	Synthesis and Characterization of Some Five-Coordinated Tetraazaporphyrin and Phthalocyanine Manganese(III) Complexes. <i>Macroheterocycles</i> , <b>2010</b> , 3, 63-67	2.2	15
38	The thermodynamic characteristics of step complex formation in the (5,10,15,20-tetraphenylporphyrinato)(chloro)indium(III)-pyridine-toluene system. <i>Russian Journal of Physical Chemistry A</i> , <b>2009</b> , 83, 913-920	0.7	3
37	The kinetics of complex formation in the trithiadiazoletri[3,4-di(4-tert-butylphenyl)-pyrrole] macrocycle-copper(II) acetate-DMFA-H <sub>2</sub> O system. <i>Russian Journal of Physical Chemistry A</i> , <b>2009</b> , 83, 1694-1700 <sup>3</sup>	0.7	3
36	Thermodynamics of Supramolecule Formation between Metal Porphyrin and Pyridine Substituted N-Methylpyrrolidinyl-[60]fullerene. <i>Macroheterocycles</i> , <b>2009</b> , 2, 164-167	2.2	9
35	Modifications in structure of palladium(II) porphinate as a method of regulating the catalysis of hydrogen peroxide decomposition. <i>Russian Journal of General Chemistry</i> , <b>2008</b> , 78, 2111-2117	0.7	1
34	Reactions of (Hydroxo)(tetrakis(3,5-dicarboxy)-and (Hydroxo)(tetrakis(4,5-dicarboxy)phthalocyaninato)aluminum(III) with Sulfuric Acid: Simulation and Kinetic Experiments. <i>Russian Journal of Inorganic Chemistry</i> , <b>2008</b> , 53, 220-228	1.5	4
33	Acid-base and coordination properties of some palladium(II)porphyrins. <i>Russian Journal of Inorganic Chemistry</i> , <b>2008</b> , 53, 1405-1410	1.5	9
32	Structure and spectral properties of conjugated acids of substituted copper(II) phthalocyanines in a solution and gas phase. <i>Russian Journal of Inorganic Chemistry</i> , <b>2008</b> , 53, 1771-1777	1.5	2
31	The kinetics of disproportionation of hydrogen peroxide in the presence of palladium(II)porphyrins with regularly changing macroring structures. <i>Russian Journal of Physical Chemistry A</i> , <b>2008</b> , 82, 1086-1092 <sup>0.7</sup>	0.7	4
30	Step Complex Formation in the Dichloro(5,10,15,20-tetraphenylporphinate)hafnium(IV)PyridineToluene System. <i>Russian Journal of Physical Chemistry A</i> , <b>2008</b> , 82, 576-582	0.7	2
29	Regularities of Magnetocaloric Effect and Determination of Some Thermodynamic Parameters for (Octaethylporphyrinato)chloro-manganese(III). <i>Macroheterocycles</i> , <b>2008</b> , 1, 68-71	2.2	10
28	Ligand substitution equilibrium in the macrocyclic molybdenum(V) complex. <i>Russian Journal of Inorganic Chemistry</i> , <b>2007</b> , 52, 394-397	1.5	2
27	Kinetics and mechanism of the reaction of manganese(III) octaethylporphine with hydrogen peroxide. <i>Russian Journal of General Chemistry</i> , <b>2007</b> , 77, 641-647	0.7	2
26	Metalloporphyrin receptors for bases. <i>Russian Chemical Bulletin</i> , <b>2007</b> , 56, 660-679	1.7	9
25	Porphyrin models of natural catalases. <i>Russian Chemical Bulletin</i> , <b>2007</b> , 56, 748-753	1.7	5
24	Reactivity of Al(III) complexes with substituted phthalocyanines. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2006</b> , 32, 155-165	1.6	7
23	Thiadiazoloporphyrinoids. Coordination of hexa(4-tert-butylphenyl)-substituted trithiadiazoltripyrrol macrocycle with Ni(II) in DMF. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2006</b> , 32, 837-840	1.6	6
22	Disproportionation of hydrogen peroxide in the presence of Mn(III) complexes with various porphyrins and acid anions. <i>Russian Journal of General Chemistry</i> , <b>2006</b> , 76, 1487-1493	0.7	1

21	Reactivity of mixed manganese complexes with porphyrins and anionic ligands. Effect of modification of the organic part of the molecule. <i>Russian Journal of Organic Chemistry</i> , <b>2006</b> , 42, 596-602	0.7	2
20	Kinetics and mechanism of oxidation of manganese(III) acidoporphyrin complexes with hydrogen peroxide. <i>Russian Journal of Inorganic Chemistry</i> , <b>2006</b> , 51, 1820-1825	1.5	1
19	Thermodynamics and Kinetics of Reaction of (Oxo)(hydroxo)molybdenumtetraphenylporphyrin with Pyridine. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2005</b> , 31, 357-363	1.6	8
18	Influence of the Structure of the Organic Moiety of Copper(II) Porphyrins on Their Reactivity toward Acids. <i>Russian Journal of General Chemistry</i> , <b>2005</b> , 75, 461-467	0.7	3
17	Effect of Octabromo Substitution on the Coordination Properties of Manganese(III) Octaphenyltetraazaporphyrin. <i>Russian Journal of General Chemistry</i> , <b>2005</b> , 75, 975-979	0.7	
16	Mutual Influence of Ligands and Reactivity of Gd and Dy Acidophthalocyanine Complexes. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2004</b> , 30, 660-664	1.6	11
15	Reactions of (Hydroxo)aluminium(III)tetra(4-chloro)phthalocyanine in Sulfuric Acid. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2003</b> , 29, 540-544	1.6	2
14	Ruthenium(IV) and Osmium(II) Tetraphenylporphine Complexes: Synthesis and Oxidation Reactions. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2003</b> , 29, 564-568	1.6	11
13	Effect of the Composition of the H <sub>2</sub> SO <sub>4</sub> -AcOH Binary Solvent on the Dissociation Kinetics of Metal Porphyrins. <i>Russian Journal of General Chemistry</i> , <b>2003</b> , 73, 1303-1308	0.7	3
12	Effect of Successive Meso-Phenyl Substitution on the Dissociation Kinetics of Copper(II) Octaethylporphyrin. <i>Theoretical and Experimental Chemistry</i> , <b>2003</b> , 39, 309-315	1.3	4
11	Synthesis and characterization of double and triple decker uranium porphyrins. <i>Mendeleev Communications</i> , <b>2003</b> , 13, 213-214	1.9	8
10	Synthesis and Reactivity of Porphyrin Complexes of Group IV p-Elements. <i>Russian Journal of General Chemistry</i> , <b>2002</b> , 72, 968-973	0.7	5
9	Reactions of Nitro and Halonitro Derivatives of Aluminum(III) and Copper(II) Phthalocyanines with Concentrated Sulfuric Acid. <i>Russian Journal of General Chemistry</i> , <b>2002</b> , 72, 963-967	0.7	1
8	Direct Quantitative Estimation of the Macrocyclic Effect in the Dissociation of Protoporphyrin Complexes. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2002</b> , 28, 793-797	1.6	2
7	Unusual transformations of a manganese(III) porphyrin. <i>Mendeleev Communications</i> , <b>2002</b> , 12, 238-239	1.9	1
6	Porphyrin Complexes with p, d, and f Metals in High Oxidation States: Structures, Electronic Absorption, and IR Spectra. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2001</b> , 27, 85-104	1.6	47
5	Interaction of Silver(II) and Gold(III) meso-Tetraphenylporphine Complexes with Concentrated Sulfuric Acid. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2001</b> , 27, 433-438	1.6	6
4	Structure-Stability Relationships of Phthalocyanine Copper Complexes. <i>Molecules</i> , <b>2000</b> , 5, 775-785	4.8	10



3	Study of complex formation between lead(II) acetate and meso-tetraphenylporphin. <i>Russian Chemical Bulletin</i> , <b>1998</b> , 47, 1996-1999	1.7	4
2	Super-stable metallotetraphenylporphyrins. <i>Mendeleev Communications</i> , <b>1997</b> , 7, 225-226	1.9	7
1	CHAPTER 20: New Nanoscaled Paramagnetic Complexes (NPCs) Based on Porphyrins/Phthalocyanines for Environmental Chemistry. <i>RSC Detection Science</i> , 14-47	0.4	4