

# Yong-Chan Chung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7647707/publications.pdf>

Version: 2024-02-01

50  
papers

1,505  
citations

361045

20  
h-index

315357

38  
g-index

50  
all docs

50  
docs citations

50  
times ranked

1044  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Structure and Thermomechanical Properties of Polyurethane Block Copolymers with Shape Memory Effect. <i>Macromolecules</i> , 2001, 34, 6431-6437.  | 2.2 | 402       |
| 2  | Comparison of thermal/mechanical properties and shape memory effect of polyurethane block-copolymers with planar or bent shape of hard segment. <i>Polymer</i> , 2003, 44, 3251-3258.  | 1.8 | 205       |
| 3  | Water vapor permeability and mechanical properties of fabrics coated with shape-memory polyurethane. <i>Journal of Applied Polymer Science</i> , 2004, 92, 2812-2816.  | 1.3 | 72        |
| 4  | Improved mechanical properties of shape-memory polyurethane block copolymers through the control of the soft-segment arrangement. <i>Journal of Applied Polymer Science</i> , 2004, 93, 2410-2415.                                       | 1.3 | 63        |
| 5  | Structure-property relationship of shape memory polyurethane cross-linked by a polyethyleneglycol spacer between polyurethane chains. <i>Journal of Materials Science</i> , 2007, 42, 9045-9056.   | 1.7 | 59        |
| 6  | Enhanced dynamic mechanical and shape-memory properties of a poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (terephthalic acid) polyurethane. <i>Polymer Science</i> , 2002, 83, 27-37.                                      | 1.3 | 50        |
| 7  | Flexible cross-linking by both pentaerythritol and polyethyleneglycol spacer and its impact on the mechanical properties and the shape memory effects of polyurethane. <i>Journal of Applied Polymer Science</i> , 2009, 112, 2800-2808. | 1.3 | 45        |
| 8  | Effect of glycerol cross-linking and hard segment content on the shape memory property of polyurethane block copolymer. <i>Journal of Materials Science</i> , 2007, 42, 6524-6531.   | 1.7 | 40        |
| 9  | Lateral flexible linking of polyurethane copolymer and the effect on shape recovery and tensile mechanical properties. <i>Polymer Engineering and Science</i> , 2010, 50, 2457-2466.   | 1.5 | 40        |
| 10 | Characterization and proof testing of the halochromic shape memory polyurethane. <i>Polymer Bulletin</i> , 2014, 71, 1153-1171.  | 1.7 | 37        |
| 11 | Shape-memory effects of polyurethane copolymer cross-linked by dextrin. <i>Journal of Materials Science</i> , 2008, 43, 6366-6373.   | 1.7 | 36        |
| 12 | Blocking of soft segments with different chain lengths and its impact on the shape memory property of polyurethane copolymer. <i>Journal of Applied Polymer Science</i> , 2007, 103, 1435-1441.  | 1.3 | 34        |
| 13 | Characterization and low temperature test of the flexibly crosslinked polyurethane copolymer by poly(dimethylsiloxane). <i>High Performance Polymers</i> , 2012, 24, 200-209.  | 0.8 | 30        |
| 14 | Structure-property relationship and shape memory effect of polyurethane copolymer cross-linked with pentaerythritol. <i>Fibers and Polymers</i> , 2007, 8, 7-12.   | 1.1 | 29        |
| 15 | Mechanical properties of polyurethane/montmorillonite nanocomposite prepared by melt mixing. <i>Journal of Applied Polymer Science</i> , 2007, 106, 712-721.   | 1.3 | 26        |
| 16 | The MDI-Mediated Lateral Crosslinking of Polyurethane Copolymer and the Impact on Tensile Properties and Shape Memory Effect. <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 692-694.  | 1.0 | 26        |
| 17 | Grafting of shape memory polyurethane with poly(ethyleneimine) and the effect on electrolytic attraction in aqueous solution and shape recovery properties. <i>Macromolecular Research</i> , 2012, 20, 66-75.                            | 1.0 | 25        |
| 18 | Preparation of water-compatible antifungal polyurethane with grafted benzimidazole as the antifungal agent. <i>Journal of Applied Polymer Science</i> , 2015, 132, .   | 1.3 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Shape memory effect of poly(ethylene terephthalate) and poly(ethylene glycol) copolymer cross-linked with glycerol and sulfoisophthalate group and its application to impact-absorbing composite material. <i>Journal of Applied Polymer Science</i> , 2004, 94, 308-316. | 1.3 | 23        |
| 20 | Shape memory effects of polyurethane block copolymers cross-linked by celite. <i>Fibers and Polymers</i> , 2008, 9, 661-666.  | 1.1 | 21        |
| 21 | PEG-based surfactants that show high selectivity in disrupting vesicular membrane with or without cholesterol. <i>Colloids and Surfaces B: Biointerfaces</i> , 2003, 32, 11-18.   | 2.5 | 19        |
| 22 | Dynamic mechanical properties of sandwich-structured epoxy beam composites containing poly(ethyleneterephthalate)/poly(ethyleneglycol) copolymer with shape memory effect. <i>Journal of Applied Polymer Science</i> , 2003, 90, 3141-3149.                               | 1.3 | 18        |
| 23 | Thermomechanical properties and shape memory effect of PET-PEG copolymers cross-linked with pentaerythritol. <i>Fibers and Polymers</i> , 2006, 7, 328-332.   | 1.1 | 17        |
| 24 | Effects of the Pendant Naphthalene Group on the Mechanical Properties and Low Temperature Shape Memory Effect of Polyurethane Copolymer. <i>Journal of Intelligent Material Systems and Structures</i> , 2009, 20, 1163-1170.   | 1.4 | 15        |
| 25 | Vibration control ability of multilayered composite material made of epoxy beam and polyurethane copolymer with shape memory effect. <i>Journal of Applied Polymer Science</i> , 2004, 94, 302-307.   | 1.3 | 13        |
| 26 | Lateral sol-gel cross-linking of polyurethane using the a grafted triethoxysilyl group. <i>Journal of Sol-Gel Science and Technology</i> , 2014, 72, 543-552.   | 1.1 | 13        |
| 27 | Dependence of montmorillonite dispersion in nanocomposites on polymer matrix and compatibilizer content, and the impact on mechanical properties. <i>Fibers and Polymers</i> , 2008, 9, 7-14.   | 1.1 | 12        |
| 28 | Effects of the structures of end groups of pendant polydimethylsiloxane attached to a polyurethane copolymer on the low temperature toughness. <i>Polymer Engineering and Science</i> , 2015, 55, 1931-1940.  | 1.5 | 12        |
| 29 | Polyurethane membrane functionalization with the grafted cellulose derivatives to control water vapor permeability. <i>Fibers and Polymers</i> , 2015, 16, 492-502.   | 1.1 | 10        |
| 30 | Characterization and mechanical properties of prepolymer and polyurethane block copolymer with a shape memory effect. <i>Fibers and Polymers</i> , 2003, 4, 114-118.  | 1.1 | 9         |
| 31 | Covalent Incorporation of Cellulose Derivative into Polyurethane Copolymers and the Effect on Crosslinking and Water Vapor Permeability. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2014, 51, 339-349.                                       | 1.2 | 9         |
| 32 | The exceptional low temperature flexibility of polyurethane copolymer grafted with dimethylphenyl group. <i>Fibers and Polymers</i> , 2012, 13, 411-414.  | 1.1 | 8         |
| 33 | Effect of the ionized carboxyl group on the water compatibility and the antifungal activity of the benzimidazole-grafted polyurethane. <i>Polymer Bulletin</i> , 2017, 74, 3721-3737.   | 1.7 | 8         |
| 34 | Effect of glycerol cross-linking and PDI on the shape memory effect and mechanical properties of polyurethane. <i>Fibers and Polymers</i> , 2008, 9, 388-392.   | 1.1 | 7         |
| 35 | Recycling and surface modification of waste bottom ash from coal power plants for the preparation of polypropylene and polyethylene composites. <i>Journal of Material Cycles and Waste Management</i> , 2015, 17, 781-789.   | 1.6 | 7         |
| 36 | Effect of metallocene-catalyzed polyethylene on the rheological and mechanical properties of poly(phenylene sulfide)/polyethylene blends. <i>Fibers and Polymers</i> , 2004, 5, 145-150.  | 1.1 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Microstructure and mechanical properties of polyurethane/nylon/montmorillonite nanocomposite. <i>Fibers and Polymers</i> , 2007, 8, 43-49.   | 1.1 | 6         |
| 38 | Characterization and Effect of Covalently Grafted Benzoic Acid on the Low Temperature Flexibility and Water Vapor Permeability of a Polyurethane Copolymer. <i>Polymer-Plastics Technology and Engineering</i> , 2016, 55, 356-367.            | 1.9 | 6         |
| 39 | Selective cationic surfactant detection in aqueous solution by polyurethane copolymer linked with metal ion indicator. <i>Fibers and Polymers</i> , 2013, 14, 2069-2076.   | 1.1 | 4         |
| 40 | Ionic crosslinking of polyurethane copolymers by the grafted pendant groups. <i>Macromolecular Research</i> , 2012, 20, 883-886.   | 1.0 | 3         |
| 41 | Low temperature shape recovery effect of polyurethane copolymer grafted with pendant n-butyl group. <i>Fibers and Polymers</i> , 2012, 13, 8-15.   | 1.1 | 3         |
| 42 | Application of recycled polyol and benzimidazole to the enhancement of antifungal activity of polyurethane. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46600.  | 1.3 | 3         |
| 43 | Characterization of the ion-paired polyurethane copolymers. <i>Fibers and Polymers</i> , 2012, 13, 1214-1218.  | 1.1 | 2         |
| 44 | Influence of Grafted Poly(Methyl Methacrylate) on Polyurethane with Respect to Film Transparency and Linear Shape Memory Effect. <i>Bulletin of the Korean Chemical Society</i> , 2018, 39, 583-586.   | 1.0 | 2         |
| 45 | The Preparation and Characterization of an Epoxy Polyurethane Hybrid Polymer Using Bisphenol A and Epichlorohydrin. <i>Fibers and Polymers</i> , 2020, 21, 447-455.  | 1.1 | 2         |
| 46 | The grafted carbendazim and 2,4,6-tris(dimethylaminomethyl)phenyl group onto polyurethane to improve its antifungal effectiveness and hydrophilicity. <i>Polymer Bulletin</i> , 2021, 78, 621-642.   | 1.7 | 2         |
| 47 | Citric acid grafting onto polyurethane for the control of molecular interactions and water compatibility. <i>Journal of Elastomers and Plastics</i> , 2016, 48, 691-710.   | 0.7 | 1         |
| 48 | Enhancement in Tensile Mechanical and Shape Recovery Properties of Polyurethane by Incorporating Graft-polymerized Poly( <i>tert</i> -Butyl Acrylate) into Polyurethane. <i>Bulletin of the Korean Chemical Society</i> , 2017, 38, 1196-1202. | 1.0 | 1         |
| 49 | Characterization of dimethylphenyl-grafted polyurethane: the impact on tensile and shape recovery properties. <i>Fibers and Polymers</i> , 2017, 18, 2034-2039.  | 1.1 | 0         |
| 50 | Grafted Polyurethane Copolymers with Notable Changes in Tensile and Shape Memory Properties upon Addition of Acid and Base. <i>Fibers and Polymers</i> , 2020, 21, 2429-2439.  | 1.1 | 0         |