

Jrg Gertsch

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7649508/jurg-gertsch-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

5,894
citations

40
h-index

71
g-index

155
ext. papers

6,847
ext. citations

6.1
avg, IF

5.94
L-index

#	Paper	IF	Citations
143	Beta-caryophyllene is a dietary cannabinoid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9099-104	11.5	497
142	Mitochondrial CB ₁ receptors regulate neuronal energy metabolism. <i>Nature Neuroscience</i> , 2012 , 15, 558-64	15.5	337
141	Anticancer drugs from nature--natural products as a unique source of new microtubule-stabilizing agents. <i>Natural Product Reports</i> , 2007 , 24, 327-57	15.1	205
140	Plant volatiles: production, function and pharmacology. <i>Natural Product Reports</i> , 2011 , 28, 1359-80	15.1	204
139	Alkylamides from Echinacea are a new class of cannabinomimetics. Cannabinoid type 2 receptor-dependent and -independent immunomodulatory effects. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14192-206	5.4	178
138	Cannabinoid CB receptor ligand profiling reveals biased signalling and off-target activity. <i>Nature Communications</i> , 2017 , 8, 13958	17.4	173
137	The cannabinoid CB ₁ receptor-selective phytocannabinoid beta-caryophyllene exerts analgesic effects in mouse models of inflammatory and neuropathic pain. <i>European Neuropsychopharmacology</i> , 2014 , 24, 608-20	1.2	152
136	Botanical drugs, synergy, and network pharmacology: forth and back to intelligent mixtures. <i>Planta Medica</i> , 2011 , 77, 1086-98	3.1	142
135	How scientific is the science in ethnopharmacology? Historical perspectives and epistemological problems. <i>Journal of Ethnopharmacology</i> , 2009 , 122, 177-83	5	130
134	The major central endocannabinoid directly acts at GABA(A) receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18150-5	11.5	125
133	Identification and quantification of a new family of peptide endocannabinoids (Pepcans) showing negative allosteric modulation at CB ₁ receptors. <i>Journal of Biological Chemistry</i> , 2012 , 287, 36944-67	5.4	125
132	Phytocannabinoids beyond the Cannabis plant - do they exist?. <i>British Journal of Pharmacology</i> , 2010 , 160, 523-9	8.6	123
131	In silico target fishing for rationalized ligand discovery exemplified on constituents of <i>Ruta graveolens</i> . <i>Planta Medica</i> , 2009 , 75, 195-204	3.1	111
130	Modulation of L-Elysophosphatidylinositol/GPR55 mitogen-activated protein kinase (MAPK) signaling by cannabinoids. <i>Journal of Biological Chemistry</i> , 2012 , 287, 91-104	5.4	106
129	Evidence for bidirectional endocannabinoid transport across cell membranes. <i>Journal of Biological Chemistry</i> , 2012 , 287, 34660-82	5.4	93
128	β-Caryophyllene ameliorates cisplatin-induced nephrotoxicity in a cannabinoid 2 receptor-dependent manner. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 1325-33	7.8	92
127	Epothilones as lead structures for the synthesis-based discovery of new chemotypes for microtubule stabilization. <i>Accounts of Chemical Research</i> , 2008 , 41, 21-31	24.3	83

126	Falcarinol is a covalent cannabinoid CB1 receptor antagonist and induces pro-allergic effects in skin. <i>Biochemical Pharmacology</i> , 2010 , 79, 1815-26	6	72
125	Structure-activity relationship and mechanism of action studies of manzamine analogues for the control of neuroinflammation and cerebral infections. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 61-76	8.3	70
124	Endocannabinoid transport revisited. <i>Vitamins and Hormones</i> , 2015 , 98, 441-85	2.5	69
123	Yucatec Mayan medicinal plants: evaluation based on indigenous uses. <i>Journal of Ethnopharmacology</i> , 2002 , 79, 43-52	5	69
122	Antifungal, antiprotozoal, cytotoxic and piscicidal properties of Justicidin B and a new aryl-naphthalide lignan from <i>Phyllanthus piscatorum</i> . <i>Planta Medica</i> , 2003 , 69, 420-4	3.1	68
121	Synergistic immunopharmacological effects of N-alkylamides in <i>Echinacea purpurea</i> herbal extracts. <i>International Immunopharmacology</i> , 2009 , 9, 850-8	5.8	64
120	Anti-inflammatory cannabinoids in diet: Towards a better understanding of CB(2) receptor action?. <i>Communicative and Integrative Biology</i> , 2008 , 1, 26-8	1.7	63
119	Chemical probes to potently and selectively inhibit endocannabinoid cellular reuptake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E5006-E5015	11.5	58
118	Mechanisms of osteoclastogenesis inhibition by a novel class of biphenyl-type cannabinoid CB(2) receptor inverse agonists. <i>Chemistry and Biology</i> , 2011 , 18, 1053-64		56
117	A quantitative LC-MS/MS method for the measurement of arachidonic acid, prostanoids, endocannabinoids, N-acyl ethanolamines and steroids in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 976-977, 6-18	3.2	55
116	Functionalization of Δ^9 -tetrahydrocannabinol generates novel polypharmacology in the endocannabinoid system. <i>ACS Chemical Biology</i> , 2014 , 9, 1499-507	4.9	54
115	The antinociceptive triterpene β -myrrin inhibits 2-arachidonoylglycerol (2-AG) hydrolysis without directly targeting cannabinoid receptors. <i>British Journal of Pharmacology</i> , 2012 , 167, 1596-608	8.6	54
114	Synthesis of (-)-dactyloide and 13-desmethylene-(-)-dactyloide and their effects on tubulin. <i>Organic Letters</i> , 2010 , 12, 2302-5	6.2	54
113	The LAT1 inhibitor JPH203 reduces growth of thyroid carcinoma in a fully immunocompetent mouse model. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 234	12.8	51
112	The laulimalide family: total synthesis and biological evaluation of neolaulimalide, isolaulimalide, laulimalide and a nonnatural analogue. <i>Chemistry - A European Journal</i> , 2009 , 15, 5979-97	4.8	50
111	Stereoselective synthesis of a monocyclic peloruside analogue. <i>Organic Letters</i> , 2010 , 12, 1120-3	6.2	48
110	Δ^9 -tetrahydrocannabinol protects against alcoholic steatohepatitis by attenuating inflammation and metabolic dysregulation in mice. <i>British Journal of Pharmacology</i> , 2018 , 175, 320-334	8.6	47
109	Guineensine is a novel inhibitor of endocannabinoid uptake showing cannabimimetic behavioral effects in BALB/c mice. <i>Pharmacological Research</i> , 2014 , 80, 52-65	10.2	47

108	Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects. <i>Biochemical Pharmacology</i> , 2003 , 66, 2141-53	6	47
107	Identification of endocannabinoid system-modulating N-alkylamides from <i>Heliopsis helianthoides</i> var. <i>scabra</i> and <i>Lepidium meyenii</i> . <i>Journal of Natural Products</i> , 2014 , 77, 1663-9	4.9	46
106	Variation of the detergent-binding capacity and phospholipid content of membrane proteins when purified in different detergents. <i>Biophysical Journal</i> , 2014 , 106, 1660-70	2.9	45
105	Conformational preferences of natural and C3-modified epothilones in aqueous solution. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 1469-73	8.3	45
104	Pepcan-12 (RVD-hemopressin) is a CB2 receptor positive allosteric modulator constitutively secreted by adrenals and in liver upon tissue damage. <i>Scientific Reports</i> , 2017 , 7, 9560	4.9	43
103	Total synthesis of (-)-zampanolide and structure-activity relationship studies on (-)-dactyloide derivatives. <i>Chemistry - A European Journal</i> , 2012 , 18, 16868-83	4.8	40
102	Immunomodulatory lipids in plants: plant fatty acid amides and the human endocannabinoid system. <i>Planta Medica</i> , 2008 , 74, 638-50	3.1	39
101	Lead discovery, chemistry optimization, and biological evaluation studies of novel biamide derivatives as CB2 receptor inverse agonists and osteoclast inhibitors. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 9973-87	8.3	37
100	Plant immunostimulants--scientific paradigm or myth?. <i>Journal of Ethnopharmacology</i> , 2011 , 136, 385-915		37
99	Endocannabinoid content in fetal bovine sera - unexpected effects on mononuclear cells and osteoclastogenesis. <i>Journal of Immunological Methods</i> , 2011 , 373, 219-28	2.5	37
98	Uncovering the psychoactivity of a cannabinoid from liverworts associated with a legal high. <i>Science Advances</i> , 2018 , 4, eaat2166	14.3	37
97	New cytotoxic prenylated isoflavonoids from <i>Bituminaria morisiana</i> . <i>Planta Medica</i> , 2005 , 71, 254-60	3.1	34
96	Pharmacokinetics and pharmacodynamics of β -hydroxybutyrate in healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 980-8	3.8	34
95	Localization and production of peptide endocannabinoids in the rodent CNS and adrenal medulla. <i>Neuropharmacology</i> , 2015 , 98, 78-89	5.5	33
94	Quinolizidine alkaloids from the curare adjuvant <i>Clathrotropis glaucophylla</i> . <i>Phytochemistry</i> , 2002 , 61, 975-8	4	33
93	Targeted metabolomics shows plasticity in the evolution of signaling lipids and uncovers old and new endocannabinoids in the plant kingdom. <i>Scientific Reports</i> , 2017 , 7, 41177	4.9	32
92	Ginger phenylpropanoids inhibit IL-1 β and prostanoid secretion and disrupt arachidonate-phospholipid remodeling by targeting phospholipases A2. <i>Journal of Immunology</i> , 2011 , 187, 4140-50	5.3	32
91	Total synthesis of the marine diterpenoid blumiolide C. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 10081-5	16.4	32

90	New natural noncannabinoid ligands for cannabinoid type-2 (CB2) receptors. <i>Journal of Receptor and Signal Transduction Research</i> , 2006 , 26, 709-30	2.6	31
89	Molecular docking and pharmacogenomics of vinca alkaloids and their monomeric precursors, vindoline and catharanthine. <i>Biochemical Pharmacology</i> , 2011 , 81, 723-35	6	30
88	Discovery of novel CB2 receptor ligands by a pharmacophore-based virtual screening workflow. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 369-78	8.3	30
87	The cannabinoid CB1 receptor antagonists rimonabant (SR141716) and AM251 directly potentiate GABA(A) receptors. <i>British Journal of Pharmacology</i> , 2012 , 165, 2479-84	8.6	29
86	Cytotoxic versus anti-inflammatory effects in HeLa, Jurkat T and human peripheral blood cells caused by guaianolide-type sesquiterpene lactones. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 3659-63	3.4	29
85	Dysfunction of homeostatic control of dopamine by astrocytes in the developing prefrontal cortex leads to cognitive impairments. <i>Molecular Psychiatry</i> , 2020 , 25, 732-749	15.1	29
84	Optimization of a Benzoylpiperidine Class Identifies a Highly Potent and Selective Reversible Monoacylglycerol Lipase (MAGL) Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2019 , 62, 1932-1958	8.3	28
83	Gamma-hydroxybutyrate enhances mood and prosocial behavior without affecting plasma oxytocin and testosterone. <i>Psychoneuroendocrinology</i> , 2015 , 62, 1-10	5	28
82	Identification of potent and selective small molecule inhibitors of the cation channel TRPM4. <i>British Journal of Pharmacology</i> , 2018 , 175, 2504-2519	8.6	28
81	Discovery of 1,5-Diphenylpyrazole-3-Carboxamide Derivatives as Potent, Reversible, and Selective Monoacylglycerol Lipase (MAGL) Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 1340-1354	8.3	28
80	Identification of serotonin 5-HT1A receptor partial agonists in ginger. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 3345-51	3.4	28
79	Reactions of CF3-enones with arenes under superelectrophilic activation: a pathway to trans-1,3-diaryl-1-CF3-indanes, new cannabinoid receptor ligands. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 8827-42	3.9	27
78	Correlating FAAH and anandamide cellular uptake inhibition using N-alkylcarbamate inhibitors: from ultrapotent to hyperpotent. <i>Biochemical Pharmacology</i> , 2014 , 92, 669-89	6	27
77	Total synthesis of hypermodified epothilone analogs with potent in vitro antitumor activity. <i>Organic Letters</i> , 2008 , 10, 1183-6	6.2	27
76	Elevated levels of endocannabinoids in chronic hepatitis C may modulate cellular immune response and hepatic stellate cell activation. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 7057-76	6.3	26
75	Bioprospecting: evolutionary implications from a post-olmec pharmacopoeia and the relevance of widespread taxa. <i>Journal of Ethnopharmacology</i> , 2013 , 147, 92-107	5	25
74	Epothilone analogues with benzimidazole and quinoline side chains: chemical synthesis, antiproliferative activity, and interactions with tubulin. <i>Chemistry - A European Journal</i> , 2009 , 15, 10144-57	4.8	25
73	Design and synthesis of 12-aza-epothilones (azathilones)--"non-natural" natural products with potent anticancer activity. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 5880-5	16.4	25

72	Stereoselective synthesis, natural occurrence and CB(2) receptor binding affinities of alkylamides from herbal medicines such as Echinacea sp. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 169-74	3.9	25
71	Cannabimimetic phytochemicals in the diet - an evolutionary link to food selection and metabolic stress adaptation?. <i>British Journal of Pharmacology</i> , 2017 , 174, 1464-1483	8.6	24
70	Inhibition of fatty acid amide hydrolase exerts cutaneous anti-inflammatory effects both in vitro and in vivo. <i>Experimental Dermatology</i> , 2016 , 25, 328-30	4	24
69	Effects of Echinaforce [®] treatment on ex vivo-stimulated blood cells. <i>Phytomedicine</i> , 2011 , 18, 826-31	6.5	23
68	Relative quantification of mRNA levels in Jurkat T cells with RT-real time-PCR (RT-rt-PCR): new possibilities for the screening of anti-inflammatory and cytotoxic compounds. <i>Pharmaceutical Research</i> , 2002 , 19, 1236-43	4.5	23
67	Curcumin differentially modulates mRNA profiles in Jurkat T and human peripheral blood mononuclear cells. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 1057-63	3.4	23
66	Synthesis and cytotoxic activity of non-naturally substituted 4-oxycoumarin derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 5791-4	2.9	22
65	Mutagenesis and computer modeling studies of a GPCR conserved residue W5.43(194) in ligand recognition and signal transduction for CB2 receptor. <i>International Immunopharmacology</i> , 2011 , 11, 1303-10	5.8	21
64	Synthesis and biological evaluation of a des-dihydropyran laulimalide analog. <i>Tetrahedron Letters</i> , 2009 , 50, 5790-5792	2	21
63	An Endocannabinoid Uptake Inhibitor from Black Pepper Exerts Pronounced Anti-Inflammatory Effects in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9435-9442	5.7	20
62	Paradoxical effects of JZL184, an inhibitor of monoacylglycerol lipase, on bone remodelling in healthy and cancer-bearing mice. <i>EBioMedicine</i> , 2019 , 44, 452-466	8.8	20
61	Cannabinoid receptor trafficking in peripheral cells is dynamically regulated by a binary biochemical switch. <i>Biochemical Pharmacology</i> , 2012 , 83, 1393-412	6	19
60	Synthesis and SAR of C12-C13-oxazoline derivatives of epothilone A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 3760-3	2.9	19
59	New cytotoxic saturated and unsaturated cyclohexanones from <i>Anthemis maritima</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 1559-62	2.9	19
58	Ether-Substituted Group 4 Metallocene Complexes: Cytostatic Effects and Applications in Ethylene Polymerization. <i>Organometallics</i> , 2015 , 34, 2522-2532	3.8	18
57	Discovery of potent positive allosteric modulators of the β_2 nicotinic acetylcholine receptor by a chemical space walk in ChEMBL. <i>ACS Chemical Neuroscience</i> , 2014 , 5, 346-59	5.7	18
56	The ACSL3-LPIAT1 signaling drives prostaglandin synthesis in non-small cell lung cancer. <i>Oncogene</i> , 2020 , 39, 2948-2960	9.2	17
55	Stereoselective synthesis of 12,13-cyclopropyl-epothilone B and side-chain-modified variants. <i>Organic Letters</i> , 2011 , 13, 1436-9	6.2	17

54	Combined MEK and PI3Kinase inhibition reveals synergy in targeting thyroid cancer in vitro and in vivo. <i>Oncotarget</i> , 2017 , 8, 24604-24620	3.3	17
53	The Metabolic Plant Feedback Hypothesis: How Plant Secondary Metabolites Nonspecifically Impact Human Health. <i>Planta Medica</i> , 2016 , 82, 920-9	3.1	16
52	4RO-methylhonokiol increases levels of 2-arachidonoyl glycerol in mouse brain via selective inhibition of its COX-2-mediated oxygenation. <i>Journal of Neuroinflammation</i> , 2015 , 12, 89	10.1	16
51	Cultural perception of triatomine bugs and Chagas disease in Bolivia: a cross-sectional field study. <i>Parasites and Vectors</i> , 2019 , 12, 291	4	15
50	Characterizing new fluorescent tools for studying 5-HT ₁ receptor pharmacology. <i>Neuropharmacology</i> , 2015 , 90, 63-73	5.5	15
49	Functionally Optimized Neuritogenic Farinosone C Analogs: SAR-Study and Investigations on Their Mode of Action. <i>ACS Medicinal Chemistry Letters</i> , 2014 , 5, 172-7	4.3	15
48	Cannabinoid Receptor 2 Modulates Susceptibility to Experimental Cerebral Malaria through a CCL17-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2016 , 291, 19517-31	5.4	13
47	Novel analogs of PSNCBAM-1 as allosteric modulators of cannabinoid CB1 receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 6427-6434	3.4	12
46	Endocannabinoid Tone Regulates Human Sebocyte Biology. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1699-1706	4.3	12
45	The Endocannabinoid Reuptake Inhibitor WOBE437 Is Orally Bioavailable and Exerts Indirect Polypharmacological Effects via Different Endocannabinoid Receptors. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 180	6.1	12
44	The Intricate Influence of the Placebo Effect on Medical Cannabis and Cannabinoids. <i>Medical Cannabis and Cannabinoids</i> , 2018 , 1, 60-64	4.1	12
43	Demystifying the liverwort <i>Radula marginata</i> , a critical review on its taxonomy, genetics, cannabinoid phytochemistry and pharmacology. <i>Phytochemistry Reviews</i> , 2019 , 18, 953-965	7.7	12
42	One-pot heterogeneous synthesis of (B)-tetrahydrocannabinol analogues and xanthenes showing differential binding to CB(1) and CB(2) receptors. <i>European Journal of Medicinal Chemistry</i> , 2014 , 85, 77-86	6.8	12
41	Development of High-Specificity Fluorescent Probes to Enable Cannabinoid Type 2 Receptor Studies in Living Cells. <i>Journal of the American Chemical Society</i> , 2020 , 142, 16953-16964	16.4	12
40	Polypharmacological profile of 1,2-dihydro-2-oxo-pyridine-3-carboxamides in the endocannabinoid system. <i>European Journal of Medicinal Chemistry</i> , 2018 , 154, 155-171	6.8	12
39	Biodiversity and chemodiversity: future perspectives in bioprospecting. <i>Current Drug Targets</i> , 2011 , 12, 1515-30	3	11
38	Mechanism of substrate transport and inhibition of the human LAT1-4F2hc amino acid transporter. <i>Cell Discovery</i> , 2021 , 7, 16	22.3	11
37	Synthesis of various arylated trifluoromethyl substituted indanes and indenenes, and study of their biological activity. <i>Tetrahedron</i> , 2019 , 75, 624-632	2.4	11

36	Neuronal oscillations and synchronicity associated with gamma-hydroxybutyrate during resting-state in healthy male volunteers. <i>Psychopharmacology</i> , 2017 , 234, 1957-1968	4.7	10
35	Phyllanthus piscatorum, ethnopharmacological studies on a women's medicinal plant of the Yanomam̃ Amerindians. <i>Journal of Ethnopharmacology</i> , 2004 , 91, 181-8	5	10
34	New cycloartane-type ester triterpenes from Euphorbia pterococca and biological evaluation. <i>Phytotherapy Research</i> , 2018 , 127, 271-278	3.2	9
33	Synthesis and pharmacological evaluation of new biphenylic derivatives as CB2 receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2016 , 116, 252-266	6.8	9
32	Design, synthesis and biological evaluation of second-generation benzoylpiperidine derivatives as reversible monoacylglycerol lipase (MAGL) inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2021 , 209, 112857	6.8	9
31	Biological evaluation of pyridone alkaloids on the endocannabinoid system. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 6102-6114	3.4	8
30	The endocannabinoid system dual-target ligand N-cycloheptyl-1,2-dihydro-5-bromo-1-(4-fluorobenzyl)-6-methyl-2-oxo-pyridine-3-carboxamide improves disease severity in a mouse model of multiple sclerosis. <i>European Journal of Medicinal Chemistry</i> , 2020 , 208, 112858	6.8	8
29	Selective Endocannabinoid Reuptake Inhibitor WOBE437 Reduces Disease Progression in a Mouse Model of Multiple Sclerosis. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 765-779	5.9	8
28	Δ-Tetrahydrocannabinol: Natural Occurrence, Chirality, and Pharmacology. <i>Journal of Natural Products</i> , 2021 , 84, 2502-2510	4.9	8
27	Optimizing TRPM4 inhibitors in the MHFP6 chemical space. <i>European Journal of Medicinal Chemistry</i> , 2019 , 166, 167-177	6.8	7
26	Small molecule inhibitors provide insights into the relevance of LAT1 and LAT2 in materno-foetal amino acid transport. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 12681-12693	5.6	7
25	LC-HRMS/MS-based phytochemical profiling of Piper spices: Global association of piperamides with endocannabinoid system modulation. <i>Food Research International</i> , 2021 , 141, 110123	7	7
24	Effects of gamma-hydroxybutyrate on neurophysiological correlates of performance and conflict monitoring. <i>European Neuropsychopharmacology</i> , 2019 , 29, 539-548	1.2	7
23	Development of an HPLC/UV assay for the evaluation of inhibitors of human recombinant monoacylglycerol lipase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 108, 113-21	3.5	6
22	4-ORMethylhonokiol protects from alcohol/carbon tetrachloride-induced liver injury in mice. <i>Journal of Molecular Medicine</i> , 2017 , 95, 1077-1089	5.5	5
21	Modification on the 1,2-dihydro-2-oxo-pyridine-3-carboxamide core to obtain multi-target modulators of endocannabinoid system. <i>Bioorganic Chemistry</i> , 2020 , 94, 103353	5.1	5
20	Diacylglycerol lipase alpha in astrocytes is involved in maternal care and affective behaviors. <i>Glia</i> , 2021 , 69, 377-391	9	5
19	Quantitative analysis of arachidonic acid, endocannabinoids, N-acylethanolamines and steroids in biological samples by LCMS/MS: Fit to purpose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1012-1013, 215-21	3.2	4

18	Assay of Endocannabinoid Uptake. <i>Methods in Molecular Biology</i> , 2016 , 1412, 191-203	1.4	3
17	Docking and QSAR Studies of Aryl-valproic Acid Derivatives to Identify Antiproliferative Agents Targeting the HDAC8. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2017 , 17, 927-940	2.2	3
16	Insights into the Phytochemical and Multifunctional Biological Profile of Spices from the Genus. <i>Antioxidants</i> , 2021 , 10,	7.1	3
15	Phylobioactive hotspots in plant resources used to treat Chagas disease. <i>IScience</i> , 2021 , 24, 102310	6.1	3
14	Synthesis, Biological Profiling and Determination of the Tubulin-Bound Conformation of 12-Aza-Epothilones (Azathilones). <i>Molecules</i> , 2016 , 21,	4.8	3
13	Total Synthesis of the Endocannabinoid Uptake Inhibitor Guineensine and SAR Studies. <i>ChemMedChem</i> , 2019 , 14, 1590-1596	3.7	2
12	Cannabinoid receptor ligands as potential anticancer agents [high hopes for new therapies?]. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 839-853	4.8	2
11	Cannabinoid Receptor Type-2 in B Cells Is Associated with Tumor Immunity in Melanoma. <i>Cancers</i> , 2021 , 13,	6.6	2
10	Synthesis of Morpholine-Based Analogues of (-)-Zampanolide and Their Biological Activity. <i>Chemistry - A European Journal</i> , 2021 , 27, 5936-5943	4.8	2
9	Cytotoxicity of the synthetic cannabinoids 5C-AKB48, 5F-MDMB-PINACA, ADB-CHMINACA, MDMB-CHMICA and NM-2201 in A549 and TR146 cell lines. <i>Forensic Toxicology</i> , 2019 , 37, 398-411	2.6	1
8	Synthesis, Profiling, and Bioactive Conformation of trans-Cyclopropyl Epothilones. <i>Helvetica Chimica Acta</i> , 2019 , 102, e1900078	2	1
7	Neuropsychopharmacological profiling of scoparone in mice.. <i>Scientific Reports</i> , 2022 , 12, 822	4.9	1
6	Opposite physiological and pathological mTORC1-mediated roles of the CB1 receptor in regulating renal tubular function.. <i>Nature Communications</i> , 2022 , 13, 1783	17.4	1
5	Scaffold and organism hopping with chemical probes. <i>Nature Chemical Biology</i> , 2019 , 15, 428-429	11.7	0
4	Antipsychotic natural products. <i>Annual Reports in Medicinal Chemistry</i> , 2020 , 55, 481-515	1.6	0
3	Synthesis and Biological Evaluation of Endocannabinoid Uptake Inhibitors Derived from WOBE437. <i>ChemMedChem</i> , 2021 , 16, 145-154	3.7	0
2	Travelogues from the Rainforest: Notes on Prof. Otto Sticher's 85th birthday. <i>Planta Medica</i> , 2021 , 87, 1123-1127	3.1	
1	Characterization of pepcan-23 as pro-peptide of RVD-hemopressin (pepcan-12) and stability of hemopressins in mice. <i>Advances in Biological Regulation</i> , 2021 , 80, 100808	6.2	

