Jrg Gertsch

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7649508/jurg-gertsch-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers5,894
citations40
h-index71
g-index155
ext. papers6,847
ext. citations6.1
avg, IF5.94
L-index



#	Paper	IF	Citations
143	Neuropsychopharmacological profiling of scoparone in mice <i>Scientific Reports</i> , 2022 , 12, 822	4.9	1
142	Opposite physiological and pathological mTORC1-mediated roles of the CB1 receptor in regulating renal tubular function <i>Nature Communications</i> , 2022 , 13, 1783	17.4	1
141	Travelogues from the Rainforest: Notes on Prof. Otto Sticherß 85th birthday. <i>Planta Medica</i> , 2021 , 87, 1123-1127	3.1	
140	Insights into the Phytochemical and Multifunctional Biological Profile of Spices from the Genus. <i>Antioxidants</i> , 2021 , 10,	7.1	3
139	LC-HRMS/MS-based phytochemical profiling of Piper spices: Global association of piperamides with endocannabinoid system modulation. <i>Food Research International</i> , 2021 , 141, 110123	7	7
138	Mechanism of substrate transport and inhibition of the human LAT1-4F2hc amino acid transporter. <i>Cell Discovery</i> , 2021 , 7, 16	22.3	11
137	Selective Endocannabinoid Reuptake Inhibitor WOBE437 Reduces Disease Progression in a Mouse Model of Multiple Sclerosis. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 765-779	5.9	8
136	Phylobioactive hotspots in plant resources used to treat Chagas disease. <i>IScience</i> , 2021 , 24, 102310	6.1	3
135	Cannabinoid Receptor Type-2 in B Cells Is Associated with Tumor Immunity in Melanoma. <i>Cancers</i> , 2021 , 13,	6.6	2
134	Characterization of pepcan-23 as pro-peptide of RVD-hemopressin (pepcan-12) and stability of hemopressins in mice. <i>Advances in Biological Regulation</i> , 2021 , 80, 100808	6.2	
133	☐Tetrahydrocannabinol: Natural Occurrence, Chirality, and Pharmacology. <i>Journal of Natural Products</i> , 2021 , 84, 2502-2510	4.9	8
132	Synthesis and Biological Evaluation of Endocannabinoid Uptake Inhibitors Derived from WOBE437. <i>ChemMedChem</i> , 2021 , 16, 145-154	3.7	0
131	Synthesis of Morpholine-Based Analogues of (-)-Zampanolide and Their Biological Activity. <i>Chemistry - A European Journal</i> , 2021 , 27, 5936-5943	4.8	2
130	Design, synthesis and biological evaluation of second-generation benzoylpiperidine derivatives as reversible monoacylglycerol lipase (MAGL) inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2021 , 209, 112857	6.8	9
129	Diacylglycerol lipase alpha in astrocytes is involved in maternal care and affective behaviors. <i>Glia</i> , 2021 , 69, 377-391	9	5
128	The ACSL3-LPIAT1 signaling drives prostaglandin synthesis in non-small cell lung cancer. <i>Oncogene</i> , 2020 , 39, 2948-2960	9.2	17
127	Modification on the 1,2-dihydro-2-oxo-pyridine-3-carboxamide core to obtain multi-target modulators of endocannabinoid system. <i>Bioorganic Chemistry</i> , 2020 , 94, 103353	5.1	5

(2018-2020)

126	The endocannabinoid system dual-target ligand N-cycloheptyl-1,2-dihydro-5-bromo-1-(4-fluorobenzyl)-6-methyl-2-oxo-pyridine-3-carboxamide improves disease severity in a mouse model of multiple sclerosis. <i>European Journal of Medicinal</i>	6.8	8
125	Chemistry, 2020 , 208, 112858 Small molecule inhibitors provide insights into the relevance of LAT1 and LAT2 in materno-foetal amino acid transport. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 12681-12693	5.6	7
124	Antipsychotic natural products. Annual Reports in Medicinal Chemistry, 2020, 55, 481-515	1.6	О
123	Development of High-Specificity Fluorescent Probes to Enable Cannabinoid Type 2 Receptor Studies in Living Cells. <i>Journal of the American Chemical Society</i> , 2020 , 142, 16953-16964	16.4	12
122	Dysfunction of homeostatic control of dopamine by astrocytes in the developing prefrontal cortex leads to cognitive impairments. <i>Molecular Psychiatry</i> , 2020 , 25, 732-749	15.1	29
121	Optimizing TRPM4 inhibitors in the MHFP6 chemical space. <i>European Journal of Medicinal Chemistry</i> , 2019 , 166, 167-177	6.8	7
120	Optimization of a Benzoylpiperidine Class Identifies a Highly Potent and Selective Reversible Monoacylglycerol Lipase (MAGL) Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2019 , 62, 1932-1958	8.3	28
119	Paradoxical effects of JZL184, an inhibitor of monoacylglycerol lipase, on bone remodelling in healthy and cancer-bearing mice. <i>EBioMedicine</i> , 2019 , 44, 452-466	8.8	20
118	Cultural perception of triatomine bugs and Chagas disease in Bolivia: a cross-sectional field study. <i>Parasites and Vectors</i> , 2019 , 12, 291	4	15
117	Scaffold and organism hopping with chemical probes. <i>Nature Chemical Biology</i> , 2019 , 15, 428-429	11.7	O
116	Cytotoxicity of the synthetic cannabinoids 5C-AKB48, 5F-MDMB-PINACA, ADB-CHMINACA, MDMB-CHMICA and NM-2201 in A549 and TR146 cell lines. <i>Forensic Toxicology</i> , 2019 , 37, 398-411	2.6	1
115	Synthesis, Profiling, and Bioactive Conformation of trans-Cyclopropyl Epothilones. <i>Helvetica Chimica Acta</i> , 2019 , 102, e1900078	2	1
114	Demystifying the liverwort Radula marginata, a critical review on its taxonomy, genetics, cannabinoid phytochemistry and pharmacology. <i>Phytochemistry Reviews</i> , 2019 , 18, 953-965	7.7	12
113	Total Synthesis of the Endocannabinoid Uptake Inhibitor Guineensine and SAR Studies. <i>ChemMedChem</i> , 2019 , 14, 1590-1596	3.7	2
112	Effects of gamma-hydroxybutyrate on neurophysiological correlates of performance and conflict monitoring. <i>European Neuropsychopharmacology</i> , 2019 , 29, 539-548	1.2	7
111	Synthesis of various arylated trifluoromethyl substituted indanes and indenes, and study of their biological activity. <i>Tetrahedron</i> , 2019 , 75, 624-632	2.4	11
110	Identification of potent and selective small molecule inhibitors of the cation channel TRPM4. <i>British Journal of Pharmacology</i> , 2018 , 175, 2504-2519	8.6	28
109	Discovery of 1,5-Diphenylpyrazole-3-Carboxamide Derivatives as Potent, Reversible, and Selective Monoacylglycerol Lipase (MAGL) Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 1340-1354	8.3	28

108	Endocannabinoid Tone Regulates Human Sebocyte Biology. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1699-1706	4.3	12
107	New cycloartane-type ester triterpenes from Euphorbia pterococca and biological evaluation. $FBoterap$ [12018, 127, 271-278	3.2	9
106	ECaryophyllene protects against alcoholic steatohepatitis by attenuating inflammation and metabolic dysregulation in mice. <i>British Journal of Pharmacology</i> , 2018 , 175, 320-334	8.6	47
105	The Endocannabinoid Reuptake Inhibitor WOBE437 Is Orally Bioavailable and Exerts Indirect Polypharmacological Effects via Different Endocannabinoid Receptors. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 180	6.1	12
104	The Intricate Influence of the Placebo Effect on Medical Cannabis and Cannabinoids. <i>Medical Cannabis and Cannabinoids</i> , 2018 , 1, 60-64	4.1	12
103	The LAT1 inhibitor JPH203 reduces growth of thyroid carcinoma in a fully immunocompetent mouse model. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 234	12.8	51
102	Uncovering the psychoactivity of a cannabinoid from liverworts associated with a legal high. <i>Science Advances</i> , 2018 , 4, eaat2166	14.3	37
101	Polypharmacological profile of 1,2-dihydro-2-oxo-pyridine-3-carboxamides in the endocannabinoid system. <i>European Journal of Medicinal Chemistry</i> , 2018 , 154, 155-171	6.8	12
100	Targeted metabolomics shows plasticity in the evolution of signaling lipids and uncovers old and new endocannabinoids in the plant kingdom. <i>Scientific Reports</i> , 2017 , 7, 41177	4.9	32
99	Biological evaluation of pyridone alkaloids on the endocannabinoid system. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 6102-6114	3.4	8
98	Neuronal oscillations and synchronicity associated with gamma-hydroxybutyrate during resting-state in healthy male volunteers. <i>Psychopharmacology</i> , 2017 , 234, 1957-1968	4.7	10
97	Cannabimimetic phytochemicals in the diet - an evolutionary link to food selection and metabolic stress adaptation?. <i>British Journal of Pharmacology</i> , 2017 , 174, 1464-1483	8.6	24
96	Cannabinoid CB receptor ligand profiling reveals biased signalling and off-target activity. <i>Nature Communications</i> , 2017 , 8, 13958	17.4	173
95	An Endocannabinoid Uptake Inhibitor from Black Pepper Exerts Pronounced Anti-Inflammatory Effects in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9435-9442	5.7	20
94	Novel analogs of PSNCBAM-1 as allosteric modulators of cannabinoid CB1 receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 6427-6434	3.4	12
93	Pepcan-12 (RVD-hemopressin) is a CB2 receptor positive allosteric modulator constitutively secreted by adrenals and in liver upon tissue damage. <i>Scientific Reports</i> , 2017 , 7, 9560	4.9	43
92	4-ORmethylhonokiol protects from alcohol/carbon tetrachloride-induced liver injury in mice. <i>Journal of Molecular Medicine</i> , 2017 , 95, 1077-1089	5.5	5
91	Combined MEK and Pi3Rkinase inhibition reveals synergy in targeting thyroid cancer in vitro and in vivo. <i>Oncotarget</i> , 2017 , 8, 24604-24620	3.3	17

(2015-2017)

90	Docking and QSAR Studies of Aryl-valproic Acid Derivatives to Identify Antiproliferative Agents Targeting the HDAC8. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2017 , 17, 927-940	2.2	3
89	Chemical probes to potently and selectively inhibit endocannabinoid cellular reuptake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E5006-E5015	11.5	58
88	Cannabinoid Receptor 2 Modulates Susceptibility to Experimental Cerebral Malaria through a CCL17-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2016 , 291, 19517-31	5.4	13
87	Assay of Endocannabinoid Uptake. <i>Methods in Molecular Biology</i> , 2016 , 1412, 191-203	1.4	3
86	The Metabolic Plant Feedback Hypothesis: How Plant Secondary Metabolites Nonspecifically Impact Human Health. <i>Planta Medica</i> , 2016 , 82, 920-9	3.1	16
85	Quantitative analysis of arachidonic acid, endocannabinoids, N-acylethanolamines and steroids in biological samples by LCMS/MS: Fit to purpose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1012-1013, 215-21	3.2	4
84	Synthesis, Biological Profiling and Determination of the Tubulin-Bound Conformation of 12-Aza-Epothilones (Azathilones). <i>Molecules</i> , 2016 , 21,	4.8	3
83	Pharmacokinetics and pharmacodynamics of Ehydroxybutyrate in healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 980-8	3.8	34
82	Synthesis and pharmacological evaluation of new biphenylic derivatives as CB2 receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2016 , 116, 252-266	6.8	9
81	Inhibition of fatty acid amide hydrolase exerts cutaneous anti-inflammatory effects both in vitro and in vivo. <i>Experimental Dermatology</i> , 2016 , 25, 328-30	4	24
80	Gamma-hydroxybutyrate enhances mood and prosocial behavior without affecting plasma oxytocin and testosterone. <i>Psychoneuroendocrinology</i> , 2015 , 62, 1-10	5	28
79	Elevated levels of endocannabinoids in chronic hepatitis C may modulate cellular immune response and hepatic stellate cell activation. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 7057-76	6.3	26
78	Reactions of CF3-enones with arenes under superelectrophilic activation: a pathway to trans-1,3-diaryl-1-CF3-indanes, new cannabinoid receptor ligands. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 8827-42	3.9	27
77	Development of an HPLC/UV assay for the evaluation of inhibitors of human recombinant monoacylglycerol lipase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 108, 113-21	3.5	6
76	Ether-Substituted Group 4 Metallocene Complexes: Cytostatic Effects and Applications in Ethylene Polymerization. <i>Organometallics</i> , 2015 , 34, 2522-2532	3.8	18
75	Endocannabinoid transport revisited. <i>Vitamins and Hormones</i> , 2015 , 98, 441-85	2.5	69
74	Localization and production of peptide endocannabinoids in the rodent CNS and adrenal medulla. <i>Neuropharmacology</i> , 2015 , 98, 78-89	5.5	33
73	Characterizing new fluorescent tools for studying 5-HTIPeceptor pharmacology. Neuropharmacology, 2015, 90, 63-73	5.5	15

72	A quantitiative LC-MS/MS method for the measurement of arachidonic acid, prostanoids, endocannabinoids, N-acylethanolamines and steroids in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 976-977, 6-18	3.2	55
71	4RO-methylhonokiol increases levels of 2-arachidonoyl glycerol in mouse brain via selective inhibition of its COX-2-mediated oxygenation. <i>Journal of Neuroinflammation</i> , 2015 , 12, 89	10.1	16
70	Guineensine is a novel inhibitor of endocannabinoid uptake showing cannabimimetic behavioral effects in BALB/c mice. <i>Pharmacological Research</i> , 2014 , 80, 52-65	10.2	47
69	The cannabinoid CBI eceptor-selective phytocannabinoid beta-caryophyllene exerts analgesic effects in mouse models of inflammatory and neuropathic pain. <i>European Neuropsychopharmacology</i> , 2014 , 24, 608-20	1.2	152
68	Functionalization of Earyophyllene generates novel polypharmacology in the endocannabinoid system. <i>ACS Chemical Biology</i> , 2014 , 9, 1499-507	4.9	54
67	Discovery of potent positive allosteric modulators of the BI2 nicotinic acetylcholine receptor by a chemical space walk in ChEMBL. <i>ACS Chemical Neuroscience</i> , 2014 , 5, 346-59	5.7	18
66	One-pot heterogeneous synthesis of (B)-tetrahydrocannabinol analogues and xanthenes showing differential binding to CB(1) and CB(2) receptors. <i>European Journal of Medicinal Chemistry</i> , 2014 , 85, 77-86	6.8	12
65	Functionally Optimized Neuritogenic Farinosone C Analogs: SAR-Study and Investigations on Their Mode of Action. <i>ACS Medicinal Chemistry Letters</i> , 2014 , 5, 172-7	4.3	15
64	Identification of endocannabinoid system-modulating N-alkylamides from Heliopsis helianthoides var. scabra and Lepidium meyenii. <i>Journal of Natural Products</i> , 2014 , 77, 1663-9	4.9	46
63	Variation of the detergent-binding capacity and phospholipid content of membrane proteins when purified in different detergents. <i>Biophysical Journal</i> , 2014 , 106, 1660-70	2.9	45
62	Correlating FAAH and anandamide cellular uptake inhibition using N-alkylcarbamate inhibitors: from ultrapotent to hyperpotent. <i>Biochemical Pharmacology</i> , 2014 , 92, 669-89	6	27
61	Bioprospecting: evolutionary implications from a post-olmec pharmacopoeia and the relevance of widespread taxa. <i>Journal of Ethnopharmacology</i> , 2013 , 147, 92-107	5	25
60	Cannabinoid receptor trafficking in peripheral cells is dynamically regulated by a binary biochemical switch. <i>Biochemical Pharmacology</i> , 2012 , 83, 1393-412	6	19
59	Total synthesis of (-)-zampanolide and structure-activity relationship studies on (-)-dactylolide derivatives. <i>Chemistry - A European Journal</i> , 2012 , 18, 16868-83	4.8	40
58	Lead discovery, chemistry optimization, and biological evaluation studies of novel biamide derivatives as CB2 receptor inverse agonists and osteoclast inhibitors. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 9973-87	8.3	37
57	The cannabinoid CB1 receptor antagonists rimonabant (SR141716) and AM251 directly potentiate GABA(A) receptors. <i>British Journal of Pharmacology</i> , 2012 , 165, 2479-84	8.6	29
56	The antinociceptive triterpene Emyrin inhibits 2-arachidonoylglycerol (2-AG) hydrolysis without directly targeting cannabinoid receptors. <i>British Journal of Pharmacology</i> , 2012 , 167, 1596-608	8.6	54
55	Synthesis and cytotoxic activity of non-naturally substituted 4-oxycoumarin derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 5791-4	2.9	22

54	Mitochondrial CBIreceptors regulate neuronal energy metabolism. <i>Nature Neuroscience</i> , 2012 , 15, 558-6	6 4 5.5	337
53	ECaryophyllene ameliorates cisplatin-induced nephrotoxicity in a cannabinoid 2 receptor-dependent manner. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 1325-33	7.8	92
52	Identification and quantification of a new family of peptide endocannabinoids (Pepcans) showing negative allosteric modulation at CB1 receptors. <i>Journal of Biological Chemistry</i> , 2012 , 287, 36944-67	5.4	125
51	Evidence for bidirectional endocannabinoid transport across cell membranes. <i>Journal of Biological Chemistry</i> , 2012 , 287, 34660-82	5.4	93
50	Modulation of L-Elysophosphatidylinositol/GPR55 mitogen-activated protein kinase (MAPK) signaling by cannabinoids. <i>Journal of Biological Chemistry</i> , 2012 , 287, 91-104	5.4	106
49	Plant volatiles: production, function and pharmacology. <i>Natural Product Reports</i> , 2011 , 28, 1359-80	15.1	204
48	Mutagenesis and computer modeling studies of a GPCR conserved residue W5.43(194) in ligand recognition and signal transduction for CB2 receptor. <i>International Immunopharmacology</i> , 2011 , 11, 130)3 ⁵⁻⁸ 10	21
47	Plant immunostimulantsscientific paradigm or myth?. <i>Journal of Ethnopharmacology</i> , 2011 , 136, 385-9	1 5	37
46	Stereoselective synthesis of 12,13-cyclopropyl-epothilone B and side-chain-modified variants. <i>Organic Letters</i> , 2011 , 13, 1436-9	6.2	17
45	Biodiversity and chemodiversity: future perspectives in bioprospecting. <i>Current Drug Targets</i> , 2011 , 12, 1515-30	3	11
44	Endocannabinoid content in fetal bovine sera - unexpected effects on mononuclear cells and osteoclastogenesis. <i>Journal of Immunological Methods</i> , 2011 , 373, 219-28	2.5	37
43	Effects of Echinaforce treatment on ex vivo-stimulated blood cells. <i>Phytomedicine</i> , 2011 , 18, 826-31	6.5	23
42	Molecular docking and pharmacogenomics of vinca alkaloids and their monomeric precursors, vindoline and catharanthine. <i>Biochemical Pharmacology</i> , 2011 , 81, 723-35	6	30
41	Mechanisms of osteoclastogenesis inhibition by a novel class of biphenyl-type cannabinoid CB(2) receptor inverse agonists. <i>Chemistry and Biology</i> , 2011 , 18, 1053-64		56
40	Botanical drugs, synergy, and network pharmacology: forth and back to intelligent mixtures. <i>Planta Medica</i> , 2011 , 77, 1086-98	3.1	142
39	The major central endocannabinoid directly acts at GABA(A) receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18150-5	11.5	125
38	Ginger phenylpropanoids inhibit IL-1beta and prostanoid secretion and disrupt arachidonate-phospholipid remodeling by targeting phospholipases A2. <i>Journal of Immunology</i> , 2011 , 187, 4140-50	5.3	32
37	Phytocannabinoids beyond the Cannabis plant - do they exist?. <i>British Journal of Pharmacology</i> , 2010 , 160, 523-9	8.6	123

36	Stereoselective synthesis of a monocyclic peloruside a analogue. <i>Organic Letters</i> , 2010 , 12, 1120-3	6.2	48
35	Synthesis of (-)-dactylolide and 13-desmethylene-(-)-dactylolide and their effects on tubulin. <i>Organic Letters</i> , 2010 , 12, 2302-5	6.2	54
34	Structure-activity relationship and mechanism of action studies of manzamine analogues for the control of neuroinflammation and cerebral infections. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 61-76	8.3	70
33	Cannabinoid receptor ligands as potential anticancer agents Ihigh hopes for new therapies?. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 839-853	4.8	2
32	Falcarinol is a covalent cannabinoid CB1 receptor antagonist and induces pro-allergic effects in skin. <i>Biochemical Pharmacology</i> , 2010 , 79, 1815-26	6	72
31	Identification of serotonin 5-HT1A receptor partial agonists in ginger. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 3345-51	3.4	28
30	In silico target fishing for rationalized ligand discovery exemplified on constituents of Ruta graveolens. <i>Planta Medica</i> , 2009 , 75, 195-204	3.1	111
29	The laulimalide family: total synthesis and biological evaluation of neolaulimalide, isolaulimalide, laulimalide and a nonnatural analogue. <i>Chemistry - A European Journal</i> , 2009 , 15, 5979-97	4.8	50
28	Epothilone analogues with benzimidazole and quinoline side chains: chemical synthesis, antiproliferative activity, and interactions with tubulin. <i>Chemistry - A European Journal</i> , 2009 , 15, 10144-	. 517 8	25
27	Synthesis and biological evaluation of a des-dihydropyran laulimalide analog. <i>Tetrahedron Letters</i> , 2009 , 50, 5790-5792	2	21
26	Synthesis and SAR of C12-C13-oxazoline derivatives of epothilone A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 3760-3	2.9	19
25	Synergistic immunomopharmacological effects of N-alkylamides in Echinacea purpurea herbal extracts. <i>International Immunopharmacology</i> , 2009 , 9, 850-8	5.8	64
24	How scientific is the science in ethnopharmacology? Historical perspectives and epistemological problems. <i>Journal of Ethnopharmacology</i> , 2009 , 122, 177-83	5	130
23	Discovery of novel CB2 receptor ligands by a pharmacophore-based virtual screening workflow. Journal of Medicinal Chemistry, 2009 , 52, 369-78	8.3	30
22	Conformational preferences of natural and C3-modified epothilones in aqueous solution. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 1469-73	8.3	45
21	Epothilones as lead structures for the synthesis-based discovery of new chemotypes for microtubule stabilization. <i>Accounts of Chemical Research</i> , 2008 , 41, 21-31	24.3	83
20	Total synthesis of hypermodified epothilone analogs with potent in vitro antitumor activity. <i>Organic Letters</i> , 2008 , 10, 1183-6	6.2	27
19	Anti-inflammatory cannabinoids in diet: Towards a better understanding of CB(2) receptor action?. <i>Communicative and Integrative Biology</i> , 2008 , 1, 26-8	1.7	63

(2002-2008)

18	Immunomodulatory lipids in plants: plant fatty acid amides and the human endocannabinoid system. <i>Planta Medica</i> , 2008 , 74, 638-50	3.1	39
17	Beta-caryophyllene is a dietary cannabinoid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9099-104	11.5	497
16	Total synthesis of the marine diterpenoid blumiolide C. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 10081-5	16.4	32
15	New cytotoxic saturated and unsaturated cyclohexanones from Anthemis maritima. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 1559-62	2.9	19
14	Anticancer drugs from naturenatural products as a unique source of new microtubule-stabilizing agents. <i>Natural Product Reports</i> , 2007 , 24, 327-57	15.1	205
13	Stereoselective synthesis, natural occurrence and CB(2) receptor binding affinities of alkylamides from herbal medicines such as Echinacea sp. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 169-74	3.9	25
12	Design and synthesis of 12-aza-epothilones (azathilones)"non-natural" natural products with potent anticancer activity. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 5880-5	16.4	25
11	New natural noncannabinoid ligands for cannabinoid type-2 (CB2) receptors. <i>Journal of Receptor and Signal Transduction Research</i> , 2006 , 26, 709-30	2.6	31
10	Alkylamides from Echinacea are a new class of cannabinomimetics. Cannabinoid type 2 receptor-dependent and -independent immunomodulatory effects. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14192-206	5.4	178
9	New cytotoxic prenylated isoflavonoids from Bituminaria morisiana. <i>Planta Medica</i> , 2005 , 71, 254-60	3.1	34
8	Phyllanthus piscatorum, ethnopharmacological studies on a womenß medicinal plant of the YanomamlAmerindians. <i>Journal of Ethnopharmacology</i> , 2004 , 91, 181-8	5	10
7	Antifungal, antiprotozoal, cytotoxic and piscicidal properties of Justicidin B and a new arylnaphthalide lignan from Phyllanthus piscatorum. <i>Planta Medica</i> , 2003 , 69, 420-4	3.1	68
6	Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects. <i>Biochemical Pharmacology</i> , 2003 , 66, 2141-53	6	47
5	Curcumin differentially modulates mRNA profiles in Jurkat T and human peripheral blood mononuclear cells. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 1057-63	3.4	23
4	Cytotoxic versus anti-inflammatory effects in HeLa, Jurkat T and human peripheral blood cells caused by guaianolide-type sesquiterpene lactones. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 3659-	. <i>6</i> 3 ⁴	29
3	Quinolizidine alkaloids from the curare adjuvant Clathrotropis glaucophylla. <i>Phytochemistry</i> , 2002 , 61, 975-8	4	33
2	Relative quantification of mRNA levels in Jurkat T cells with RT-real time-PCR (RT-rt-PCR): new possibilities for the screening of anti-inflammatory and cytotoxic compounds. <i>Pharmaceutical Research</i> , 2002 , 19, 1236-43	4.5	23
1	Yucatec Mayan medicinal plants: evaluation based on indigenous uses. <i>Journal of Ethnopharmacology</i> , 2002 , 79, 43-52	5	69