Guadalupe MirÓ

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7650970/publications.pdf

Version: 2024-02-01

103	5,517	40	71 g-index
papers	citations	h-index	
105	105	105	4464
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Investigation of Leishmania (Viannia) braziliensis Infection in Wild Mammals in Brazil. Acta Parasitologica, 2022, 67, 648-657.	1.1	1
2	Leishmania infantum infection serosurveillance in stray dogs inhabiting the Madrid community: 2007–2018. Parasites and Vectors, 2022, 15, 96.	2.5	6
3	Seropositivity of main vector-borne pathogens in dogs across Europe. Parasites and Vectors, 2022, 15, .	2.5	12
4	Update on the treatment and prevention of ocular thelaziosis (Thelazia callipaeda) in naturally infected dogs from Spain. International Journal for Parasitology, 2021, 51, 73-81.	3.1	6
5	Antibodies elicited by the CaniLeish® vaccine: long-term clinical follow-up study of dogs in Spain. Parasitology Research, 2021, 120, 1471-1479.	1.6	4
6	Role of Leishmania infantum in Meningoencephalitis of Unknown Origin in Dogs from a Canine Leishmaniosis Endemic Area. Microorganisms, 2021, 9, 571.	3.6	2
7	Feline thelaziosis (<i>Thelazia callipaeda</i>) in Spain: state-of-the-art and first prophylactic trial in cats. Journal of Feline Medicine and Surgery, 2021, 23, 1117-1128.	1.6	3
8	The first Linguatula serrata case in an imported dog in Finland. Veterinary Parasitology: Regional Studies and Reports, 2021, 26, 100654.	0.5	2
9	SARS-CoV-2 Infection in One Cat and Three Dogs Living in COVID-19-Positive Households in Madrid, Spain. Frontiers in Veterinary Science, 2021, 8, 779341.	2.2	32
10	Modulation of Host Immune Response during Leishmania infantum Natural Infection: A Whole-Transcriptome Analysis of the Popliteal Lymph Nodes in Dogs. Frontiers in Immunology, 2021, 12, 794627.	4.8	8
11	Spain as a dispersion model for Thelazia callipaeda eyeworm in dogs in Europe. Preventive Veterinary Medicine, 2020, 175, 104883.	1.9	15
12	Parasites and vector-borne diseases disseminated by rehomed dogs. Parasites and Vectors, 2020, 13, 546.	2.5	34
13	Clinical and Hematological Follow-Up of Long-Term Oral Therapy with Type-I Interferon in Cats Naturally Infected with Feline Leukemia Virus or Feline Immunodeficiency Virus. Animals, 2020, 10, 1464.	2.3	13
14	Survey of Spanish pet owners about endoparasite infection risk and deworming frequencies. Parasites and Vectors, 2020, 13, 101.	2.5	14
15	Temperature is a common climatic descriptor of lachryphagous activity period in Phortica variegata (Diptera: Drosophilidae) from multiple geographical locations. Parasites and Vectors, 2020, 13, 89.	2.5	16
16	Vaccination against canine leishmaniasis in Brazil. International Journal for Parasitology, 2020, 50, 171-176.	3.1	20
17	Latest trends in Leishmania infantum infection in dogs in Spain, Part I: mapped seroprevalence and sand fly distributions. Parasites and Vectors, 2020, 13, 204.	2.5	37
18	The red fox (<i>Vulpes vulpes</i>) as a potential natural reservoir of human cryptosporidiosis by <i>Cryptosporidium hominis</i> in Northwest Spain. Transboundary and Emerging Diseases, 2020, 67, 2172.	3.0	13

#	Article	IF	CITATIONS
19	Latest trends in L. infantum infection in dogs in Spain, Part II: current clinical management and control according to a national survey of veterinary practitioners. Parasites and Vectors, 2020, 13, 205.	2.5	12
20	Factors related to limitation of life support within 48 h of intensive care unit admission: A multicenter study. Medicina Intensiva, 2019, 43, 352-361.	0.7	5
21	A nationwide survey of Leishmania infantum infection in cats and associated risk factors in Italy. PLoS Neglected Tropical Diseases, 2019, 13, e0007594.	3.0	45
22	Short term impacts of meglumine antimoniate treatment on kidney function in dogs with clinical leishmaniosis. Research in Veterinary Science, 2019, 126, 131-138.	1.9	8
23	Follow-Up of Viral Parameters in FeLV- or FIV-Naturally Infected Cats Treated Orally with Low Doses of Human Interferon Alpha. Viruses, 2019, 11, 845.	3.3	9
24	The role of healthy dog carriers of Babesia microti-like piroplasms. Parasites and Vectors, 2019, 12, 127.	2.5	15
25	Canine Leishmaniasis Control in the Context of One Health. Emerging Infectious Diseases, 2019, 25, 1-4.	4.3	60
26	Culling Dogs for Zoonotic Visceral Leishmaniasis Control: The Wind of Change. Trends in Parasitology, 2019, 35, 97-101.	3.3	42
27	Effect of two treatments on changes in serum acute phase protein concentrations in dogs with clinical leishmaniosis. Veterinary Journal, 2019, 245, 22-28.	1.7	14
28	Detection and molecular characterization of Acanthamoeba spp. in stray cats from Madrid, Spain. Experimental Parasitology, 2018, 188, 8-12.	1.2	7
29	Clinical management of canine leishmaniosis versus human leishmaniasis due to Leishmania infantum: Putting "One Health―principles into practice. Veterinary Parasitology, 2018, 254, 151-159.	1.8	32
30	Babesia microti-like piroplasm (syn. Babesia vulpes) infection in red foxes (Vulpes vulpes) in NW Spain (Galicia) and its relationship with Ixodes hexagonus. Veterinary Parasitology, 2018, 252, 22-28.	1.8	30
31	Implications of zoonotic and vector-borne parasites to free-roaming cats in central Spain. Veterinary Parasitology, 2018, 251, 125-130.	1.8	41
32	Prevention of disease progression in Leishmania infantum-infected dogs with dietary nucleotides and active hexose correlated compound. Parasites and Vectors, 2018, 11, 103.	2.5	24
33	Detection of Thelazia callipaeda in Phortica variegata and spread of canine thelaziosis to new areas in Spain. Parasites and Vectors, 2018, 11, 195.	2.5	22
34	Controlling phlebotomine sand flies to prevent canine Leishmania infantum infection: A case of knowing your enemy. Research in Veterinary Science, 2018, 121, 94-103.	1.9	19
35	Use of domperidone in canine visceral leishmaniasis: gaps in veterinary knowledge and epidemiological implications. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e180301.	1.6	12
	implications. Memorias Do instituto Oswaido erdz, 2010, 113, e100301.		

First report of Leishmania infantum infection in the endangered orangutan (Pongo pygmaeus) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 62

3

36

#	Article	IF	Citations
37	Canine visceral leishmaniasis: Diagnosis and management of the reservoir living among us. PLoS Neglected Tropical Diseases, 2018, 12, e0006082.	3.0	95
38	Species of ticks and carried pathogens in owned dogs in Spain: Results of a one-year national survey. Ticks and Tick-borne Diseases, 2017, 8, 443-452.	2.7	47
39	Randomized, allopurinol-controlled trial of the effects of dietary nucleotides and active hexose correlated compound in the treatment of canine leishmaniosis. Veterinary Parasitology, 2017, 239, 50-56.	1.8	37
40	Lungworms and gastrointestinal parasites of domestic cats: a European perspective. International Journal for Parasitology, 2017, 47, 517-528.	3.1	113
41	Novel Areas for Prevention and Control of Canine Leishmaniosis. Trends in Parasitology, 2017, 33, 718-730.	3.3	83
42	Efficacy, safety and tolerance of imidocarb dipropionate versus atovaquone or buparvaquone plus azithromycin used to treat sick dogs naturally infected with the Babesia microti-like piroplasm. Parasites and Vectors, 2017, 10, 145.	2.5	20
43	Diagnostic Challenges in the Era of Canine Leishmania infantum Vaccines. Trends in Parasitology, 2017, 33, 706-717.	3.3	94
44	Epidemiological role of dogs since the human leishmaniosis outbreak in Madrid. Parasites and Vectors, 2017, 10, 209.	2.5	28
45	Flea species infesting dogs in <scp>S</scp> pain: updated spatial and seasonal distribution patterns. Medical and Veterinary Entomology, 2017, 31, 107-113.	1.5	10
46	Modelling the current distribution and predicted spread of the flea species Ctenocephalides felis infesting outdoor dogs in Spain. Parasites and Vectors, 2017, 10, 428.	2.5	16
47	First detection of Onchocerca lupi infection in dogs in southern Spain. Parasites and Vectors, 2016, 9, 290.	2.5	25
48	Tritrichomonas foetus infection in cats with diarrhea from densely housed origins. Veterinary Parasitology, 2016, 221, 118-122.	1.8	14
49	LEISHMANIA INFANTUMINFECTION IN BENNETT'S WALLABIES(MACROPUS RUFOGRISEUS RUFOGRISEUS)IN A SPANISH WILDLIFE PARK. Journal of Zoo and Wildlife Medicine, 2016, 47, 586-593.	0.6	15
50	A review of canine babesiosis: the European perspective. Parasites and Vectors, 2016, 9, 336.	2.5	248
51	DNA sequence analysis suggests that cytb-nd1 PCR-RFLP may not be applicable to sandfly species identification throughout the Mediterranean region. Parasitology Research, 2016, 115, 1287-1295.	1.6	2
52	LeishVet update and recommendations on feline leishmaniosis. Parasites and Vectors, 2015, 8, 302.	2.5	146
53	Unresponsiveness of Experimental Canine Leishmaniosis to a New Amphotericin B Formulation. Advances in Pharmaceutics, 2015, 2015, 1-13.	0.5	3
54	Theileria annae (syn. Babesia microti-like) infection in dogs in NW Spain detected using direct and indirect diagnostic techniques: clinical report of 75 cases. Parasites and Vectors, 2015, 8, 217.	2.5	48

#	Article	IF	Citations
55	Guideline for veterinary practitioners on canine ehrlichiosis and anaplasmosis in Europe. Parasites and Vectors, 2015, 8, 75.	2.5	202
56	Course of experimental infection of canine leishmaniosis: Follow-up and utility of noninvasive diagnostic techniques. Veterinary Parasitology, 2015, 207, 149-155.	1.8	28
57	Microsporidia Detection and Genotyping Study of Human Pathogenic E. bieneusi in Animals from Spain. PLoS ONE, 2014, 9, e92289.	2.5	70
58	Further thoughts on "Asymptomatic dogs are highly competent to transmit Leishmania (Leishmania) infantum chagasi to the natural vector― Veterinary Parasitology, 2014, 204, 443-444.	1.8	6
59	Parasites of domestic owned cats in Europe: co-infestations and risk factors. Parasites and Vectors, 2014, 7, 291.	2.5	134
60	First study on efficacy and tolerability of a new alkylphosphocholine molecule (oleylphosphocholine—OIPC) in the treatment of canine leishmaniosis due to Leishmania infantum. Parasitology Research, 2014, 113, 157-164.	1.6	15
61	Management of canine leishmaniosis in endemic SW European regions: a questionnaire-based multinational survey. Parasites and Vectors, 2014, 7, 110.	2.5	36
62	Current status of L. infantum infection in stray cats in the Madrid region (Spain): implications for the recent outbreak of human leishmaniosis?. Parasites and Vectors, 2014, 7, 112.	2.5	56
63	Seropositivity rates for agents of canine vector-borne diseases in Spain: a multicentre study. Parasites and Vectors, 2013, 6, 117.	2.5	78
64	Hemolytic and pharmacokinetic studies of liposomal and particulate amphotericin B formulations. International Journal of Pharmaceutics, 2013, 447, 38-46.	5.2	64
65	Species diversity of dermal microfilariae of the genus <i>Cercopithifilaria</i> infesting dogs in the Mediterranean region. Parasitology, 2013, 140, 99-108.	1.5	35
66	Detection of Zoonotic Intestinal Parasites in Public Parks of Spain. Potential Epidemiological Role of Microsporidia. Zoonoses and Public Health, 2012, 59, 23-28.	2.2	74
67	Prevalence and genotypes of Giardia duodenalis from dogs in Spain: possible zoonotic transmission and public health importance. Parasitology Research, 2012, 111, 2419-2422.	1.6	41
68	Vector-Borne Diseases - constant challenge for practicing veterinarians: recommendations from the CVBD World Forum. Parasites and Vectors, 2012, 5, 55.	2.5	56
69	Current situation of Leishmania infantum infection in shelter dogs in northern Spain. Parasites and Vectors, 2012, 5, 60.	2.5	60
70	On a Cercopithifilaria sp. transmitted by Rhipicephalus sanguineus: a neglected, but widespread filarioid of dogs. Parasites and Vectors, 2012, 5, 1.	2.5	219
71	Efficacy of 65% permethrin applied to dogs as a spot-on against Phlebotomus perniciosus. Veterinary Parasitology, 2012, 187, 529-533.	1.8	20
72	Epidemiological Aspects and Clinicopathological Findings in Cats Naturally Infected with Feline Leukemia Virus (FeLV) and/or Feline Immunodeficiency Virus (FIV). Open Journal of Veterinary Medicine, 2012, 02, 13-20.	0.4	14

#	Article	IF	CITATIONS
73	A Serological and Molecular Study of <i>Leishmania infantum </i> Infection in Cats from the Island of Ibiza (Spain). Vector-Borne and Zoonotic Diseases, 2011, 11, 239-245.	1.5	64
74	Mapping the Current Distribution and Predicted Spread of the Leishmaniosis Sand Fly Vector in the Madrid Region (Spain) Based on Environmental Variables and Expected Climate Change. Vector-Borne and Zoonotic Diseases, 2011, 11, 799-806.	1.5	56
75	Use of recombinant interferon omega in feline retrovirosis: From theory to practice. Veterinary Immunology and Immunopathology, 2011, 143, 301-306.	1.2	43
76	Questionnaire-based survey on the clinical management of canine leishmaniosis in the Madrid region (central Spain). Preventive Veterinary Medicine, 2011, 102, 59-65.	1.9	16
77	Thelazia callipaeda: infection in dogs: a new parasite for Spain. Parasites and Vectors, 2011, 4, 148.	2.5	78
78	First description of naturally acquired Tritrichomonas foetus infection in a Persian cattery in Spain. Parasitology Research, 2011, 109, 1151-1154.	1.6	31
79	Infectivity to Phlebotomus perniciosus of dogs naturally parasitized with Leishmania infantum after different treatments. Parasites and Vectors, 2011, 4, 52.	2.5	55
80	LeishVet guidelines for the practical management of canine leishmaniosis. Parasites and Vectors, 2011 , 4 , 86 .	2.5	533
81	Emerging trends in the seroprevalence of canine leishmaniosis in the Madrid region (central Spain). Veterinary Parasitology, 2010, 169, 327-334.	1.8	91
82	Response to the letter: "Some remarks about the LeishVet directions for the treatment of canine leishmaniosis― Veterinary Parasitology, 2010, 169, 418-420.	1.8	0
83	Comparison of nested PCR and real-time PCR for the detection of Toxoplasma gondii in biological samples from naturally infected cats. Research in Veterinary Science, 2010, 89, 212-213.	1.9	10
84	Seasonal trends and spatial relations between environmental/meteorological factors and leishmaniosis sand fly vector abundances in Central Spain. Acta Tropica, 2010, 115, 95-102.	2.0	88
85	Effect of Type-I Interferon on Retroviruses. Viruses, 2009, 1, 545-573.	3.3	14
86	Comparative study on the short term efficacy and adverse effects of miltefosine and meglumine antimoniate in dogs with natural leishmaniosis. Parasitology Research, 2009, 105, 155-62.	1.6	50
87	Multicentric, controlled clinical study to evaluate effectiveness and safety of miltefosine and allopurinol for canine leishmaniosis. Veterinary Dermatology, 2009, 20, 397-404.	1.2	90
88	Detection of Toxoplasma gondii in cats by comparing bioassay in mice and polymerase chain reaction (PCR). Veterinary Parasitology, 2009, 160, 159-162.	1.8	25
89	Directions for the diagnosis, clinical staging, treatment and prevention of canine leishmaniosis. Veterinary Parasitology, 2009, 165, 1-18.	1.8	475

90 Efficacy of Drontal® Flavour Plus (50Âmg praziquantel, 144Âmg pyrantel embonate, 150Âmg febantel per) Tj ETQqQ 0 0 rgBT/Overloc

#	Article	IF	CITATION
91	Seroprevalence and risk factors associated with Neospora caninum infection in different dog populations in Spain. Veterinary Parasitology, 2008, 152, 148-151.	1.8	34
92	Canine leishmaniosis – new concepts and insights on an expanding zoonosis: part two. Trends in Parasitology, 2008, 24, 371-377.	3.3	199
93	Molecular Characterization of Toxoplasma gondii Isolates from Cats in Spain. Journal of Parasitology, 2008, 94, 1044-1046.	0.7	21
94	Evaluation of the efficacy of a topically administered combination of imidacloprid and permethrin against Phlebotomus perniciosus in dog. Veterinary Parasitology, 2007, 143, 375-379.	1.8	42
95	Plasma Electrophoretogram in Feline Immunodeficiency Virus (FIV) and/or Feline Leukaemia Virus (FeLV) Infections. Transboundary and Emerging Diseases, 2007, 54, 203-209.	0.6	18
96	Effect of type I interferons on the expression of feline leukaemia virus. Veterinary Microbiology, 2007, 123, 180-186.	1.9	17
97	Survey of intestinal parasites in stray dogs in the Madrid area and comparison of the efficacy of three anthelmintics in naturally infected dogs. Parasitology Research, 2007, 100, 317-320.	1.6	63
98	A leishmaniosis surveillance system among stray dogs in the region of Madrid: ten years of serodiagnosis (1996–2006). Parasitology Research, 2007, 101, 253-257.	1.6	43
99	Differences in time to positivity can affect the negative predictive value of blood cultures drawn through a central venous catheter. Intensive Care Medicine, 2006, 32, 1442-1443.	8.2	6
100	Evaluation of a spray of permethrin and pyriproxyfen for the protection of dogs against Phlebotomus perniciosus. Veterinary Record, 2006, 159, 206-209.	0.3	21
101	Prevalence of antibodies to Toxoplasma gondii and intestinal parasites in stray, farm and household cats in Spain. Veterinary Parasitology, 2004, 126, 249-255.	1.8	130
102	Withdrawing and withholding life support in the intensive care unit: a Spanish prospective multi-centre observational study. Intensive Care Medicine, 2001, 27, 1744-1749.	8.2	217
103	Enterocytozoon bieneusi in animals: rabbits and dogs as new hosts. Journal of Eukaryotic	1.7	48