

GÃ¼nter Hoch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7653208/publications.pdf>

Version: 2024-02-01

95
papers

8,666
citations

31976

53
h-index

45317

90
g-index

106
all docs

106
docs citations

106
times ranked

6966
citing authors

#	ARTICLE	IF	CITATIONS
1	Trunk radial growth, water and carbon relations of mature apple trees on two size-controlling rootstocks during severe summer drought. <i>Tree Physiology</i> , 2022, 42, 289-303.	3.1	4
2	Negative effects of low root temperatures on water and carbon relations in temperate tree seedlings assessed by dual isotopic labelling. <i>Tree Physiology</i> , 2022, , .	3.1	5
3	Whole-Tree Response of Non-Structural Carbohydrates, Carbon and Nitrogen Concentrations in Two Temperate Tree Species to 10-Year Nitrogen Fertilization. <i>Forests</i> , 2022, 13, 302.	2.1	4
4	Mechanisms of woody-plant mortality under rising drought, CO ₂ and vapour pressure deficit. <i>Nature Reviews Earth & Environment</i> , 2022, 3, 294-308.	29.7	163
5	Lack of hydraulic recovery as a cause of post-drought foliage reduction and canopy decline in European beech. <i>New Phytologist</i> , 2022, 234, 1195-1205.	7.3	40
6	Physiological and climate controls on foliar mercury uptake by European tree species. <i>Biogeosciences</i> , 2022, 19, 1335-1353.	3.3	18
7	Soil nutrient availability alters tree carbon allocation dynamics during drought. <i>Tree Physiology</i> , 2021, 41, 697-707.	3.1	28
8	Rapid hydraulic collapse as cause of drought-induced mortality in conifers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	80
9	Effect of Asynchronous Light and Temperature Fluctuations on Plant Traits in Indoor Growth Facilities. <i>Agronomy</i> , 2021, 11, 755.	3.0	1
10	Dynamic ² H irrigation pulse labelling reveals rapid infiltration and mixing of precipitation in the soil and species-specific water uptake depths of trees in a temperate forest. <i>Ecohydrology</i> , 2021, 14, e2322.	2.4	12
11	Climate Change Modulates Multitrophic Interactions Between Maize, A Root Herbivore, and Its Enemies. <i>Journal of Chemical Ecology</i> , 2021, 47, 889-906.	1.8	6
12	TreeNetâ€“The Biological Drought and Growth Indicator Network. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	2.3	13
13	Soil nutrients and lowered source:sink ratio mitigate effects of mild but not of extreme drought in trees. <i>Environmental and Experimental Botany</i> , 2020, 169, 103905.	4.2	28
14	Plant respiration: Controlled by photosynthesis or biomass?. <i>Global Change Biology</i> , 2020, 26, 1739-1753.	9.5	66
15	The handbook for standardized field and laboratory measurements in terrestrial climate change experiments and observational studies (ClimEx). <i>Methods in Ecology and Evolution</i> , 2020, 11, 22-37.	5.2	68
16	Reaching Natural Growth: The Significance of Light and Temperature Fluctuations in Plant Performance in Indoor Growth Facilities. <i>Plants</i> , 2020, 9, 1312.	3.5	13
17	Reaching Natural Growth: Light Quality Effects on Plant Performance in Indoor Growth Facilities. <i>Plants</i> , 2020, 9, 1273.	3.5	8
18	Rhizosphere activity in an old-growth forest reacts rapidly to changes in soil moisture and shapes whole-tree carbon allocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24885-24892.	7.1	50

#	ARTICLE	IF	CITATIONS
19	A first assessment of the impact of the extreme 2018 summer drought on Central European forests. <i>Basic and Applied Ecology</i> , 2020, 45, 86-103.	2.7	482
20	A bottom-up quantification of foliar mercury uptake fluxes across Europe. <i>Biogeosciences</i> , 2020, 17, 6441-6456.	3.3	24
21	No role for xylem embolism or carbohydrate shortage in temperate trees during the severe 2015 drought. <i>Journal of Ecology</i> , 2019, 107, 334-349.	4.0	46
22	Latitude and Weather Influences on Sun Light Quality and the Relationship to Tree Growth. <i>Forests</i> , 2019, 10, 610.	2.1	26
23	High carbon storage in carbon-limited trees. <i>New Phytologist</i> , 2019, 222, 171-182.	7.3	54
24	Revisiting the relative growth rate hypothesis for gymnosperm and angiosperm species co-occurrence. <i>American Journal of Botany</i> , 2019, 106, 101-112.	1.7	17
25	Elevated CO ₂ compensates for drought effects in lemon saplings via stomatal downregulation, increased soil moisture, and increased wood carbon storage. <i>Environmental and Experimental Botany</i> , 2018, 148, 117-127.	4.2	33
26	Living on next to nothing: tree seedlings can survive weeks with very low carbohydrate concentrations. <i>New Phytologist</i> , 2018, 218, 107-118.	7.3	69
27	Linkage of root morphology to anatomy with increasing nitrogen availability in six temperate tree species. <i>Plant and Soil</i> , 2018, 425, 189-200.	3.7	39
28	Identifying differences in carbohydrate dynamics of seedlings and mature trees to improve carbon allocation in models for trees and forests. <i>Environmental and Experimental Botany</i> , 2018, 152, 7-18.	4.2	115
29	No carbon "bet hedging" in pine seedlings under prolonged summer drought and elevated CO ₂ . <i>Journal of Ecology</i> , 2018, 106, 31-46.	4.0	36
30	Losing half the conductive area hardly impacts the water status of mature trees. <i>Scientific Reports</i> , 2018, 8, 15006.	3.3	39
31	Standardized protocols and procedures can precisely and accurately quantify non-structural carbohydrates. <i>Tree Physiology</i> , 2018, 38, 1764-1778.	3.1	171
32	Homeostatic levels of nonstructural carbohydrates after 13 Åyr of drought and irrigation in <i>Pinus sylvestris</i> . <i>New Phytologist</i> , 2018, 219, 1314-1324.	7.3	65
33	Endogenous circadian rhythms in pigment composition induce changes in photochemical efficiency in plant canopies. <i>Plant, Cell and Environment</i> , 2017, 40, 1153-1162.	5.7	26
34	Night and day " Circadian regulation of night-time dark respiration and light-enhanced dark respiration in plant leaves and canopies. <i>Environmental and Experimental Botany</i> , 2017, 137, 14-25.	4.2	23
35	Growth reduction after defoliation is independent of CO ₂ supply in deciduous and evergreen young oaks. <i>New Phytologist</i> , 2017, 214, 1479-1490.	7.3	29
36	Dying piece by piece: carbohydrate dynamics in aspen (<i>Populus tremuloides</i>) seedlings under severe carbon stress. <i>Journal of Experimental Botany</i> , 2017, 68, 5221-5232.	4.8	49

#	ARTICLE	IF	CITATIONS
37	Single-provenance mature conifers show higher non-structural carbohydrate storage and reduced growth in a drier location. <i>Tree Physiology</i> , 2017, 37, 1001-1010.	3.1	60
38	Convergence of leaf out towards minimum risk of freezing damage in temperate trees. <i>Functional Ecology</i> , 2016, 30, 1480-1490.	3.6	59
39	Where, why and how? Explaining the low temperature range limits of temperate tree species. <i>Journal of Ecology</i> , 2016, 104, 1076-1088.	4.0	171
40	Fast acclimation of freezing resistance suggests no influence of winter minimum temperature on the range limit of European beech. <i>Tree Physiology</i> , 2016, 36, 490-501.	3.1	31
41	Coordination between growth, phenology and carbon storage in three coexisting deciduous tree species in a temperate forest. <i>Tree Physiology</i> , 2016, 36, 847-855.	3.1	76
42	Dynamics of non-structural carbohydrates in terrestrial plants: a global synthesis. <i>Ecological Monographs</i> , 2016, 86, 495-516.	5.4	458
43	Evolutionary potential in the Alpine: trait heritabilities and performance variation of the dwarf willow <i>Salix herbacea</i> from different elevations and microhabitats. <i>Ecology and Evolution</i> , 2016, 6, 3940-3952.	1.9	98
44	The snow and the willows: earlier spring snowmelt reduces performance in the low-lying alpine shrub <i>Salix herbacea</i> . <i>Journal of Ecology</i> , 2016, 104, 1041-1050.	4.0	110
45	The amount of parenchyma and living fibers affects storage of nonstructural carbohydrates in young stems and roots of temperate trees. <i>American Journal of Botany</i> , 2016, 103, 603-612.	1.7	100
46	Near-infrared spectroscopy (NIRS) predicts non-structural carbohydrate concentrations in different tissue types of a broad range of tree species. <i>Methods in Ecology and Evolution</i> , 2015, 6, 1018-1025.	5.2	63
47	Bud freezing resistance in alpine shrubs across snow depth gradients. <i>Environmental and Experimental Botany</i> , 2015, 118, 95-101.	4.2	20
48	With a little help from my friends: Community facilitation increases performance in the dwarf shrub <i>Salix herbacea</i> . <i>Basic and Applied Ecology</i> , 2015, 16, 202-209.	2.7	59
49	Defoliation reduces growth but not carbon reserves in Mediterranean <i>Pinus pinaster</i> trees. <i>Trees - Structure and Function</i> , 2015, 29, 1187-1196.	1.9	44
50	Non-structural carbohydrates in woody plants compared among laboratories. <i>Tree Physiology</i> , 2015, 35, tpv073.	3.1	163
51	Tree carbon allocation dynamics determined using a carbon mass balance approach. <i>New Phytologist</i> , 2015, 205, 147-159.	7.3	82
52	Carbon Reserves as Indicators for Carbon Limitation in Trees. <i>Progress in Botany Fortschritte Der Botanik</i> , 2015, , 321-346.	0.3	70
53	The Response of the Alpine Dwarf Shrub <i>Salix herbacea</i> to Altered Snowmelt Timing: Lessons from a Multi-Site Transplant Experiment. <i>PLoS ONE</i> , 2015, 10, e0122395.	2.5	101
54	Drought stress, growth and nonstructural carbohydrate dynamics of pine trees in a semi-arid forest. <i>Tree Physiology</i> , 2014, 34, 981-992.	3.1	136

#	ARTICLE	IF	CITATIONS
55	Does carbon storage limit tree growth?. <i>New Phytologist</i> , 2014, 201, 1096-1100.	7.3	212
56	Growth and carbon relations of temperate deciduous tree species at their upper elevation range limit. <i>Journal of Ecology</i> , 2014, 102, 1537-1548.	4.0	25
57	Genetic vs. non-genetic responses of leaf morphology and growth to elevation in temperate tree species. <i>Functional Ecology</i> , 2014, 28, 243-252.	3.6	39
58	Increased spring freezing vulnerability for alpine shrubs under early snowmelt. <i>Oecologia</i> , 2014, 175, 219-229.	2.0	139
59	Physiological minimum temperatures for root growth in seven common European broad-leaved tree species. <i>Tree Physiology</i> , 2014, 34, 302-313.	3.1	59
60	Spring patterns of freezing resistance and photosynthesis of two leaf phenotypes of <i>Hedera helix</i> . <i>Basic and Applied Ecology</i> , 2014, 15, 543-550.	2.7	10
61	Earlier leaf-out rather than difference in freezing resistance puts juvenile trees at greater risk of damage than adult trees. <i>Journal of Ecology</i> , 2014, 102, 981-988.	4.0	83
62	Small-scale patterns in snowmelt timing affect gene flow and the distribution of genetic diversity in the alpine dwarf shrub <i>Salix herbacea</i> . <i>Heredity</i> , 2014, 113, 233-239.	2.6	101
63	Fruit production in three masting tree species does not rely on stored carbon reserves. <i>Oecologia</i> , 2013, 171, 653-662.	2.0	93
64	Elevational adaptation and plasticity in seedling phenology of temperate deciduous tree species. <i>Oecologia</i> , 2013, 171, 663-678.	2.0	122
65	European deciduous trees exhibit similar safety margins against damage by spring freeze events along elevational gradients. <i>New Phytologist</i> , 2013, 200, 1166-1175.	7.3	144
66	Reciprocal root-shoot cooling and soil fertilization effects on the seasonal growth of two treeline conifer species. <i>Plant Ecology and Diversity</i> , 2013, 6, 21-30.	2.4	33
67	Tracing fresh assimilates through <i>Larix decidua</i> exposed to elevated CO_2 and soil warming at the alpine treeline using compound-specific stable isotope analysis. <i>New Phytologist</i> , 2013, 197, 838-849.	7.3	55
68	Similar variation in carbon storage between deciduous and evergreen treeline species across elevational gradients. <i>Annals of Botany</i> , 2013, 112, 623-631.	2.9	55
69	Early season temperature controls cambial activity and total tree ring width at the alpine treeline. <i>Plant Ecology and Diversity</i> , 2013, 6, 365-375.	2.4	67
70	Unrestricted quality of seeds in European broad-leaved tree species growing at the cold boundary of their distribution. <i>Annals of Botany</i> , 2012, 109, 473-480.	2.9	17
71	Variation of mobile carbon reserves in trees at the alpine treeline ecotone is under environmental control. <i>New Phytologist</i> , 2012, 195, 794-802.	7.3	58
72	Tree recruitment of European tree species at their current upper elevational limits in the Swiss Alps. <i>Journal of Biogeography</i> , 2012, 39, 1439-1449.	3.0	67

#	ARTICLE	IF	CITATIONS
73	Global patterns of mobile carbon stores in trees at the high-elevation tree line. <i>Global Ecology and Biogeography</i> , 2012, 21, 861-871.	5.8	175
74	Carbon Storage in Trees: Does Relative Carbon Supply Decrease with Tree Size?. <i>Tree Physiology</i> , 2011, , 287-306.	2.5	22
75	Leaf traits, shoot growth and seed production in mature <i>Fagus sylvatica</i> trees after 8 years of CO2 enrichment. <i>Annals of Botany</i> , 2011, 107, 1405-1411.	2.9	33
76	Quantification and monosaccharide composition of hemicelluloses from different plant functional types. <i>Plant Physiology and Biochemistry</i> , 2010, 48, 1-8.	5.8	132
77	Physiological mechanisms of drought-induced tree mortality are far from being resolved. <i>New Phytologist</i> , 2010, 186, 274-281.	7.3	535
78	Hemicellulose concentration and composition in plant cell walls under extreme carbon source-sink imbalances. <i>Physiologia Plantarum</i> , 2010, 139, 241-55.	5.2	31
79	Short-term dynamics of nonstructural carbohydrates and hemicelluloses in young branches of temperate forest trees during bud break. <i>Tree Physiology</i> , 2009, 29, 901-911.	3.1	84
80	Height-related growth declines in ponderosa pine are not due to carbon limitation. <i>Plant, Cell and Environment</i> , 2009, 32, 22-30.	5.7	155
81	Growth and carbon relations of tree line forming conifers at constant vs. variable low temperatures. <i>Journal of Ecology</i> , 2009, 97, 57-66.	4.0	94
82	A test of the growth-limitation theory for alpine tree line formation in evergreen and deciduous taxa of the eastern Himalayas. <i>Functional Ecology</i> , 2008, 22, 213-220.	3.6	145
83	The carbon supply of <i>Picea abies</i> trees at a Swiss montane permafrost site. <i>Plant Ecology and Diversity</i> , 2008, 1, 13-20.	2.4	15
84	Cell wall hemicelluloses as mobile carbon stores in non-reproductive plant tissues. <i>Functional Ecology</i> , 2007, 21, 823-834.	3.6	86
85	13C Labelling Reveals Different Contributions of Photoassimilates from Infructescences for Fruiting in Two Temperate Forest Tree Species. <i>Plant Biology</i> , 2006, 8, 606-614.	3.8	27
86	End of season carbon supply status of woody species near the treeline in western China. <i>Basic and Applied Ecology</i> , 2006, 7, 370-377.	2.7	75
87	A Test of Treeline Theory on a Montane Permafrost Island. <i>Arctic, Antarctic, and Alpine Research</i> , 2006, 38, 113-119.	1.1	88
88	Fruit-bearing branchlets are carbon autonomous in mature broad-leaved temperate forest trees. <i>Plant, Cell and Environment</i> , 2005, 28, 651-659.	5.7	95
89	Growth, demography and carbon relations of <i>Polylepis</i> trees at the world's highest treeline. <i>Functional Ecology</i> , 2005, 19, 941-951.	3.6	161
90	The carbon charging of pines at the climatic treeline: a global comparison. <i>Oecologia</i> , 2003, 135, 10-21.	2.0	280

#	ARTICLE	IF	CITATIONS
91	Non-structural carbon compounds in temperate forest trees. <i>Plant, Cell and Environment</i> , 2003, 26, 1067-1081.	5.7	625
92	Source/sink removal affects mobile carbohydrates in <i>Pinus cembra</i> at the Swiss treeline. <i>Trees - Structure and Function</i> , 2002, 16, 331-337.	1.9	165
93	Altitudinal increase of mobile carbon pools in <i>Pinus cembra</i> suggests sink limitation of growth at the Swiss treeline. <i>Oikos</i> , 2002, 98, 361-374.	2.7	339
94	Flexibility of nitrogen metabolism in the tropical C3Â–crassulacean acid metabolism tree species <i>Clusia minor</i> . <i>Functional Plant Biology</i> , 2002, 29, 741.	2.1	15
95	Purification and Characterization of Stachyose Synthase from Lentil (<i>Lens culinaris</i>) Seeds: Galactopinitol and Stachyose Synthesis. <i>Archives of Biochemistry and Biophysics</i> , 1999, 366, 75-81.	3.0	53