

# Yana V Baklanova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7654303/publications.pdf>

Version: 2024-02-01

41  
papers

394  
citations

840776

11  
h-index

839539

18  
g-index

42  
all docs

42  
docs citations

42  
times ranked

412  
citing authors

#	ARTICLE	IF	CITATIONS
1	Blue- and white-emitting Dy <sup>3+</sup> -doped aluminum oxide prepared using precursor synthesis. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 165, 110683.	4.0	1
2	Revealing sodium-ion diffusion in alluaudite-type Na <sub>4</sub> 2M <sub>1</sub> (MoO <sub>4</sub> ) <sub>3</sub> (M = Mg, Zn, Cd) from <sup>23</sup> Na MAS NMR and ab initio studies. <i>Journal of Solid State Chemistry</i> , 2021, 293, 121800.	2.9	5
3	Crystal structure, infrared luminescence and magnetic properties of Tm <sup>3+</sup> -doped and Tm <sup>3+</sup> -, Dy <sup>3+</sup> -codoped BaY <sub>2</sub> Ge <sub>3</sub> O <sub>10</sub> germanates. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 14976-14989.	2.2	1
4	Na <sub>9</sub> In(MoO <sub>4</sub> ) <sub>6</sub> : synthesis, crystal structure, and Na <sup>+</sup> ion diffusion. <i>Ionics</i> , 2021, 27, 4281-4293.	2.4	4
5	Structural and spectroscopic characterization of a new series of Ba <sub>2</sub> RE <sub>2</sub> Ge <sub>4</sub> O <sub>13</sub> (RE = Pr, Nd, Gd, and Dy) and Ba <sub>2</sub> Gd <sub>2</sub> xEu <sub>x</sub> Ge <sub>4</sub> O <sub>13</sub> tetragermanates. <i>Dalton Transactions</i> , 2021, 50, 10935-10946.	3.3	4
6	New phase within the SrO·R <sub>2</sub> O <sub>3</sub> ·GeO <sub>2</sub> (R <sub>2</sub> = Dy, Lu) systems: Synthesis and quantum-chemical modeling. <i>Journal of Physics and Chemistry of Solids</i> , 2020, 138, 109241.	4.0	0
7	Coexistence of three types of sodium motion in double molybdate Na <sub>9</sub> Sc(MoO <sub>4</sub> ) <sub>6</sub> : <sup>23</sup> Na and <sup>45</sup> Sc NMR data and ab initio calculations. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 144-154.	2.8	9
8	Synthesis, spectroscopic and luminescence properties of Ga-doped $\beta$ -Al <sub>2</sub> O <sub>3</sub> . <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 227, 117658.	3.9	10
9	Precursor technology for the production of white and color phosphors based on Al <sub>2</sub> O <sub>3</sub> :Ln (Ln=Eu <sup>3+</sup> , Tj ETQq1 1 0,784314 rgBT /Ove	2.9	9
10	Crystal structure, luminescence properties and thermal stability of BaY <sub>2</sub> xEu <sub>x</sub> Ge <sub>3</sub> O <sub>10</sub> phosphors with high colour purity for blue-excited pc-LEDs. <i>New Journal of Chemistry</i> , 2020, 44, 16400-16411.	2.8	9
11	Luminescence Properties of Sr <sub>2</sub> La <sub>8</sub> xTm <sub>x</sub> (GeO <sub>4</sub> ) <sub>6</sub> O <sub>2</sub> Apatites (x = 0.1-1.0) in the Visible and Short-Wave IR Spectral Ranges. <i>Physics of the Solid State</i> , 2020, 62, 1407-1414.	0.6	4
12	Novel orange-red-emitting Li <sup>+</sup> -Ca La <sub>3</sub> -Ta <sub>2</sub> O <sub>12</sub> :Sm <sup>3+</sup> (x = 0; 1) phosphors: Crystal structure, luminescence and thermal quenching studies. <i>Journal of Luminescence</i> , 2020, 224, 117315.	3.1	17
13	Structural and optical characterization of Tm <sup>3+</sup> -doped apatite related NaLa <sub>9</sub> (GeO <sub>4</sub> ) <sub>6</sub> O <sub>2</sub> phosphors. <i>Ceramics International</i> , 2020, 46, 26416-26424.	4.8	5
14	Intrinsic defects and their influence on optical properties of Al <sub>9</sub> (GeO <sub>4</sub> ) <sub>6</sub> O <sub>2</sub> (A = Li, Na, K, Rb, Cs) oxyapatites prepared by spray pyrolysis. <i>Journal of Alloys and Compounds</i> , 2020, 839, 155609.	5.5	2
15	Mechanism of Sodium-Ion Diffusion in Alluaudite-Type Na <sub>5</sub> Sc(MoO <sub>4</sub> ) <sub>4</sub> from NMR Experiment and Ab Initio Calculations. <i>Journal of Physical Chemistry C</i> , 2019, 123, 4729-4738.	3.1	16
16	Phosphor for the Near-IR and Short-Wave IR Ranges Based on a Garnet Structured Cubic Modification of Lithium-Lanthanum Niobate. <i>Physics of the Solid State</i> , 2019, 61, 874-880.	0.6	0
17	A red-emitting phosphor based on Eu <sup>3+</sup> -doped Li <sub>6</sub> SrLa <sub>2</sub> Ta <sub>2</sub> O <sub>12</sub> garnets for solid state lighting applications. <i>Materials Research Express</i> , 2019, 6, 066201.	1.6	15
18	Structural, electronic, and optical studies of BaRE <sub>2</sub> Ge <sub>3</sub> O <sub>10</sub> (RE = Y, Sc, Gd-Lu) germanates with a special focus on the [Ge <sub>3</sub> O <sub>10</sub> ] <sup>8-</sup> geometry. <i>CrystEngComm</i> , 2019, 21, 6491-6502.	2.6	11

#	ARTICLE	IF	CITATIONS
19	Crystal and Electronic Structures of Alluaudite-Type Double Molybdates of Scandium and Indium. <i>Journal of Structural Chemistry</i> , 2019, 60, 1868-1876.	1.0	3
20	Structure and luminescence relationship in Eu <sup>3+</sup> -doped Sr <sub>3</sub> La <sub>2</sub> (Ge <sub>3</sub> O <sub>9</sub> ) <sub>2</sub> phosphors. <i>Optical Materials</i> , 2019, 87, 145-150.	3.6	4
21	Synthesis and luminescence properties of Tb <sup>3+</sup> and Dy <sup>3+</sup> doped Li <sub>7</sub> La <sub>3</sub> Hf <sub>2</sub> O <sub>12</sub> with tetragonal garnet structure. <i>Optical Materials</i> , 2019, 87, 122-126.	3.6	10
22	Structure, magnetic and optical properties of Sr <sub>3</sub> RE <sub>2</sub> (Ge <sub>3</sub> O <sub>9</sub> ) <sub>2</sub> cyclogermanates (RE = La–Gd). <i>CrystEngComm</i> , 2018, 20, 2404-2412.	2.6	4
23	Sensitized IR luminescence in Ca <sub>3</sub> Y <sub>2</sub> Ge <sub>3</sub> O <sub>12</sub> : Nd <sup>3+</sup> , Ho <sup>3+</sup> under 808 nm laser excitation. <i>Ceramics International</i> , 2018, 44, 6959-6967.	4.8	16
24	Synthesis and optical properties of cerium doped Li <sub>7</sub> La <sub>3</sub> Hf <sub>2</sub> O <sub>12</sub> with tetragonal garnet structure. <i>Journal of Luminescence</i> , 2018, 194, 193-199.	3.1	7
25	Nd <sup>3+</sup> , Ho <sup>3+</sup> -Codoped apatite-related NaLa <sub>9</sub> (GeO <sub>4</sub> ) <sub>6</sub> O <sub>2</sub> phosphors for the near- and middle-infrared region. <i>Dalton Transactions</i> , 2018, 47, 14041-14051.	3.3	5
26	Stabilization of cubic Li <sub>7</sub> La <sub>3</sub> Hf <sub>2</sub> O <sub>12</sub> by Al-doping. <i>Journal of Power Sources</i> , 2018, 391, 26-33.	7.8	8
27	Nd <sup>3+</sup> , Ho <sup>3+</sup> -codoped garnet-related Li <sub>7</sub> La <sub>3</sub> Hf <sub>2</sub> O <sub>12</sub> phosphor with NIR luminescence. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 180, 105-109.	3.9	11
28	Synthesis of New Sr <sub>3</sub> RE <sub>2</sub> (Ge <sub>3</sub> O <sub>9</sub> ) <sub>2</sub> (RE=La, Y) cyclogermanates by liquid-phase precursor methods. <i>Journal of Physics and Chemistry of Solids</i> , 2017, 103, 76-81.	4.0	4
29	New Solid Electrolyte Na <sub>9</sub> Al(MoO <sub>4</sub> ) <sub>6</sub> : Structure and Na <sup>+</sup> Ion Conductivity. <i>Chemistry of Materials</i> , 2017, 29, 8901-8913.	6.7	29
30	Electronic structure and optical properties of Al <sub>9</sub> -Eu (GeO <sub>4</sub> ) <sub>6</sub> O <sub>2</sub> (A=Li, Na, K, Rb, Cs, La <sup>1/3</sup> ; x=0, 0.07). <i>Journal of Alloys and Compounds</i> , 2017, 727, 390-397.	5.5	4
31	Coexistence of Two Types of Lithium Motion in Monoclinic Li <sub>2</sub> HfO <sub>3</sub> : <sup>6,7</sup> Li NMR and Ab Initio Calculation Results. <i>Journal of Physical Chemistry C</i> , 2016, 120, 23911-23921.	3.1	10
32	Crystal structure and spectroscopic properties of garnet-type Li <sub>7</sub> La <sub>3</sub> Hf <sub>2</sub> O <sub>12</sub> :Eu <sup>3+</sup> . <i>Journal of Alloys and Compounds</i> , 2016, 686, 204-215.	5.5	24
33	Extreme behavior of Li-ion conductivity in the Li <sub>2</sub> O–Al <sub>2</sub> O <sub>3</sub> –P <sub>2</sub> O <sub>5</sub> glass system. <i>Journal of Non-Crystalline Solids</i> , 2015, 430, 64-72.	3.1	38
34	Synthesis and characterisation of new MO(OH) <sub>2</sub> (M = Zr, Hf) oxyhydroxides and related Li <sub>2</sub> MO <sub>3</sub> salts. <i>Dalton Transactions</i> , 2014, 43, 2755-2763.	3.3	12
35	Synthesis and physicochemical properties of Li <sub>2</sub> Me <sub>x</sub> Zr <sub>1-x</sub> O <sub>3</sub> (Me = Nb, Ti; x = 0.05, 0.1) solid solutions. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2014, 78, 320-322.	0.6	4
36	Localization of vacancies and mobility of lithium ions in Li <sub>2</sub> ZrO <sub>3</sub> as obtained by <sup>6,7</sup> Li NMR. <i>Journal of Solid State Chemistry</i> , 2013, 208, 43-49.	2.9	30

#	ARTICLE	IF	CITATIONS
37	Crystal structure of a new $\text{HfO}(\text{OH})_2$ oxyhydroxide. Powder Diffraction, 2013, 28, S510-S518.	0.2	1
38	Photo- and radioluminescence of lithium hafnate $\text{Li}_2\text{HfO}_3$ . Optical Materials, 2012, 34, 1037-1041.	3.6	7
39	Finely dispersed phases of $\text{MO}(\text{OH})_2$ (M = Zr, Hf) oxyhydroxides. Bulletin of the Russian Academy of Sciences: Physics, 2011, 75, 1118-1120.	0.6	3
40	Defect Crystal Structure of Low Temperature Modifications of $\text{Li}_2\text{MO}_3$ (M=Ti, Zr, Hf). Journal of Solid State Chemistry, 2011, 186, 100-106.	0.2	6
41	Defect crystal structure of new $\text{TiO}(\text{OH})_2$ hydroxide and related lithium salt $\text{Li}_2\text{TiO}_3$ . Dalton Transactions, 2010, 39, 8168.	3.3	36