

Takeshi Tsuruta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7655372/publications.pdf>

Version: 2024-02-01

34
papers

647
citations

623188

14
h-index

610482

24
g-index

34
all docs

34
docs citations

34
times ranked

1147
citing authors

#	ARTICLE	IF	CITATIONS
19	Non-neuronal, but atropine-sensitive ileal contractile responses to short-chain fatty acids: age-dependent desensitization and restoration under inflammatory conditions in mice. <i>Physiological Reports</i> , 2016, 4, e12759.	0.7	7
20	Dietary Casein and Soy Protein Isolate Modulate the Effects of Raffinose and Fructooligosaccharides on the Composition and Fermentation of Gut Microbiota in Rats. <i>Journal of Food Science</i> , 2016, 81, H2093-8.	1.5	44
21	Diversity of the intestinal microbiota differently affects non-neuronal and atropine-sensitive ileal contractile responses to short-chain fatty acids in mice . <i>Biomedical Research</i> , 2016, 37, 319-328.	0.3	13
22	Organoids as an exÂvivo model for studying the serotonin system in the murine small intestine and colon epithelium. <i>Biochemical and Biophysical Research Communications</i> , 2016, 474, 161-167.	1.0	40
23	Intestinal epithelial cells promote secretion of leptin and adiponectin in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2015, 458, 362-368.	1.0	5
24	Adiponectin is partially associated with exosomes in mouse serum. <i>Biochemical and Biophysical Research Communications</i> , 2014, 448, 261-266.	1.0	76
25	The evaluation of secretion volume and immunoglobulin A and G concentrations in sow colostrum from anterior to posterior teats. <i>Animal Science Journal</i> , 2014, 85, 678-682.	0.6	10
26	The preventive effect of <i><sc>B</sc>acillus subtilus</i> strain <sc>DB</sc>9011 against experimental infection with enterotoxemic <i><sc>E</sc>scherichia coli</i> in weaning piglets. <i>Animal Science Journal</i> , 2013, 84, 316-321.	0.6	19
27	Role of the mannose receptor in phagocytosis of E nterococcus faecalis strain EC â€12 by antigenâ€presenting cells. <i>MicrobiologyOpen</i> , 2013, 2, 610-617.	1.2	5
28	Oral Administration of EC-12 Increases the Baseline Gene Expression of Antiviral Cytokine Genes, IFN-Î³ and TNF-Î±, in Splenocytes and Mesenteric Lymph Node Cells of Weaning Piglets. <i>Bioscience of Microbiota, Food and Health</i> , 2013, 32, 123-128.	0.8	6
29	Commensal bacteria coated by secretory immunoglobulin A and immunoglobulin G in the gastrointestinal tract of pigs and calves. <i>Animal Science Journal</i> , 2012, 83, 799-804.	0.6	11
30	Development of a Method for the Identification of S-IgA-Coated Bacterial Composition in Mouse and Human Feces. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 968-973.	0.6	19
31	The amount of secreted IgA may not determine the secretory IgA coating ratio of gastrointestinal bacteria. <i>FEMS Immunology and Medical Microbiology</i> , 2009, 56, 185-189.	2.7	31
32	A cell preparation of <i>Enterococcus faecalis</i> strain ECâ€12 stimulates the luminal immunoglobulin A secretion in juvenile calves. <i>Animal Science Journal</i> , 2009, 80, 206-211.	0.6	18
33	Long-term oral administration of cows' milk improves insulin sensitivity in rats fed a high-sucrose diet. <i>British Journal of Nutrition</i> , 2009, 102, 1324-1333.	1.2	14
34	Postnatal changes in the expression of genes for cryptdins 1Ã¢Â€Â“6 and the role of luminal bacteria in cryptdin gene expression in mouse small intestine. <i>FEMS Immunology and Medical Microbiology</i> , 2008, 52, 407-416.	2.7	34