
Mahmoud Sadeghi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7657496/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cytokine expression during early and late phase of acute Puumala hantavirus infection. BMC Immunology, 2011, 12, 65.	2.2	59
2	Strong inflammatory cytokine response in male and strong anti-inflammatory response in female kidney transplant recipients with urinary tract infection. Transplant International, 2005, 18, 177-185.	1.6	37
3	Dysregulated Cytokine Responses During Cytomegalovirus Infection in Renal Transplant Recipients. Transplantation, 2008, 86, 275-285.	1.0	27
4	Urinary Proinflammatory Cytokine Response in Renal Transplant Recipients With Polyomavirus BK Viruria. Transplantation, 2009, 88, 1109-1116.	1.0	27
5	<i>Short Communication:</i> Decreasing Soluble CD30 and Increasing IFN- <i>γ</i> Plasma Levels Are Indicators of Effective Highly Active Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2007, 23, 886-890.	1.1	22
6	Strong association of phenylalanine and tryptophan metabolites with activated cytomegalovirus infection in kidney transplant recipients. Human Immunology, 2012, 73, 186-192.	2.4	21
7	Risk Factors of Rejection in Renal Transplant Recipients: A Narrative Review. Journal of Clinical Medicine, 2022, 11, 1392.	2.4	20
8	Evidence for IFN-? up- and IL-4 downregulation late post-transplant in patients with good kidney graft outcome. Clinical Transplantation, 2007, 21, 449-459.	1.6	19
9	Association of High Pretransplant sIL-6R Plasma Levels with Acute Tubular Necrosis in Kidney Graft Recipients. Transplantation, 2006, 81, 1716-1724.	1.0	18
10	Tollâ€like receptors as novel therapeutic targets for herpes simplex virus infection. Reviews in Medical Virology, 2019, 29, e2048.	8.3	18
11	High urine sIL-6R as a predictor of late graft failure in renal transplant recipients. Transplantation, 2003, 76, 1190-1194.	1.0	13
12	Plasmapheresis Adjusts Inflammatory Responses in Potential Kidney Transplant Recipients. Transplantation, 2013, 95, 1021-1029.	1.0	13
13	Decreasing plasma soluble ILâ€1 receptor antagonist and increasing monocyte activation early postâ€transplant may be involved in pathogenesis of delayed graft function in renal transplant recipients. Clinical Transplantation, 2010, 24, 415-423.	1.6	11
14	Clinical relevance of preformed IgG and IgM antibodies against donor endothelial progenitor cells in recipients of living donor kidney grafts. Clinical Transplantation, 2016, 30, 124-130.	1.6	8
15	Association of Pretransplant Soluble Glycoprotein 130 (sgp130) Plasma Levels and Posttransplant Acute Tubular Necrosis in Renal Transplant Recipients. Transplantation, 2009, 88, 266-271.	1.0	6
16	Association of low serum TGF-β level in hantavirus infected patients with severe disease. BMC Immunology, 2015, 16, 19.	2.2	4
17	Dissociation of CD4+ cell counts from viral load and association with immune complexes in HIV+ hemophilia patients. Immunology Letters, 2004, 91, 23-32.	2.5	3
18	Time-course of plasma inflammatory mediators in a rat model of brain death. Transplant Immunology, 2017, 43-44, 21-26.	1.2	3

#	Article	IF	CITATIONS
19	Experimental Rat Model for Brain Death Induction and Kidney Transplantation. Journal of Investigative Surgery, 2020, 33, 141-146.	1.3	2
20	Endothelial precursor cell crossâ€match using Tieâ€2â€enriched spleen cells. Clinical Transplantation, 2017, 31, e13118.	1.6	1
21	HIV-Specific CD8+T Lymphocytes in Blood of Long-Term HIV-Infected Hemophilia Patients. BioResearch Open Access, 2013, 2, 399-411.	2.6	0