

Mahmoud Sadeghi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7657496/publications.pdf>

Version: 2024-02-01

21
papers

332
citations

759233

12
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

627
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors of Rejection in Renal Transplant Recipients: A Narrative Review. <i>Journal of Clinical Medicine</i> , 2022, 11, 1392.	2.4	20
2	Experimental Rat Model for Brain Death Induction and Kidney Transplantation. <i>Journal of Investigative Surgery</i> , 2020, 33, 141-146.	1.3	2
3	Toll-like receptors as novel therapeutic targets for herpes simplex virus infection. <i>Reviews in Medical Virology</i> , 2019, 29, e2048.	8.3	18
4	Endothelial precursor cell cross-match using Tie2-enriched spleen cells. <i>Clinical Transplantation</i> , 2017, 31, e13118.	1.6	1
5	Time-course of plasma inflammatory mediators in a rat model of brain death. <i>Transplant Immunology</i> , 2017, 43-44, 21-26.	1.2	3
6	Clinical relevance of preformed IgG and IgM antibodies against donor endothelial progenitor cells in recipients of living donor kidney grafts. <i>Clinical Transplantation</i> , 2016, 30, 124-130.	1.6	8
7	Association of low serum TGF- β 2 level in hantavirus infected patients with severe disease. <i>BMC Immunology</i> , 2015, 16, 19.	2.2	4
8	HIV-Specific CD8+T Lymphocytes in Blood of Long-Term HIV-Infected Hemophilia Patients. <i>BioResearch Open Access</i> , 2013, 2, 399-411.	2.6	0
9	Plasmapheresis Adjusts Inflammatory Responses in Potential Kidney Transplant Recipients. <i>Transplantation</i> , 2013, 95, 1021-1029.	1.0	13
10	Strong association of phenylalanine and tryptophan metabolites with activated cytomegalovirus infection in kidney transplant recipients. <i>Human Immunology</i> , 2012, 73, 186-192.	2.4	21
11	Cytokine expression during early and late phase of acute Puumala hantavirus infection. <i>BMC Immunology</i> , 2011, 12, 65.	2.2	59
12	Decreasing plasma soluble IL-1 receptor antagonist and increasing monocyte activation early post-transplant may be involved in pathogenesis of delayed graft function in renal transplant recipients. <i>Clinical Transplantation</i> , 2010, 24, 415-423.	1.6	11
13	Urinary Proinflammatory Cytokine Response in Renal Transplant Recipients With Polyomavirus BK Viruria. <i>Transplantation</i> , 2009, 88, 1109-1116.	1.0	27
14	Association of Pretransplant Soluble Glycoprotein 130 (sgp130) Plasma Levels and Posttransplant Acute Tubular Necrosis in Renal Transplant Recipients. <i>Transplantation</i> , 2009, 88, 266-271.	1.0	6
15	Dysregulated Cytokine Responses During Cytomegalovirus Infection in Renal Transplant Recipients. <i>Transplantation</i> , 2008, 86, 275-285.	1.0	27
16	Short Communication: Decreasing Soluble CD30 and Increasing IFN- γ Plasma Levels Are Indicators of Effective Highly Active Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 886-890.	1.1	22
17	Evidence for IFN- γ up- and IL-4 downregulation late post-transplant in patients with good kidney graft outcome. <i>Clinical Transplantation</i> , 2007, 21, 449-459.	1.6	19
18	Association of High Pretransplant sIL-6R Plasma Levels with Acute Tubular Necrosis in Kidney Graft Recipients. <i>Transplantation</i> , 2006, 81, 1716-1724.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Strong inflammatory cytokine response in male and strong anti-inflammatory response in female kidney transplant recipients with urinary tract infection. <i>Transplant International</i> , 2005, 18, 177-185.	1.6	37
20	Dissociation of CD4+ cell counts from viral load and association with immune complexes in HIV+ hemophilia patients. <i>Immunology Letters</i> , 2004, 91, 23-32.	2.5	3
21	High urine sIL-6R as a predictor of late graft failure in renal transplant recipients. <i>Transplantation</i> , 2003, 76, 1190-1194.	1.0	13