

Limin Mao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7657794/publications.pdf>

Version: 2024-02-01

125
papers

2,949
citations

147726

31
h-index

214721

47
g-index

126
all docs

126
docs citations

126
times ranked

3140
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Community-level changes in condom use and uptake of HIV pre-exposure prophylaxis by gay and bisexual men in Melbourne and Sydney, Australia: results of repeated behavioural surveillance in 2013-17. <i>Lancet HIV</i> , 2018, 5, e448-e456. | 2.1 | 145 |
| 2 | Incidence and risk factors for urethral and anal gonorrhoea and chlamydia in a cohort of HIV-negative homosexual men: the Health in Men Study. <i>Sexually Transmitted Infections</i> , 2007, 83, 113-119. | 0.8 | 124 |
| 3 | “Serosorting”™ in casual anal sex of HIV-negative gay men is noteworthy and is increasing in Sydney, Australia. <i>Aids</i> , 2006, 20, 1204-1206. | 1.0 | 121 |
| 4 | Are antibody deficiency disorders associated with a narrower range of cancers than other forms of immunodeficiency?. <i>Blood</i> , 2010, 116, 1228-1234. | 0.6 | 113 |
| 5 | Undetectable viral load is associated with sexual risk taking in HIV serodiscordant gay couples in Sydney. <i>Aids</i> , 2005, 19, 179-184. | 1.0 | 98 |
| 6 | Trust and people who inject drugs: The perspectives of clients and staff of Needle Syringe Programs. <i>International Journal of Drug Policy</i> , 2016, 27, 138-145. | 1.6 | 76 |
| 7 | Transmission of Herpes Simplex Virus Types 1 and 2 in a Prospective Cohort of HIV-Negative Gay Men: The Health in Men Study. <i>Journal of Infectious Diseases</i> , 2006, 194, 561-570. | 1.9 | 71 |
| 8 | Use of Viral Load to Negotiate Condom Use Among Gay Men in Sydney, Australia. <i>AIDS and Behavior</i> , 2009, 13, 645-651. | 1.4 | 63 |
| 9 | Nonoccupational postexposure prophylaxis, subsequent risk behaviour and HIV incidence in a cohort of Australian homosexual men. <i>Aids</i> , 2009, 23, 1119-1126. | 1.0 | 60 |
| 10 | Concomitant medication polypharmacy, interactions and imperfect adherence are common in Australian adults on suppressive antiretroviral therapy. <i>Aids</i> , 2018, 32, 35-48. | 1.0 | 60 |
| 11 | Circumcision and risk of HIV infection in Australian homosexual men. <i>Aids</i> , 2009, 23, 2347-2351. | 1.0 | 54 |
| 12 | Adapting behavioural surveillance to antiretroviral-based HIV prevention: reviewing and anticipating trends in the Australian Gay Community Periodic Surveys. <i>Sexual Health</i> , 2017, 14, 72. | 0.4 | 53 |
| 13 | HIV risk and communication between regular partners in a cohort of HIV-negative gay men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2006, 18, 166-172. | 0.6 | 52 |
| 14 | Social factors associated with Major Depressive Disorder in homosexually active, gay men attending general practices in urban Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2009, 33, 83-86. | 0.8 | 51 |
| 15 | Rates of condom and non-condom-based anal intercourse practices among homosexually active men in Australia: deliberate HIV risk reduction?. <i>Sexually Transmitted Infections</i> , 2011, 87, 489-493. | 0.8 | 51 |
| 16 | How has the sexual behaviour of gay men changed since the onset of AIDS: 1986-2003. <i>Australian and New Zealand Journal of Public Health</i> , 2005, 29, 530-535. | 0.8 | 50 |
| 17 | Methamphetamine use among gay and bisexual men in Australia: Trends in recent and regular use from the Gay Community Periodic Surveys. <i>International Journal of Drug Policy</i> , 2016, 29, 66-72. | 1.6 | 50 |
| 18 | Contexts for last occasions of unprotected anal intercourse among HIV-negative gay men in Sydney: The health in men cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2005, 17, 23-32. | 0.6 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Trends in drug use among gay and bisexual men in Sydney, Melbourne and Queensland, Australia. <i>Drug and Alcohol Review</i> , 2013, 32, 39-46. | 1.1 | 45 |
| 20 | Self-Reported Sexual Difficulties and Their Association with Depression and Other Factors Among Gay Men Attending High HIV-Caseload General Practices in Australia. <i>Journal of Sexual Medicine</i> , 2009, 6, 1378-1385. | 0.3 | 43 |
| 21 | Gay Men Who Are Not Getting Tested for HIV. <i>AIDS and Behavior</i> , 2012, 16, 1887-1894. | 1.4 | 43 |
| 22 | The Informal Use of Antiretrovirals for Preexposure Prophylaxis of HIV Infection Among Gay Men in Australia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, 334-338. | 0.9 | 42 |
| 23 | Perceived discrimination and injecting risk among people who inject drugs attending Needle and Syringe Programmes in Sydney, Australia. <i>Drug and Alcohol Dependence</i> , 2014, 144, 274-278. | 1.6 | 42 |
| 24 | “Any Condomless Anal Intercourse” is No Longer an Accurate Measure of HIV Sexual risk Behavior in Gay and Other Men Who have Sex with Men. <i>Frontiers in Immunology</i> , 2015, 6, 86. | 2.2 | 42 |
| 25 | Number of Risk Acts by Relationship Status and Partner Serostatus: Findings from the HIM Cohort of Homosexually Active Men in Sydney, Australia. <i>AIDS and Behavior</i> , 2006, 10, 325-331. | 1.4 | 40 |
| 26 | HIV diagnoses in migrant populations in Australia—A changing epidemiology. <i>PLoS ONE</i> , 2019, 14, e0212268. | 1.1 | 40 |
| 27 | Australian Gay Men Who Have Taken Nonoccupational Postexposure Prophylaxis for HIV Are in Need of Effective HIV Prevention Methods. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, 424-428. | 0.9 | 39 |
| 28 | Injecting drug use among gay and bisexual men in Sydney: prevalence and associations with sexual risk practices and HIV and hepatitis C infection. <i>AIDS and Behavior</i> , 2013, 17, 1344-1351. | 1.4 | 36 |
| 29 | The use of mobile phone apps by Australian gay and bisexual men to meet sex partners: an analysis of sex-seeking repertoires and risks for HIV and STIs using behavioural surveillance data. <i>Sexually Transmitted Infections</i> , 2016, 92, 502-507. | 0.8 | 34 |
| 30 | Using eHealth to engage and retain priority populations in the HIV treatment and care cascade in the Asia-Pacific region: a systematic review of literature. <i>BMC Infectious Diseases</i> , 2018, 18, 82. | 1.3 | 34 |
| 31 | Socioeconomic factors explain suboptimal adherence to antiretroviral therapy among HIV-infected Australian adults with viral suppression. <i>PLoS ONE</i> , 2017, 12, e0174613. | 1.1 | 33 |
| 32 | The importance of blood-borne viruses in elevated cancer risk among opioid-dependent people: a population-based cohort study. <i>BMJ Open</i> , 2012, 2, e001755. | 0.8 | 32 |
| 33 | Does Circumcision Make a Difference to the Sexual Experience of Gay Men? Findings from the Health in Men (HIM) Cohort. <i>Journal of Sexual Medicine</i> , 2008, 5, 2557-2561. | 0.3 | 31 |
| 34 | Comprehensive testing for, and diagnosis of, sexually transmissible infections among Australian gay and bisexual men: findings from repeated, cross-sectional behavioural surveillance, 2003–2012. <i>Sexually Transmitted Infections</i> , 2014, 90, 208-215. | 0.8 | 31 |
| 35 | Making sense of “side effects”: Counterpublic health in the era of direct-acting antivirals. <i>International Journal of Drug Policy</i> , 2019, 72, 77-83. | 1.6 | 31 |
| 36 | Is There Any Evidence of Premature, Accentuated and Accelerated Aging Effects on Neurocognition in People Living with HIV? A Systematic Review. <i>AIDS and Behavior</i> , 2021, 25, 917-960. | 1.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The converging and diverging characteristics of HIV-positive and HIV-negative gay men in the Australian Gay Community Periodic Surveys, 2000â€“2009. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 28-37. | 0.6 | 29 |
| 38 | Increasing HIV testing among hard-to-reach groups: examination of RAPID, a community-based testing service in Queensland, Australia. <i>BMC Health Services Research</i> , 2017, 17, 310. | 0.9 | 29 |
| 39 | Increasing preexposure prophylaxis use and â€“net prevention coverageâ€™ in behavioural surveillance of Australian gay and bisexual men. <i>Aids</i> , 2021, 35, 835-840. | 1.0 | 28 |
| 40 | HIV Testing in Men who have Sex with Men: A Follow-up Review of the Qualitative Literature since 2010. <i>AIDS and Behavior</i> , 2018, 22, 593-605. | 1.4 | 27 |
| 41 | Differences between men who report frequent, occasional or no unprotected anal intercourse with casual partners among a cohort of HIV-seronegative gay men in Sydney, Australia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2006, 18, 942-951. | 0.6 | 26 |
| 42 | On the Margins of Pharmaceutical Citizenship: Not Taking HIV Medication in the â€œTreatment Revolutionâ€•Era. <i>Medical Anthropology Quarterly</i> , 2016, 30, 359-377. | 0.7 | 26 |
| 43 | Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 70, 545-548. | 0.9 | 24 |
| 44 | HIV Preexposure Prophylaxis Cascades to Assess Implementation in Australia: Results From Repeated, National Behavioral Surveillance of Gay and Bisexual Men, 2014â€“2018. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, e16-e22. | 0.9 | 24 |
| 45 | Individualism-Collectivism, Self-Efficacy, and Other Factors Associated With Risk Taking among Gay Asian and Caucasian Men. <i>AIDS Education and Prevention</i> , 2004, 16, 55-67. | 0.6 | 23 |
| 46 | Ethnic and gay identification: Gay Asian men dealing with the divide. <i>Culture, Health and Sexuality</i> , 2002, 4, 419-430. | 1.0 | 22 |
| 47 | Self-report is a valid measure of circumcision status in homosexual men. <i>Sexually Transmitted Infections</i> , 2008, 84, 187-188. | 0.8 | 22 |
| 48 | Willingness to participate in HIV vaccine trials among HIV-negative gay men in Sydney, Australia. <i>International Journal of STD and AIDS</i> , 2005, 16, 314-317. | 0.5 | 21 |
| 49 | â€“The black dog just came and sat on my face and built a kennelâ€™: Gay men making sense of â€“depressionâ€™. <i>Health (United Kingdom)</i> , 2011, 15, 417-436. | 0.9 | 21 |
| 50 | Younger age, recent <sc>HIV</sc> diagnosis, no welfare support and no annual sexually transmissible infection screening are associated with nonuse of antiretroviral therapy among <sc>HIV</sc>-positive gay men in <sc>A</sc>ustralia. <i>HIV Medicine</i> , 2015, 16, 32-37. | 1.0 | 19 |
| 51 | Beyond mere pill taking: SMS reminders for HIV treatment adherence delivered to mobile phones of clients in a community support network in Australia. <i>Health and Social Care in the Community</i> , 2018, 26, 486-494. | 0.7 | 19 |
| 52 | Sex work and risk behaviour among HIV-negative gay men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2007, 19, 931-934. | 0.6 | 18 |
| 53 | Australian prescribers' perspectives on ART initiation in the era of â€œtreatment as preventionâ€•. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 1375-1379. | 0.6 | 18 |
| 54 | Alcohol use among a community-based sample of gay men: Correlates of high-risk use and implications for service provision. <i>Drug and Alcohol Review</i> , 2015, 34, 349-357. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | “Not Until I’m Absolutely Half-Dead and Have To:” Accounting for Non-Use of Antiretroviral Therapy in Semi-Structured Interviews with People Living with HIV in Australia. <i>AIDS Patient Care and STDs</i> , 2015, 29, 267-278. | 1.1 | 18 |
| 56 | Understanding Concerns About Treatment-as-Prevention Among People with HIV who are not Using Antiretroviral Therapy. <i>AIDS and Behavior</i> , 2015, 19, 821-831. | 1.4 | 18 |
| 57 | Estimates of the national trend of drugs use during 2000–2030 in China: A population-based mathematical model. <i>Addictive Behaviors</i> , 2019, 93, 65-71. | 1.7 | 17 |
| 58 | Increases in HIV Testing Frequency in Australian Gay and Bisexual Men are Concentrated Among PrEP Users: An Analysis of Australian Behavioural Surveillance Data, 2013–2018. <i>AIDS and Behavior</i> , 2020, 24, 2691-2702. | 1.4 | 16 |
| 59 | Rates of depression among men attending high-HIV-caseload general practices in Australia. <i>Mental Health in Family Medicine</i> , 2008, 5, 79-83. | 0.2 | 16 |
| 60 | The impact of blood-borne viruses on cause-specific mortality among opioid dependent people: An Australian population-based cohort study. <i>Drug and Alcohol Dependence</i> , 2015, 152, 264-271. | 1.6 | 15 |
| 61 | Epidemics of HIV, HCV and syphilis infection among synthetic drugs only users, heroin-only users and poly-drug users in Southwest China. <i>Scientific Reports</i> , 2018, 8, 6615. | 1.6 | 15 |
| 62 | Experiences in managing problematic crystal methamphetamine use and associated depression in gay men and HIV positive men: in-depth interviews with general practitioners in Sydney, Australia. <i>BMC Family Practice</i> , 2008, 9, 45. | 2.9 | 14 |
| 63 | HIV-Negative Gay Men’s Perceived HIV Risk Hierarchy: Imaginary or Real?. <i>AIDS and Behavior</i> , 2013, 17, 1362-1369. | 1.4 | 14 |
| 64 | Beyond equipment distribution in Needle and Syringe Programmes: an exploratory analysis of blood-borne virus risk and other measures of client need. <i>Harm Reduction Journal</i> , 2016, 13, 18. | 1.3 | 14 |
| 65 | HIV generations? Generational discourse in interviews with Australian general practitioners and their HIV positive gay male patients. <i>Social Science and Medicine</i> , 2010, 70, 1721-1727. | 1.8 | 13 |
| 66 | HBV, HCV, and HBV/HCV co-infection among HIV-positive patients in Hunan province, China: Regimen selection, hepatotoxicity, and antiretroviral therapy outcome. <i>Journal of Medical Virology</i> , 2018, 90, 518-525. | 2.5 | 13 |
| 67 | Gay Men’s Relationship Agreements in the Era of Pre-exposure Prophylaxis: An Analysis of Australian Behavioural Surveillance Data. <i>AIDS and Behavior</i> , 2020, 24, 1389-1399. | 1.4 | 13 |
| 68 | Sexual Partner’s Age as a Risk Factor for HIV Seroconversion in a Cohort of HIV-Negative Homosexual Men in Sydney. <i>AIDS and Behavior</i> , 2013, 17, 2426-2429. | 1.4 | 12 |
| 69 | Gaps in the Continuum of HIV Care: Long Pretreatment Waiting Time between HIV Diagnosis and Antiretroviral Therapy Initiation Leads to Poor Treatment Adherence and Outcomes. <i>BioMed Research International</i> , 2016, 2016, 1-8. | 0.9 | 11 |
| 70 | Australian Gay and Bisexual Men Who Use Condoms, PrEP or Rarely Practise HIV Risk Reduction with Casual Sex Partners: An Analysis of National, Behavioural Surveillance Data, 2017–2018. <i>AIDS and Behavior</i> , 2020, 24, 3501-3510. | 1.4 | 11 |
| 71 | “Doing the devil’s work”: Emotional labour and stigma in expanding Needle and Syringe Programs. <i>Drugs: Education, Prevention and Policy</i> , 2015, 22, 437-443. | 0.8 | 10 |
| 72 | Homosexual men in HIV serodiscordant relationships: implications for HIV treatment as prevention research. <i>Journal of the International AIDS Society</i> , 2015, 18, 19884. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | HIV prevention among street-based sex workers (SSWs) in Chongqing, China: interviews with SSWs, clients and healthcare providers. <i>Health and Social Care in the Community</i> , 2016, 24, e173-e180. | 0.7 | 10 |
| 74 | Hospitalization for Anxiety and Mood Disorders in HIV-Infected and -Uninfected Gay and Bisexual Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 589-597. | 0.9 | 10 |
| 75 | Demographic predictors of circumcision status in a community-based sample of homosexual men in Sydney, Australia. <i>Sexual Health</i> , 2006, 3, 191. | 0.4 | 10 |
| 76 | GPs understanding of how depression affects gay and HIV positive men. <i>Australian Family Physician</i> , 2008, 37, 678-80. | 0.5 | 10 |
| 77 | At Home and Away: Gay Men and High Risk Sexual Practices. <i>AIDS and Behavior</i> , 2013, 18, 1436-42. | 1.4 | 9 |
| 78 | HIV and hepatitis C virus co-infection among men who have sex with men in Sydney, and associations with sexual and drug use practices. <i>Sexual Health</i> , 2013, 10, 448. | 0.4 | 9 |
| 79 | Examining the quality of name code record linkage: what is the impact on death and cancer risk estimates? A validation study. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 141-147. | 0.8 | 9 |
| 80 | Superior Effects of Antiretroviral Treatment among Men Who have Sex with Men Compared to Other HIV At-Risk Populations in a Large Cohort Study in Hunan, China. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 283. | 1.2 | 9 |
| 81 | Patterns of Drug Use and Drug-related Hospital Admissions in HIV-Positive and -Negative Gay and Bisexual Men. <i>AIDS and Behavior</i> , 2016, 20, 2372-2386. | 1.4 | 9 |
| 82 | Increased targeted HIV testing and reduced undiagnosed HIV infections among gay and bisexual men. <i>HIV Medicine</i> , 2021, 22, 605-616. | 1.0 | 9 |
| 83 | Primary health care system responses to non-communicable disease prevention and control: a scoping review of national policies in Mainland China since the 2009 health reform. <i>The Lancet Regional Health - Western Pacific</i> , 2023, 31, 100390. | 1.3 | 9 |
| 84 | Translating best practice into real practice: Methods, results and lessons from a project to translate an English sexual health survey into four Asian languages. <i>PLoS ONE</i> , 2021, 16, e0261074. | 1.1 | 9 |
| 85 | Belonging, social connection and non-clinical care: Experiences of HIV peer support among recently diagnosed people living with HIV in Australia. <i>Health and Social Care in the Community</i> , 2022, 30, . | 0.7 | 9 |
| 86 | HIV optimism does not explain increases in high-risk sexual behaviour among gay men of positive or negative HIV status in Sydney, Australia. <i>Aids</i> , 2006, 20, 1215-1216. | 1.0 | 8 |
| 87 | Features of the management of depression in gay men and men with HIV from the perspective of Australian GPs. <i>Family Practice</i> , 2008, 26, 27-33. | 0.8 | 8 |
| 88 | Evolving views and practices of antiretroviral treatment prescribers in Australia. <i>Medical Journal of Australia</i> , 2015, 202, 258-260. | 0.8 | 8 |
| 89 | Patterns of Alcohol and Other Drug Use Associated with Major Depression Among Gay Men Attending General Practices in Australia. <i>International Journal of Mental Health and Addiction</i> , 2012, 10, 141-151. | 4.4 | 7 |
| 90 | Association between recreational drug use and sexual practices among people who inject drugs in Southwest China: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019730. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Estimation of the impact of changing drug-use trend on HIV, hepatitis C and syphilis epidemics among people who use synthetic drug-only, polydrug and heroin-only during 2005–2035 in China: modelling study. <i>Sexually Transmitted Infections</i> , 2020, 96, 608-614. | 0.8 | 7 |
| 92 | Cognitive ageing is premature among a community sample of optimally treated people living with HIV. <i>HIV Medicine</i> , 2021, 22, 151-164. | 1.0 | 7 |
| 93 | Assessing the HIV Prevention Needs of Young Gay and Bisexual Men in the PrEP Era: An Analysis of Trends in Australian Behavioural Surveillance, 2014–2018. <i>AIDS and Behavior</i> , 2020, 24, 2382-2386. | 1.4 | 7 |
| 94 | Estimating antiretroviral treatment coverage rates and viral suppression rates for homosexual men in Australia. <i>Sexual Health</i> , 2015, 12, 453. | 0.4 | 7 |
| 95 | 'It's really a myriad of different signals, not just the textbook': the complexities of diagnosing depression in gay men in general practice. <i>Mental Health in Family Medicine</i> , 2008, 5, 167-75. | 0.2 | 7 |
| 96 | Elevated reporting of unprotected anal intercourse and injecting drug use but no difference in HIV prevalence among Indigenous Australian men who have sex with men compared with their Anglo-Australian peers. <i>Sexual Health</i> , 2013, 10, 146. | 0.4 | 6 |
| 97 | High levels of engagement with testing for HIV and sexually transmissible infection among gay Asian men in Sydney and Melbourne: an observational study. <i>Sexual Health</i> , 2020, 17, 121. | 0.4 | 6 |
| 98 | Are sexual health survey items understood as intended by African and Asian migrants to Australia? Methods, results and recommendations for qualitative pretesting. <i>BMJ Open</i> , 2021, 11, e049010. | 0.8 | 6 |
| 99 | Gay Asian Men in Sydney Resist International Trend: No Change in Rates of Unprotected Anal Intercourse, 1999-2002. <i>AIDS Education and Prevention</i> , 2004, 16, 1-12. | 0.6 | 5 |
| 100 | High Annual Syphilis Testing Rates Among Gay Men in Australia, but Insufficient Retesting. <i>Sexually Transmitted Diseases</i> , 2012, 39, 268-275. | 0.8 | 5 |
| 101 | Hospitalisation rates and associated factors in community-based cohorts of HIV-infected and uninfected gay and bisexual men. <i>HIV Medicine</i> , 2016, 17, 327-339. | 1.0 | 5 |
| 102 | Changing Levels of Social Engagement with Gay Men Is Associated with HIV Related Outcomes and Behaviors: Trends in Australian Behavioral Surveillance 1998–2020. <i>Archives of Sexual Behavior</i> , 2022, 51, 2509-2521. | 1.2 | 5 |
| 103 | What's the Cost of Finding the Right Fit? The Cost of Conducting NSP Business in a Range of Modalities. <i>Contemporary Drug Problems</i> , 2014, 41, 41-56. | 0.7 | 4 |
| 104 | Factors associated with women's entry into the sex industry: findings from interviews conducted with female sex workers in Chinese detention centres. <i>Sexual Health</i> , 2015, 12, 541. | 0.4 | 4 |
| 105 | Beliefs in Antiretroviral Treatment and Self-Efficacy in HIV Management are Associated with Distinctive HIV Treatment Trajectories. <i>AIDS and Behavior</i> , 2018, 22, 887-895. | 1.4 | 4 |
| 106 | Understanding Client Empowerment: An Online Survey of Social Workers Serving People with Mental Health Issues. <i>British Journal of Social Work</i> , 2019, 49, 335-350. | 0.9 | 4 |
| 107 | The Role of Age and Homonegativity in Racial or Ethnic Partner Preferences Among Australian Gay and Bisexual Men. <i>Archives of Sexual Behavior</i> , 2019, 48, 357-368. | 1.2 | 4 |
| 108 | Obstacles to prescribers' initiation early antiretroviral therapy: a barrier to achieving 90-90-90 goals. <i>Lancet HIV</i> , 2016, 3, e559-e560. | 2.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Interprofessional dynamics that promote client empowerment in mental health practice: A social work perspective. <i>Journal of Social Work</i> , 2022, 22, 364-383. | 0.8 | 3 |
| 110 | Using Videoconferencing Focus Groups in Sexual and Reproductive Health Research With Chinese Im/Migrants in Australia. <i>Qualitative Health Research</i> , 2021, 31, 104973232110438. | 1.0 | 3 |
| 111 | Is sex lost in translation? Linguistic and conceptual issues in the translation of sexual and reproductive health surveys. <i>Culture, Health and Sexuality</i> , 2023, 25, 1-17. | 1.0 | 3 |
| 112 | Discourses of Depression of Australian General Practitioners Working With Gay Men. <i>Qualitative Health Research</i> , 2011, 21, 1051-1064. | 1.0 | 2 |
| 113 | Deconstructing injecting risk of hepatitis C virus transmission: Using strategic positioning to understand "higher risk" practices. <i>Drugs: Education, Prevention and Policy</i> , 2016, 23, 457-461. | 0.8 | 2 |
| 114 | Socioeconomic and psychosocial factors are associated with poor treatment outcomes in Australian adults living with HIV: a case-control study. <i>Sexual Health</i> , 2019, 16, 548. | 0.4 | 2 |
| 115 | Which Gay and Bisexual Men Attend Community-Based HIV Testing Services in Australia? An Analysis of Cross-Sectional National Behavioural Surveillance Data. <i>AIDS and Behavior</i> , 2020, 24, 387-394. | 1.4 | 2 |
| 116 | STI testing among young people attending music festivals in New South Wales, Australia: exploring the client segmentation concept in the "Down to Test" program. <i>Sexual Health</i> , 2021, 18, 405. | 0.4 | 2 |
| 117 | Factors associated with establishment-based female sex workers accessing health care services in Shanghai. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 688-692. | 0.6 | 1 |
| 118 | Managing Risk in the Pro-Empowerment Era of Mental Health Care: A Cross-Cultural Study of Social Work Perspectives in Hong Kong and Sydney. <i>British Journal of Social Work</i> , 2021, 51, 831-848. | 0.9 | 1 |
| 119 | Social and Behavioural Correlates of HIV Testing Among Australian Gay and Bisexual Men in Regular Relationships. <i>AIDS and Behavior</i> , 2016, 20, 1295-1301. | 1.4 | 0 |
| 120 | Kept clinical visits, as scheduled in the first 6 months of antiretroviral treatment, determine long-term treatment outcomes in people living with HIV: a large retrospective cohort study in China. <i>Sexual Health</i> , 2018, 15, 20. | 0.4 | 0 |
| 121 | P351 "Down to test: music festivals to improve attitudes & social norms to STI testing & condoms in high-risk young people." , 2019, , . | | 0 |
| 122 | P419 "Patterns of group sex activity among gay and bisexual men in Melbourne and Sydney in Australia, 2013-2018." , 2019, , . | | 0 |
| 123 | P546 "STIs are everyone's responsibility: a new conceptual model of sexual health among gay and bisexual men." , 2019, , . | | 0 |
| 124 | Impact of the removal of patient co-payments for antiretroviral therapy (ART) on out-of-pocket expenditure, adherence and virological failure among Australian adults living with HIV. <i>Health Policy</i> , 2021, 125, 1131-1139. | 1.4 | 0 |
| 125 | 64. DOES CIRCUMCISION MAKE A DIFFERENCE TO THE SEXUAL EXPERIENCE OF GAY MEN? FINDINGS FROM THE HEALTH IN MEN (HIM) COHORT. <i>Sexual Health</i> , 2007, 4, 309. | 0.4 | 0 |