Krishanu Sengupta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/765802/publications.pdf

Version: 2024-02-01

43 papers 1,265 citations

448610 19 h-index 35 g-index

44 all docs 44 docs citations

times ranked

44

1712 citing authors

#	Article	lF	CITATIONS
1	Safety assessment of a novel water-soluble extract of ⟨i⟩Boswellia serrata⟨ i⟩ gum resin: acute toxicity, 90-day sub-chronic toxicity, Ames' bacterial reverse mutation, and ⟨i⟩inÂvivo⟨ i⟩ micronucleus assays. Toxicology Mechanisms and Methods, 2022, 32, 362-372.	1.3	3
2	Toxicological Assessments of a Proprietary Blend of Punica granatum Fruit Rind and Theobroma cacao Seed Extracts: Acute, Subchronic, and Genetic Toxicity Studies. Journal of Toxicology, 2022, 2022, 1-14.	1.4	3
3	Combined extracts of Moringa oleifera, Murraya koeingii leaves, and Curcuma longa rhizome increases energy expenditure and controls obesity in high-fat diet-fed rats. Lipids in Health and Disease, 2020, 19, 198.	1.2	4
4	Acute, Subacute, and Genotoxicity Assessments of a Proprietary Blend of <i>Garcinia mangostana</i> Fruit Rind and <i>Cinnamomum tamala</i> Leaf Extracts (CinDura®). Journal of Toxicology, 2020, 2020, 1-15.	1.4	5
5	An Anti-Inflammatory Composition of <i>Boswellia serrata</i> Resin Extracts Alleviates Pain and Protects Cartilage in Monoiodoacetate-Induced Osteoarthritis in Rats. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-12.	0.5	15
6	Toxicological Assessment of a Standardized <i>Boswellia serrata</i> Gum Resin Extract. International Journal of Toxicology, 2019, 38, 423-435.	0.6	13
7	A Placebo-Controlled Double-Blind Study Demonstrates the Clinical Efficacy of a Novel Herbal Formulation for Relieving Joint Discomfort in Human Subjects with Osteoarthritis of Knee. Journal of Medicinal Food, 2018, 21, 511-520.	0.8	28
8	A novel herbal composition containing extracts of <i>Boswellia serrata</i> gum resin and <i>Aegle marmelos</i> fruit alleviates symptoms of asthma in a placebo controlled doubleâ€blind clinical study. Phytotherapy Research, 2018, 32, 140-150.	2.8	11
9	Combined extracts of <i>Garcinia mangostana</i> fruit rind and <i>Cinnamomum tamala</i> leaf supplementation enhances muscle strength and endurance in resistance trained males. Journal of the International Society of Sports Nutrition, 2018, 15, 50.	1.7	8
10	Safety and toxicological evaluation of Meratrim $\hat{A}^{@}$: An herbal formulation for weight management. Food and Chemical Toxicology, 2015, 78, 122-129.	1.8	14
11	Regulations on Nutraceuticals, Functional Foods and Dietary Supplements in India. , 2014, , 343-362.		1
12	Efficacy of an herbal formulation LI10903F containing Dolichos biflorus and Piper betle extracts on weight management. Lipids in Health and Disease, 2012, 11, 176.	1.2	18
13	Efficacy and tolerability of a novel herbal formulation for weight management in obese subjects: a randomized double blind placebo controlled clinical study. Lipids in Health and Disease, 2012, 11, 122.	1.2	17
14	Boswellia serrata for Arthritis Relief. , 2011, , 325-340.		1
15	Cellular and molecular mechanisms of anti-inflammatory effect of Aflapin: a novel Boswellia serrata extract. Molecular and Cellular Biochemistry, 2011, 354, 189-197.	1.4	67
16	Unfolded Protein Response Is Required in nu/nu Mice Microvasculature for Treating Breast Tumor with Tunicamycin. Journal of Biological Chemistry, 2011, 286, 29127-29138.	1.6	77
17	An Herbal Formula LI85008F Inhibits Lipogenesis in 3T3-L1 Adipocytes. Food and Nutrition Sciences (Print), 2011, 02, 809-817.	0.2	5
18	Genomic Basis of Anti-Inflammatory Properties of Boswellia Extract. , 2010, , 155-174.		0

#	Article	IF	CITATIONS
19	Comparative Efficacy and Tolerability of 5-Loxin [®] and Aflapin [®] Against Osteoarthritis of the Knee: A Double Blind, Randomized, Placebo Controlled Clinical Study. International Journal of Medical Sciences, 2010, 7, 366-377.	1.1	78
20	Neuroprotective and Antiinflammatory Properties of a Novel Demethylated Curcuminoid. Antioxidants and Redox Signaling, 2009, 11, 449-468.	2.5	38
21	INHIBITION OF TNFα PRODUCTION AND BLOCKING OF MITOGENâ€ACTIVATED PROTEIN KINASE/NFκB ACTIVAT IN LIPOPOLYSACCHARIDEâ€INDUCED THPâ€I HUMAN MONOCYTES BY 3â€Oâ€ACETYLâ€I 1â€KETOâ€Î²â€BOS Journal of Food Lipids, 2009, 16, 325-344.	ION SWELLIC A	.CID3
22	Physical, structural, and functional properties of the $\hat{1}^21$ integrin-like fibronectin receptor ($\hat{1}^21$ EhFNR) in Entamoeba histolytica. Infection, Genetics and Evolution, 2009, 9, 962-970.	1.0	19
23	Anti-Inflammatory Activity of Vitex leucoxylon L. Bark Extracts Against Freund's Complete Adjuvant Induced Arthritis in Sprague Dawley Rat. American Journal of Infectious Diseases, 2009, 5, 68-73.	0.1	15
24	A double blind, randomized, placebo controlled study of the efficacy and safety of 5-Loxin \hat{A}^{\otimes} for treatment of osteoarthritis of the knee. Arthritis Research and Therapy, 2008, 10, R85.	1.6	181
25	VEGF-A ₁₆₅ Induces Human Aortic Smooth Muscle Cell Migration by Activating Neuropilin-1-VEGFR1-PI3K Axis. Biochemistry, 2008, 47, 3345-3351.	1.2	50
26	Coenzyme Q ₉ Provides Cardioprotection after Converting into Coenzyme Q ₁₀ . Journal of Agricultural and Food Chemistry, 2008, 56, 5331-5337.	2.4	16
27	CCN5/WISP-2 Expression in Breast Adenocarcinoma Is Associated with Less Frequent Progression of the Disease and Suppresses the Invasive Phenotypes of Tumor Cells. Cancer Research, 2008, 68, 7606-7612.	0.4	64
28	Insulin-like Growth Factor-1 (IGF-1) Induces WISP-2/CCN5 via Multiple Molecular Cross-talks and Is Essential for Mitogenic Switch by IGF-1 Axis in Estrogen Receptor–Positive Breast Tumor Cells. Cancer Research, 2007, 67, 1520-1526.	0.4	36
29	Modulation of Cell-Cycle Regulatory Signaling Network by 2-Methoxyestradiol in Prostate Cancer Cells Is Mediated through Multiple Signal Transduction Pathways. Biochemistry, 2006, 45, 3703-3713.	1.2	39
30	WISP-2/CCN5 Is Involved As a Novel Signaling Intermediate in Phorbol Ester-Protein Kinase Cα-Mediated Breast Tumor Cell Proliferation. Biochemistry, 2006, 45, 10698-10709.	1.2	17
31	Breast cancer cells secreted platelet-derived growth factor-induced motility of vascular smooth muscle cells is mediated through neuropilin-1. Molecular Carcinogenesis, 2006, 45, 871-880.	1.3	79
32	Epidermal Growth Factor Induces WISP-2/CCN5 Expression in Estrogen Receptor-α-Positive Breast Tumor Cells through Multiple Molecular Cross-talks. Molecular Cancer Research, 2005, 3, 151-162.	1.5	35
33	Growth factors involved in prostate carcinogenesis. Frontiers in Bioscience - Landmark, 2005, 10, 1355.	3.0	29
34	Differential expression of VEGF-A mRNA by 17Â-estradiol in breast tumor cells lacking classical ER-Â may be mediated through a variant form of ER-Â. Molecular and Cellular Biochemistry, 2004, 262, 215-224.	1.4	5
35	Thombospondin-1 disrupts estrogen-induced endothelial cell proliferation and migration and its expression is suppressed by estradiol. Molecular Cancer Research, 2004, 2, 150-8.	1.5	20
36	Thombospondin-1 Disrupts Estrogen-Induced Endothelial Cell Proliferation and Migration and Its Expression Is Suppressed by Estradiol. Molecular Cancer Research, 2004, 2, 150-158.	1.5	51

#	ARTICLE	IF	CITATIONS
37	WISP-2 Gene in Human Breast Cancer: Estrogen and Progesterone Inducible Expression and Regulation of Tumor Cell Proliferation. Neoplasia, 2003, 5, 63-73.	2.3	59
38	$17\hat{1}\pm$ -Estradiol-induced VEGF-A expression in rat pituitary tumor cells is mediated through ER independent but PI3K-Akt dependent signaling pathway. Biochemical and Biophysical Research Communications, 2003, 300, 209-215.	1.0	36
39	2-Methoxyestradiol Exhibits a Biphasic Effect on VEGF-A in Tumor Cells and Upregulation Is Mediated Through ER-α: A Possible Signaling Pathway Associated with the Impact of 2-ME2 on Proliferative Cells. Neoplasia, 2003, 5, 417-426.	2.3	37
40	Estradiol-induced vascular endothelial growth factor-A expression in breast tumor cells is biphasic and regulated by estrogen receptor-alpha dependent pathway. International Journal of Oncology, 2003, 22, 609-14.	1.4	19
41	Differential expression of WISP-1 and WISP-2 genes in normal and transformed human breast cell lines. Molecular and Cellular Biochemistry, 2001, 228, 99-104.	1.4	33
42	Monoclonal Antibody Specific to the \hat{l}^21 Integrin-Like Molecule (140 kDa) Immunoprecipitates a Protein Complex of Entamoeba histolytica. Archives of Medical Research, 2000, 31, S147-S148.	1.5	5
43	Characterization of Plasma Membrane-Associated Antigens of Diagnostic and Prophylactic Importance in Entamoeba histolytica. Archives of Medical Research, 2000, 31, S21-S22.	1.5	0