

Chunli Zhao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7658128/chunli-zhao-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

11
papers

21
citations

3
h-index

4
g-index

11
ext. papers

41
ext. citations

2.8
avg, IF

1.75
L-index

#	Paper	IF	Citations
11	Audiological and subjective outcomes of 100 implanted transcutaneous bone conduction devices and preoperative bone conduction hearing aids in patients with bilateral microtia-atresia. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 675-681	1.6	6
10	Sound-localisation performance in patients with congenital unilateral microtia and atresia fitted with an active middle ear implant. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 31-39	3.5	5
9	Inhibitor of β secretase alleviates middle ear inflammation by regulating Th2 response in OVA-mediated allergic OME in vivo. <i>Immunobiology</i> , 2019 , 224, 765-773	3.4	4
8	Morphological and pathological changes of Eustachian tube mucosa in an animal model of eosinophilic otitis media. <i>Brazilian Journal of Otorhinolaryngology</i> , 2020 ,	1.6	1
7	Long-term Outcomes of Clip Coupler Implantation in Patients with Unilateral Congenital Aural Atresia. <i>Annals of Otology, Rhinology and Laryngology</i> , 2020 , 129, 1221-1228	2.1	1
6	Audiological and subjective benefit with a new adhesive bone conduction hearing aid in children with congenital unilateral microtia and atresia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	1
5	Simultaneous bilateral transcutaneous bone conduction device implantation: sound localisation and speech perception in children with bilateral conductive hearing loss.. <i>Journal of Laryngology and Otology</i> , 2021 , 1-8	1.8	1
4	The effect of anatomical variables and use of the Lifts system on hearing outcomes after implantation of an active transcutaneous bone conduction device in bilateral congenital conductive hearing loss. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020 , 49, 57	5.4	1
3	A retrofacial approach of round window vibroplasty during Vibrant Soundbridge implantation for patients with congenital ear malformation. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 142, 110600	1.7	1
2	Sirtuin-3 Protects Cochlear Hair Cells Against Noise-Induced Damage the Superoxide Dismutase 2/Reactive Oxygen Species Signaling Pathway. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 766517	5.7	0
1	Bone-conduction hearing aid is effective in congenital oval window atresia. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 321-327	1.6	0