Kohei Ogawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7658626/publications.pdf

Version: 2024-02-01

840776 794594 30 430 11 19 citations h-index g-index papers 30 30 30 576 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Association between fetal sex and pregnancy outcomes among women with twin pregnancies: a multicenter cross-sectional study. Archives of Gynecology and Obstetrics, 2023, 307, 1397-1405.	1.7	3
2	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. Journal of Epidemiology, 2022, 32, 168-173.	2.4	6
3	Risk factors and clinical outcomes for placenta accreta spectrum with or without placenta previa. Archives of Gynecology and Obstetrics, 2022, 305, 607-615.	1.7	9
4	The association between gestational weight gain and perinatal outcomes among underweight women with twin pregnancy in Japan. International Journal of Gynecology and Obstetrics, 2022, , .	2.3	2
5	Association between dietary intake and serum biomarkers of long-chain PUFA in Japanese preschool children. Public Health Nutrition, 2021, 24, 593-603.	2.2	1
6	Association between maternal vegetable intake during pregnancy and allergy in offspring: Japan Environment and Children's Study. PLoS ONE, 2021, 16, e0245782.	2.5	8
7	Risk factors and outcomes of abnormal bleeding after external cephalic version. Journal of Perinatal Medicine, 2021, 49, 733-739.	1.4	2
8	Association of maternal birth weight with the risk of low birth weight and small-for-gestational-age in offspring: A prospective single-center cohort study. PLoS ONE, 2021, 16, e0251734.	2.5	9
9	Awareness of paternal age effect disorders among Japanese pregnant women: implications for prenatal genetic counseling for advanced paternal age. Journal of Community Genetics, 2021, 12, 671-678.	1.2	1
10	Pregnant women's opinions toward prenatal pretest genetic counseling in Japan. Journal of Human Genetics, 2021, 66, 659-669.	2.3	4
11	Association between perinatal anemia and postpartum depression: A prospective cohort study of Japanese women. International Journal of Gynecology and Obstetrics, 2020, 148, 48-52.	2.3	36
12	Pregnant women's preferences for prenatal genetic testing: A singleâ€eenter study in Japan. Journal of Obstetrics and Gynaecology Research, 2020, 46, 1972-1976.	1.3	3
13	Differences in pregnancy complications and outcomes by fetal gender among Japanese women: a multicenter cross-sectional study. Scientific Reports, 2020, 10, 18810.	3.3	13
14	Neurodevelopmental impairment at 3 years of age after fetoscopic laser surgery for twinâ€ŧoâ€ŧwin transfusion syndrome. Prenatal Diagnosis, 2020, 40, 1013-1019.	2.3	13
15	Number of Pregnancies and Trajectory of Frailty Index: EnglishÂLongitudinal Study of Ageing. Journal of the American Medical Directors Association, 2020, 21, 1249-1253.e1.	2.5	6
16	Association between adolescent pregnancy and adverse birth outcomes, a multicenter cross sectional Japanese study. Scientific Reports, 2019, 9, 2365.	3.3	26
17	Maternal age, history of miscarriage, and embryonic/fetal size are associated with cytogenetic results of spontaneous early miscarriages. Journal of Assisted Reproduction and Genetics, 2019, 36, 749-757.	2.5	46
18	Reply to Shakira et al.: Validation of a food frequency questionnaire for Japanese pregnant women in mid to late pregnancy. European Journal of Clinical Nutrition, 2019, 73, 155-156.	2.9	0

#	Article	IF	CITATIONS
19	The outcomes and risk factors of fetal bradycardia associated with external cephalic version. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 922-926.	1.5	9
20	Reply to Matsubara etÂal. Pediatric Allergy and Immunology, 2018, 29, 333-334.	2.6	0
21	Maternal vegetable intake in early pregnancy and wheeze in offspring at the age of 2 years. European Journal of Clinical Nutrition, 2018, 72, 761-771.	2.9	8
22	Association between women's perceived ideal gestational weight gain during pregnancy and pregnancy outcomes. Scientific Reports, 2018, 8, 11574.	3.3	20
23	Validity of a food frequency questionnaire to estimate long-chain polyunsaturated fatty acid intake among Japanese women in early and late pregnancy. Journal of Epidemiology, 2017, 27, 30-35.	2.4	16
24	Validation of a food frequency questionnaire for Japanese pregnant women with and without nausea and vomiting in early pregnancy. Journal of Epidemiology, 2017, 27, 201-208.	2.4	25
25	Association of Shorter Height with Increased Risk of Ischaemic Placental Disease. Paediatric and Perinatal Epidemiology, 2017, 31, 198-205.	1.7	18
26	Betaâ€2 receptor agonist exposure in the uterus associated with subsequent risk of childhood asthma. Pediatric Allergy and Immunology, 2017, 28, 746-753.	2.6	18
27	Preeclampsia mediates the association between shorter height and increased risk of preterm delivery. International Journal of Epidemiology, 2017, 46, 1690-1698.	1.9	6
28	Association between very advanced maternal age and adverse pregnancy outcomes: a cross sectional Japanese study. BMC Pregnancy and Childbirth, 2017, 17, 349.	2.4	102
29	Gross motor function and general development of babies born after assisted reproductive technology. Journal of Obstetrics and Gynaecology Research, 2016, 42, 266-272.	1.3	12
30	Validation of a food-frequency questionnaire for assessing vitamin intake of Japanese women in early and late pregnancy with and without nausea and vomiting. Journal of Nutritional Science, 2016, 5, e27.	1.9	8