

Hyeon Hoe Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/765891/publications.pdf>

Version: 2024-02-01

117
papers

1,624
citations

304743

22
h-index

454955

30
g-index

118
all docs

118
docs citations

118
times ranked

3093
citing authors

#	ARTICLE	IF	CITATIONS
1	Lymph node density as a prognostic variable in node-positive bladder cancer: a meta-analysis. <i>BMC Cancer</i> , 2015, 15, 447.	2.6	53
2	De Ritis ratio (aspartate transaminase/alanine transaminase ratio) as a significant prognostic factor after surgical treatment in patients with clear-cell localized renal cell carcinoma: a propensity score-matched study. <i>BJU International</i> , 2017, 119, 261-267.	2.5	53
3	The Prognostic Significance of the Early Postoperative Neutrophil-to-Lymphocyte Ratio in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2016, 23, 335-342.	1.5	50
4	Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. <i>Oncotarget</i> , 2017, 8, 12891-12901.	1.8	49
5	Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma: Outcomes According to Surgical Technique and Predictors of Upstaging. <i>PLoS ONE</i> , 2016, 11, e0166183.	2.5	40
6	Inhibition of Autophagy Potentiates Atorvastatin-Induced Apoptotic Cell Death in Human Bladder Cancer Cells in Vitro. <i>International Journal of Molecular Sciences</i> , 2014, 15, 8106-8121.	4.1	39
7	Extended versus Standard Pelvic Lymph Node Dissection in Radical Prostatectomy on Oncological and Functional Outcomes: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017, 24, 2047-2054.	1.5	39
8	Generation of Bladder Urothelium from Human Pluripotent Stem Cells under Chemically Defined Serum- and Feeder-Free System. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7139-7157.	4.1	33
9	Risk of metastasis for T1a renal cell carcinoma. <i>World Journal of Urology</i> , 2016, 34, 553-559.	2.2	32
10	Concurrent treatment with simvastatin and NF- κ B inhibitor in human castration-resistant prostate cancer cells exerts synergistic anti-cancer effects via control of the NF- κ B/LIN28/let-7 miRNA signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0184644.	2.5	31
11	Outcomes of pathologic stage T3a renal cell carcinoma up-staged from small renal tumor: emphasis on partial nephrectomy. <i>BMC Cancer</i> , 2018, 18, 427.	2.6	31
12	Cytotoxic Effects of Escin on Human Castration-resistant Prostate Cancer Cells Through the Induction of Apoptosis and G2/M Cell Cycle Arrest. <i>Urology</i> , 2014, 84, 982.e1-982.e7.	1.0	30
13	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016, 57, 50.	2.0	30
14	Single, immediate postoperative instillation of chemotherapy in non-muscle invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials using different drugs. <i>Oncotarget</i> , 2016, 7, 45479-45488.	1.8	29
15	Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 7464-7476.	1.8	28
16	External Validation and Evaluation of Reliability and Validity of the S-ReSC Scoring System to Predict Stone-Free Status after Percutaneous Nephrolithotomy. <i>PLoS ONE</i> , 2014, 9, e83628.	2.5	27
17	Extracapsular Extension of Pelvic Lymph Node Metastasis is an Independent Prognostic Factor in Bladder Cancer: A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 3745-3750.	1.5	27
18	Pathological T0 Following Cisplatin-Based Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: A Network Meta-analysis. <i>Clinical Cancer Research</i> , 2016, 22, 1086-1094.	7.0	27

#	ARTICLE	IF	CITATIONS
19	Comparison of retrograde intrarenal surgery versus a single-session percutaneous nephrolithotomy for lower-pole stones with a diameter of 15 to 30 mm: A propensity score-matching study. <i>Korean Journal of Urology</i> , 2015, 56, 525.	1.2	26
20	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1055-e1061.	1.9	26
21	Concurrent Autophagy Inhibition Overcomes the Resistance of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Human Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 321.	4.1	25
22	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019, 60, 235.	2.0	25
23	Nomograms to predict the pathological stage of clinically localized prostate cancer in Korean men: Comparison with Western predictive tools using decision curve analysis. <i>International Journal of Urology</i> , 2012, 19, 846-852.	1.0	24
24	Novel nomograms to predict recurrence and progression in primary non-muscle-invasive bladder cancer: validation of predictive efficacy in comparison with European Organization of Research and Treatment of Cancer scoring system. <i>World Journal of Urology</i> , 2019, 37, 1867-1877.	2.2	24
25	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 187-196.	2.5	24
26	Adjuvant chemotherapy for muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials. <i>Oncotarget</i> , 2017, 8, 81204-81214.	1.8	23
27	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018, 8, 642.	2.8	21
28	Histone Demethylase LSD1 Regulates Kidney Cancer Progression by Modulating Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6089.	4.1	21
29	The prognostic impact of perioperative blood transfusion on survival in patients with bladder urothelial carcinoma treated with radical cystectomy. <i>Korean Journal of Urology</i> , 2015, 56, 295.	1.2	20
30	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1976.	2.5	20
31	<i>PDLIM2</i> suppression efficiently reduces tumor growth and invasiveness of human castration-resistant prostate cancer-like cells. <i>Prostate</i> , 2016, 76, 273-285.	2.3	20
32	Comparing the clinical efficacy of abiraterone acetate, enzalutamide, and orteronel in patients with metastatic castration-resistant prostate cancer by performing a network meta-analysis of eight randomized controlled trials. <i>Oncotarget</i> , 2017, 8, 59690-59697.	1.8	20
33	The Impact of PBRM1 Expression as a Prognostic and Predictive Marker in Metastatic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2015, 194, 1112-1119.	0.4	19
34	Diabetes Mellitus as an Independent Predictor of Survival of Patients Surgically Treated for Renal Cell Carcinoma: A Propensity Score Matching Study. <i>Journal of Urology</i> , 2015, 194, 1554-1560.	0.4	19
35	S100A3 Suppression Inhibits In Vitro and In Vivo Tumor Growth and Invasion of Human Castration-resistant Prostate Cancer Cells. <i>Urology</i> , 2015, 85, 273.e9-273.e15.	1.0	19
36	Long-term Mortality Risks Among Living Kidney Donors in Korea. <i>American Journal of Kidney Diseases</i> , 2020, 75, 919-925.	1.9	19

#	ARTICLE	IF	CITATIONS
37	Significance of Ki-67 in non-muscle invasive bladder cancer patients: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 100614-100630.	1.8	19
38	Effects of Aspirin, Nonsteroidal Anti-inflammatory Drugs, Statin, and COX2 Inhibitor on the Developments of Urological Malignancies: A Population-Based Study with 10-Year Follow-up Data in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 984-991.	3.0	19
39	Prognostic factors for conditional survival in patients with muscle-invasive urothelial carcinoma of the bladder treated with radical cystectomy. <i>Scientific Reports</i> , 2015, 5, 12171.	3.3	18
40	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	2.0	18
41	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	18
42	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , 2017, 17, 364.	2.6	17
43	Clinical Nomograms to Predict Stone-Free Rates after Shock-Wave Lithotripsy: Development and Internal-Validation. <i>PLoS ONE</i> , 2016, 11, e0149333.	2.5	17
44	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. <i>Investigative and Clinical Urology</i> , 2017, 58, 12.	2.0	15
45	Histone Demethylase KDM7A Regulates Androgen Receptor Activity, and Its Chemical Inhibitor TC-E 5002 Overcomes Cisplatin-Resistance in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5658.	4.1	15
46	Extramammary Paget Disease of External Genitalia: Surgical Excision and Follow-up Experiences With 19 Patients. <i>Korean Journal of Urology</i> , 2013, 54, 834.	1.2	14
47	Pre- and Post-Operative Nomograms to Predict Recurrence-Free Probability in Korean Men with Clinically Localized Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e100053.	2.5	14
48	Survival Outcomes and Predictive Factors for Female Urethral Cancer: Long-term Experience with Korean Patients. <i>Journal of Korean Medical Science</i> , 2015, 30, 1143.	2.5	14
49	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e819-e825.	1.9	14
50	Rate and association of lower urinary tract infection with recurrence after transurethral resection of bladder tumor. <i>Investigative and Clinical Urology</i> , 2018, 59, 10.	2.0	14
51	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019, 19, 897.	2.6	14
52	The Characteristics of Recurrent Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy without Bladder Cuff Excision. <i>Yonsei Medical Journal</i> , 2015, 56, 375.	2.2	13
53	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e831-e841.	1.9	13
54	Association Between Preoperative Hydronephrosis and Prognosis After Radical Cystectomy Among Patients With Bladder Cancer: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019, 9, 158.	2.8	13

#	ARTICLE	IF	CITATIONS
55	Effect of Sex on Prognosis of Urothelial Carcinoma: Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e113-e121.	1.9	12
56	Preoperative Cholesterol Level Is Associated With Worse Pathological Outcomes and Postoperative Survival in Localized Renal Cell Carcinoma Patients: A Propensity Score–Matched Study. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e935-e941.	1.9	12
57	Pathology in repeated transurethral resection of a bladder tumor as a risk factor for prognosis of high-risk non-muscle-invasive bladder cancer. <i>PLoS ONE</i> , 2017, 12, e0189354.	2.5	11
58	Intravesical Chemotherapy after Radical Nephroureterectomy for Primary Upper Tract Urothelial Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1059.	2.4	11
59	Hypertriglyceridemia Is a Potential Preoperative Predictor for Biochemical Recurrence after Radical Prostatectomy. <i>PLoS ONE</i> , 2015, 10, e0122438.	2.5	11
60	Can the Preoperative Neutrophil-to-Lymphocyte Ratio Significantly Predict the Conditional Survival Probability in Muscle-invasive Bladder Cancer Patients Undergoing Radical Cystectomy?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e411-e420.	1.9	10
61	Establishment of Novel Intraoperative Monitoring and Mapping Method for the Cavernous Nerve During Robot-assisted Radical Prostatectomy: Results of the Phase I/II, First-in-human, Feasibility Study. <i>European Urology</i> , 2020, 78, 221-228.	1.9	10
62	Next-generation Proteomics-Based Discovery, Verification, and Validation of Urine Biomarkers for Bladder Cancer Diagnosis. <i>Cancer Research and Treatment</i> , 2022, 54, 882-893.	3.0	10
63	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablative therapy. <i>Asian Journal of Surgery</i> , 2015, 38, 126-133.	0.4	9
64	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018, 8, 15928.	3.3	9
65	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. <i>Cancer Research and Treatment</i> , 2016, 48, 621-631.	3.0	9
66	Usefulness of Additional SPECT/CT Identifying Lymphatico-renal Shunt in a Patient with Chyluria. <i>Nuclear Medicine and Molecular Imaging</i> , 2015, 49, 61-64.	1.0	8
67	Late Recurrence of Bladder Cancer following Radical Cystectomy: Characteristics and Outcomes. <i>Urologia Internationalis</i> , 2019, 103, 291-296.	1.3	8
68	Targeted next-generation sequencing for locally advanced prostate cancer in the Korean population. <i>Investigative and Clinical Urology</i> , 2020, 61, 127.	2.0	8
69	Predictive and Prognostic Value of Ribonucleotide Reductase Regulatory Subunit M1 and Excision Repair Cross-Complementation Group 1 in Advanced Urothelial Carcinoma (UC) Treated with First-Line Gemcitabine Plus Platinum Combination Chemotherapy. <i>PLoS ONE</i> , 2015, 10, e0133371.	2.5	7
70	Should intravesical Bacillus Calmette–Guerin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018, 13, e0208267.	2.5	7
71	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277.	2.5	7
72	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	7

#	ARTICLE	IF	CITATIONS
73	Comparison of intraoperative handling and wound healing between (NEOSORBÂ® plus) and coated polyglactin 910 suture (NEOSORBÂ®): a prospective, single-blind, randomized controlled trial. <i>BMC Surgery</i> , 2018, 18, 45.	1.3	7
74	Quantitative analysis of renal arterial variations affecting the eligibility of catheter-based renal denervation using multi-detector computed tomography angiography. <i>Scientific Reports</i> , 2020, 10, 19720.	3.3	7
75	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1933.	2.4	7
76	Long-term oncologic outcomes after radical prostatectomy in clinically localized prostate cancer: 10-year follow-up in Korea. <i>Investigative and Clinical Urology</i> , 2020, 61, 269.	2.0	7
77	Prognostic Role of Neutrophil-to-lymphocyte Ratio-based Markers During Pre- and Postadjuvant Chemotherapy in Patients With Advanced Urothelial Carcinoma of Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e633-e643.	1.9	6
78	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	6
79	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	2.6	6
80	Sharing the initial experience of pan-cancer panel analysis in high-risk renal cell carcinoma in the Korean population. <i>BMC Urology</i> , 2020, 20, 125.	1.4	6
81	Impact of perioperative blood transfusion on oncologic outcomes in patients with nonmetastatic renal cell carcinoma treated with curative nephrectomy: A retrospective analysis of a large, single-institutional cohort. <i>Investigative and Clinical Urology</i> , 2020, 61, 136.	2.0	6
82	External Validation of Models for Prediction of Lymph Node Metastasis in Urothelial Carcinoma of the Bladder. <i>PLoS ONE</i> , 2015, 10, e0120552.	2.5	5
83	Prognostic value of impaired estimated glomerular filtration rate in intravesical BCG-treated non-muscle-invasive bladder cancer patients. <i>Scientific Reports</i> , 2017, 7, 1380.	3.3	5
84	Pyuria as a Predictive Marker of Bacillus Calmette-Guérin Unresponsiveness in Non-Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 3764.	2.4	5
85	MLL5, a histone modifying enzyme, regulates androgen receptor activity in prostate cancer cells by recruiting co-regulators, HCF1 and SET1. <i>BMB Reports</i> , 2020, 53, 634-639.	2.4	5
86	Differences in peritumoral pseudocapsule characteristics according to clinicopathological factors in clinical T1a renal tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11323-31.	0.5	5
87	The Cancer of the Bladder Risk Assessment (COBRA) score for predicting cancer-specific survival after radical cystectomy for urothelial carcinoma of the bladder: External validation in a cohort of Korean patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 470-477.	1.6	4
88	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020, 104, 199-204.	1.3	4
89	Impact of short warm ischemic time on longitudinal kidney function and survival rate after partial nephrectomy for renal cell carcinoma in patients with pre-existing chronic kidney disease stage III: A multi-institutional propensity score-matched study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 470-476.	1.0	4
90	Stratifying risk for multiple, recurrent, and large (≥3 cm) Ta, G1/G2 tumors in non-muscle-invasive bladder cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 408-415.	2.0	4

#	ARTICLE	IF	CITATIONS
91	Efficacy of the Treatment of Intraperitoneal Bladder Perforation during Transurethral Resection of Bladder Tumor with the Urethral Catheter Alone: Retrospective Analysis of over 15 Years Using the Clinical Data Warehouse System. <i>Urologia Internationalis</i> , 2022, 106, 138-146.	1.3	4
92	Evaluation of the Learning Curve of Hand-Assisted Laparoscopic Donor Nephrectomy. <i>Annals of Transplantation</i> , 2018, 23, 546-553.	0.9	4
93	Geriatric assessment using the G8 to predict postoperative complications in patients undergoing major uro-oncologic surgery: Comparison with the Charlson Comorbidity Index. <i>Journal of Geriatric Oncology</i> , 2022, 13, 426-431.	1.0	4
94	Comparison of Renal Function after Radical Surgery for Upper Tract Urothelial Carcinoma versus Renal Cell Carcinoma: Propensity Score Matching. <i>Urologia Internationalis</i> , 2018, 101, 400-408.	1.3	3
95	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020, 11, 470-474.	1.0	3
96	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020, 10, 10157.	3.3	3
97	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021, 62, 430-437.	2.0	3
98	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4155.	2.4	2
99	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , 2019, 60, 184.	2.0	2
100	Effect of Gleason scores of lymph node metastases on prognosis of patients with prostate cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6141-8.	0.5	2
101	Predictors for the detection of prostate cancer and clinically significant prostate cancer using TRUS-guided biopsy in patients with negative initial biopsy results. <i>World Journal of Urology</i> , 2018, 36, 1047-1053.	2.2	1
102	Psychometric validation study of the Korean version of the Functional Assessment of Cancer Therapy-Vanderbilt Cystectomy Index. <i>PLoS ONE</i> , 2018, 13, e0190570.	2.5	1
103	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020, 8, 158-166.	2.3	1
104	Statin inhibits the proliferation of human castration-resistant prostate cancer cells by controlling NFκB-LIN28B-let7 miRNA signaling pathway.. <i>Journal of Clinical Oncology</i> , 2017, 35, 269-269.	1.6	1
105	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020, 9, 1270-1277.	1.4	1
106	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.	2.5	1
107	Comparison of the Efficacy and Safety of Laparoendoscopic Single-Site Surgery with Conventional Laparoscopic Surgery for Upper Ureter or Renal Pelvis Stones in a Single Institution: A Randomized Controlled Study. <i>Urology Journal</i> , 2016, 13, 2759-64.	0.4	1
108	Ileoureteral Substitution for Complex Ureteral Reconstruction using Refluxing, Non-tailoring Vesicoileal Anastomosis. <i>Korean Journal of Urology</i> , 2007, 48, 615.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Efficacy of Partial Nephrectomy for Renal Tumors >4 cm: Comparison With Renal Tumors ≤4 cm. <i>International Surgery</i> , 2016, 101, 7-13.	0.1	0
110	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?. <i>Medicine (United States)</i> , 2019, 98, e17377.	1.0	0
111	Laparoscopic Radical Nephrectomy for Renal Tumor: Comparison with Hand-assisted and Open Radical Nephrectomy. <i>Korean Journal of Urology</i> , 2006, 47, 1046.	0.2	0
112	Laparoendoscopic Single-Site Pyeloplasty with Concomitant Pyelolithotomy Using Flexible Cystoscope. <i>Videourology (New Rochelle, N Y)</i> , 2011, 25, .	0.1	0
113	Predictive value of ribonucleotide reductase regulatory subunit M1 (RRM1) and excision cross-complementing-1 (ERCC1) in advanced urothelial carcinoma (UC) treated with first-line gemcitabine (G) and platinum (P)-based chemotherapy (CT).. <i>Journal of Clinical Oncology</i> , 2013, 31, e15614-e15614.	1.6	0
114	Histone demethylase KDM7a to control androgen receptor activity in hormone-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 262-262.	1.6	0
115	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 635-635.	1.6	0
116	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 34-42.	0.1	0
117	Safety and feasibility of synchronous unilateral nephrectomy and contralateral heminephrectomy for extremely severe autosomal dominant polycystic kidney disease: Techniques and outcome. <i>Investigative and Clinical Urology</i> , 2022, 63, .	2.0	0