

Hyeon Hoe Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/765891/publications.pdf>

Version: 2024-02-01

117
papers

1,624
citations

304743

22
h-index

454955

30
g-index

118
all docs

118
docs citations

118
times ranked

3093
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of the Treatment of Intraperitoneal Bladder Perforation during Transurethral Resection of Bladder Tumor with the Urethral Catheter Alone: Retrospective Analysis of over 15 Years Using the Clinical Data Warehouse System. <i>Urologia Internationalis</i> , 2022, 106, 138-146.	1.3	4
2	Next-generation Proteomics-Based Discovery, Verification, and Validation of Urine Biomarkers for Bladder Cancer Diagnosis. <i>Cancer Research and Treatment</i> , 2022, 54, 882-893.	3.0	10
3	Geriatric assessment using the G8 to predict postoperative complications in patients undergoing major uro-oncologic surgery: Comparison with the Charlson Comorbidity Index. <i>Journal of Geriatric Oncology</i> , 2022, 13, 426-431.	1.0	4
4	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 34-42.	0.1	0
5	Safety and feasibility of synchronous unilateral nephrectomy and contralateral heminephrectomy for extremely severe autosomal dominant polycystic kidney disease: Techniques and outcome. <i>Investigative and Clinical Urology</i> , 2022, 63, .	2.0	0
6	Impact of short warm ischemic time on longitudinal kidney function and survival rate after partial nephrectomy for renal cell carcinoma in patients with pre-existing chronic kidney disease stage III: A multi-institutional propensity score-matched study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 470-476.	1.0	4
7	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021, 62, 430-437.	2.0	3
8	Stratifying risk for multiple, recurrent, and large (≥3 cm) Ta, G1/G2 tumors in non-muscle-invasive bladder cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 408-415.	2.0	4
9	Pyuria as a Predictive Marker of Bacillus Calmette-Guérin Unresponsiveness in Non-Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 3764.	2.4	5
10	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4155.	2.4	2
11	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.	2.5	1
12	Establishment of Novel Intraoperative Monitoring and Mapping Method for the Cavernous Nerve During Robot-assisted Radical Prostatectomy: Results of the Phase I/II, First-in-human, Feasibility Study. <i>European Urology</i> , 2020, 78, 221-228.	1.9	10
13	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020, 11, 470-474.	1.0	3
14	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 187-196.	2.5	24
15	Long-term Mortality Risks Among Living Kidney Donors in Korea. <i>American Journal of Kidney Diseases</i> , 2020, 75, 919-925.	1.9	19
16	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020, 104, 199-204.	1.3	4
17	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	2.6	6
18	Quantitative analysis of renal arterial variations affecting the eligibility of catheter-based renal denervation using multi-detector computed tomography angiography. <i>Scientific Reports</i> , 2020, 10, 19720.	3.3	7

#	ARTICLE	IF	CITATIONS
19	Histone Demethylase LSD1 Regulates Kidney Cancer Progression by Modulating Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6089.	4.1	21
20	Histone Demethylase KDM7A Regulates Androgen Receptor Activity, and Its Chemical Inhibitor TC-E 5002 Overcomes Cisplatin-Resistance in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5658.	4.1	15
21	Sharing the initial experience of pan-cancer panel analysis in high-risk renal cell carcinoma in the Korean population. <i>BMC Urology</i> , 2020, 20, 125.	1.4	6
22	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020, 8, 158-166.	2.3	1
23	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1933.	2.4	7
24	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020, 10, 10157.	3.3	3
25	Targeted next-generation sequencing for locally advanced prostate cancer in the Korean population. <i>Investigative and Clinical Urology</i> , 2020, 61, 127.	2.0	8
26	Impact of perioperative blood transfusion on oncologic outcomes in patients with nonmetastatic renal cell carcinoma treated with curative nephrectomy: A retrospective analysis of a large, single-institutional cohort. <i>Investigative and Clinical Urology</i> , 2020, 61, 136.	2.0	6
27	Long-term oncologic outcomes after radical prostatectomy in clinically localized prostate cancer: 10-year follow-up in Korea. <i>Investigative and Clinical Urology</i> , 2020, 61, 269.	2.0	7
28	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020, 9, 1270-1277.	1.4	1
29	MLL5, a histone modifying enzyme, regulates androgen receptor activity in prostate cancer cells by recruiting co-regulators, HCF1 and SET1. <i>BMB Reports</i> , 2020, 53, 634-639.	2.4	5
30	Intravesical Chemotherapy after Radical Nephroureterectomy for Primary Upper Tract Urothelial Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1059.	2.4	11
31	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019, 19, 897.	2.6	14
32	Late Recurrence of Bladder Cancer following Radical Cystectomy: Characteristics and Outcomes. <i>Urologia Internationalis</i> , 2019, 103, 291-296.	1.3	8
33	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	18
34	The Cancer of the Bladder Risk Assessment (COBRA) score for predicting cancer-specific survival after radical cystectomy for urothelial carcinoma of the bladder: External validation in a cohort of Korean patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 470-477.	1.6	4
35	Association Between Preoperative Hydronephrosis and Prognosis After Radical Cystectomy Among Patients With Bladder Cancer: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019, 9, 158.	2.8	13
36	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?. <i>Medicine (United States)</i> , 2019, 98, e17377.	1.0	0

#	ARTICLE	IF	CITATIONS
37	Novel nomograms to predict recurrence and progression in primary non-muscle-invasive bladder cancer: validation of predictive efficacy in comparison with European Organization of Research and Treatment of Cancer scoring system. <i>World Journal of Urology</i> , 2019, 37, 1867-1877.	2.2	24
38	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019, 60, 235.	2.0	25
39	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , 2019, 60, 184.	2.0	2
40	Predictors for the detection of prostate cancer and clinically significant prostate cancer using TRUS-guided biopsy in patients with negative initial biopsy results. <i>World Journal of Urology</i> , 2018, 36, 1047-1053.	2.2	1
41	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e831-e841.	1.9	13
42	Should intravesical Bacillus Calmette-Guerin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018, 13, e0208267.	2.5	7
43	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277.	2.5	7
44	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	2.0	18
45	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	6
46	Comparison of Renal Function after Radical Surgery for Upper Tract Urothelial Carcinoma versus Renal Cell Carcinoma: Propensity Score Matching. <i>Urologia Internationalis</i> , 2018, 101, 400-408.	1.3	3
47	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018, 8, 15928.	3.3	9
48	Rate and association of lower urinary tract infection with recurrence after transurethral resection of bladder tumor. <i>Investigative and Clinical Urology</i> , 2018, 59, 10.	2.0	14
49	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	7
50	Comparison of intraoperative handling and wound healing between (NEOSORBÂ® plus) and coated polyglactin 910 suture (NEOSORBÂ®): a prospective, single-blind, randomized controlled trial. <i>BMC Surgery</i> , 2018, 18, 45.	1.3	7
51	Outcomes of pathologic stage T3a renal cell carcinoma up-staged from small renal tumor: emphasis on partial nephrectomy. <i>BMC Cancer</i> , 2018, 18, 427.	2.6	31
52	Psychometric validation study of the Korean version of the Functional Assessment of Cancer Therapy-Vanderbilt Cystectomy Index. <i>PLoS ONE</i> , 2018, 13, e0190570.	2.5	1
53	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018, 8, 642.	2.8	21
54	Evaluation of the Learning Curve of Hand-Assisted Laparoscopic Donor Nephrectomy. <i>Annals of Transplantation</i> , 2018, 23, 546-553.	0.9	4

#	ARTICLE	IF	CITATIONS
55	Effects of Aspirin, Nonsteroidal Anti-inflammatory Drugs, Statin, and COX2 Inhibitor on the Developments of Urological Malignancies: A Population-Based Study with 10-Year Follow-up Data in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 984-991.	3.0	19
56	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 635-635.	1.6	0
57	De Ritis ratio (aspartate transaminase/alanine transaminase ratio) as a significant prognostic factor after surgical treatment in patients with clear-cell localized renal cell carcinoma: a propensity score-matched study. <i>BJU International</i> , 2017, 119, 261-267.	2.5	53
58	Prognostic Role of Neutrophil-to-lymphocyte Ratio-based Markers During Pre- and Postadjuvant Chemotherapy in Patients With Advanced Urothelial Carcinoma of Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e633-e643.	1.9	6
59	Extended versus Standard Pelvic Lymph Node Dissection in Radical Prostatectomy on Oncological and Functional Outcomes: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017, 24, 2047-2054.	1.5	39
60	Can the Preoperative Neutrophil-to-Lymphocyte Ratio Significantly Predict the Conditional Survival Probability in Muscle-invasive Bladder Cancer Patients Undergoing Radical Cystectomy?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e411-e420.	1.9	10
61	Prognostic value of impaired estimated glomerular filtration rate in intravesical BCG-treated non-muscle-invasive bladder cancer patients. <i>Scientific Reports</i> , 2017, 7, 1380.	3.3	5
62	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e819-e825.	1.9	14
63	Preoperative Cholesterol Level Is Associated With Worse Pathological Outcomes and Postoperative Survival in Localized Renal Cell Carcinoma Patients: A Propensity Score-Matched Study. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e935-e941.	1.9	12
64	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1055-e1061.	1.9	26
65	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , 2017, 17, 364.	2.6	17
66	Concurrent Autophagy Inhibition Overcomes the Resistance of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Human Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 321.	4.1	25
67	Concurrent treatment with simvastatin and NF- κ B inhibitor in human castration-resistant prostate cancer cells exerts synergistic anti-cancer effects via control of the NF- κ B/LIN28/let-7 miRNA signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0184644.	2.5	31
68	Pathology in repeated transurethral resection of a bladder tumor as a risk factor for prognosis of high-risk non-muscle-invasive bladder cancer. <i>PLoS ONE</i> , 2017, 12, e0189354.	2.5	11
69	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. <i>Investigative and Clinical Urology</i> , 2017, 58, 12.	2.0	15
70	Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. <i>Oncotarget</i> , 2017, 8, 12891-12901.	1.8	49
71	Comparing the clinical efficacy of abiraterone acetate, enzalutamide, and orteronel in patients with metastatic castration-resistant prostate cancer by performing a network meta-analysis of eight randomized controlled trials. <i>Oncotarget</i> , 2017, 8, 59690-59697.	1.8	20
72	Adjuvant chemotherapy for muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials. <i>Oncotarget</i> , 2017, 8, 81204-81214.	1.8	23

#	ARTICLE	IF	CITATIONS
73	Statin inhibits the proliferation of human castration-resistant prostate cancer cells by controlling NFkB-LIN28B-let7 miRNA signaling pathway.. Journal of Clinical Oncology, 2017, 35, 269-269.	1.6	1
74	Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. Oncotarget, 2017, 8, 7464-7476.	1.8	28
75	Significance of Ki-67 in non-muscle invasive bladder cancer patients: a systematic review and meta-analysis. Oncotarget, 2017, 8, 100614-100630.	1.8	19
76	Histone demethylase KDM7a to control androgen receptor activity in hormone-sensitive prostate cancer.. Journal of Clinical Oncology, 2017, 35, 262-262.	1.6	0
77	The establishment of KORCC (KOrean Renal Cell Carcinoma) database. Investigative and Clinical Urology, 2016, 57, 50.	2.0	30
78	Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma: Outcomes According to Surgical Technique and Predictors of Upstaging. PLoS ONE, 2016, 11, e0166183.	2.5	40
79	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. Journal of Korean Medical Science, 2016, 31, 1976.	2.5	20
80	<i>PDLIM2</i> suppression efficiently reduces tumor growth and invasiveness of human castration-resistant prostate cancer-like cells. Prostate, 2016, 76, 273-285.	2.3	20
81	Efficacy of Partial Nephrectomy for Renal Tumors >4 cm: Comparison With Renal Tumors <=4 cm. International Surgery, 2016, 101, 7-13.	0.1	0
82	Risk of metastasis for T1a renal cell carcinoma. World Journal of Urology, 2016, 34, 553-559.	2.2	32
83	Pathological T0 Following Cisplatin-Based Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: A Network Meta-analysis. Clinical Cancer Research, 2016, 22, 1086-1094.	7.0	27
84	The Prognostic Significance of the Early Postoperative Neutrophil-to-Lymphocyte Ratio in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. Annals of Surgical Oncology, 2016, 23, 335-342.	1.5	50
85	Clinical Nomograms to Predict Stone-Free Rates after Shock-Wave Lithotripsy: Development and Internal-Validation. PLoS ONE, 2016, 11, e0149333.	2.5	17
86	Single, immediate postoperative instillation of chemotherapy in non-muscle invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials using different drugs. Oncotarget, 2016, 7, 45479-45488.	1.8	29
87	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. Cancer Research and Treatment, 2016, 48, 621-631.	3.0	9
88	Comparison of the Efficacy and Safety of Laparoendoscopic Single-Site Surgery with Conventional Laparoscopic Surgery for Upper Ureter or Renal Pelvis Stones in a Single Institution: A Randomized Controlled Study. Urology Journal, 2016, 13, 2759-64.	0.4	1
89	Comparison of retrograde intrarenal surgery versus a single-session percutaneous nephrolithotomy for lower-pole stones with a diameter of 15 to 30 mm: A propensity score-matching study. Korean Journal of Urology, 2015, 56, 525.	1.2	26
90	The Characteristics of Recurrent Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy without Bladder Cuff Excision. Yonsei Medical Journal, 2015, 56, 375.	2.2	13

#	ARTICLE	IF	CITATIONS
91	External Validation of Models for Prediction of Lymph Node Metastasis in Urothelial Carcinoma of the Bladder. <i>PLoS ONE</i> , 2015, 10, e0120552.	2.5	5
92	Predictive and Prognostic Value of Ribonucleotide Reductase Regulatory Subunit M1 and Excision Repair Cross-Complementation Group 1 in Advanced Urothelial Carcinoma (UC) Treated with First-Line Gemcitabine Plus Platinum Combination Chemotherapy. <i>PLoS ONE</i> , 2015, 10, e0133371.	2.5	7
93	Survival Outcomes and Predictive Factors for Female Urethral Cancer: Long-term Experience with Korean Patients. <i>Journal of Korean Medical Science</i> , 2015, 30, 1143.	2.5	14
94	The Impact of PBRM1 Expression as a Prognostic and Predictive Marker in Metastatic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2015, 194, 1112-1119.	0.4	19
95	The prognostic impact of perioperative blood transfusion on survival in patients with bladder urothelial carcinoma treated with radical cystectomy. <i>Korean Journal of Urology</i> , 2015, 56, 295.	1.2	20
96	Extracapsular Extension of Pelvic Lymph Node Metastasis is an Independent Prognostic Factor in Bladder Cancer: A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 3745-3750.	1.5	27
97	Prognostic factors for conditional survival in patients with muscle-invasive urothelial carcinoma of the bladder treated with radical cystectomy. <i>Scientific Reports</i> , 2015, 5, 12171.	3.3	18
98	Effect of Sex on Prognosis of Urothelial Carcinoma: Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e113-e121.	1.9	12
99	Diabetes Mellitus as an Independent Predictor of Survival of Patients Surgically Treated for Renal Cell Carcinoma: A Propensity Score Matching Study. <i>Journal of Urology</i> , 2015, 194, 1554-1560.	0.4	19
100	Usefulness of Additional SPECT/CT Identifying Lymphatico-renal Shunt in a Patient with Chyluria. <i>Nuclear Medicine and Molecular Imaging</i> , 2015, 49, 61-64.	1.0	8
101	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablation therapy. <i>Asian Journal of Surgery</i> , 2015, 38, 126-133.	0.4	9
102	Lymph node density as a prognostic variable in node-positive bladder cancer: a meta-analysis. <i>BMC Cancer</i> , 2015, 15, 447.	2.6	53
103	S100A3 Suppression Inhibits In Vitro and In Vivo Tumor Growth and Invasion of Human Castration-resistant Prostate Cancer Cells. <i>Urology</i> , 2015, 85, 273.e9-273.e15.	1.0	19
104	Hypertriglyceridemia Is a Potential Preoperative Predictor for Biochemical Recurrence after Radical Prostatectomy. <i>PLoS ONE</i> , 2015, 10, e0122438.	2.5	11
105	Differences in peritumoral pseudocapsule characteristics according to clinicopathological factors in clinical T1a renal tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11323-31.	0.5	5
106	External Validation and Evaluation of Reliability and Validity of the S-ReSC Scoring System to Predict Stone-Free Status after Percutaneous Nephrolithotomy. <i>PLoS ONE</i> , 2014, 9, e83628.	2.5	27
107	Pre- and Post-Operative Nomograms to Predict Recurrence-Free Probability in Korean Men with Clinically Localized Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e100053.	2.5	14
108	Inhibition of Autophagy Potentiates Atorvastatin-Induced Apoptotic Cell Death in Human Bladder Cancer Cells in Vitro. <i>International Journal of Molecular Sciences</i> , 2014, 15, 8106-8121.	4.1	39

#	ARTICLE	IF	CITATIONS
109	Generation of Bladder Urothelium from Human Pluripotent Stem Cells under Chemically Defined Serum- and Feeder-Free System. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7139-7157.	4.1	33
110	Cytotoxic Effects of Escin on Human Castration-resistant Prostate Cancer Cells Through the Induction of Apoptosis and G2/M Cell Cycle Arrest. <i>Urology</i> , 2014, 84, 982.e1-982.e7.	1.0	30
111	Effect of Gleason scores of lymph node metastases on prognosis of patients with prostate cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6141-8.	0.5	2
112	Extramammary Paget Disease of External Genitalia: Surgical Excision and Follow-up Experiences With 19 Patients. <i>Korean Journal of Urology</i> , 2013, 54, 834.	1.2	14
113	Predictive value of ribonucleotide reductase regulatory subunit M1 (RRM1) and excision cross-complementing-1 (ERCC1) in advanced urothelial carcinoma (UC) treated with first-line gemcitabine (G) and platinum (P)-based chemotherapy (CT).. <i>Journal of Clinical Oncology</i> , 2013, 31, e15614-e15614.	1.6	0
114	Nomograms to predict the pathological stage of clinically localized prostate cancer in Korean men: Comparison with Western predictive tools using decision curve analysis. <i>International Journal of Urology</i> , 2012, 19, 846-852.	1.0	24
115	Laparoendoscopic Single-Site Pyeloplasty with Concomitant Pyelolithotomy Using Flexible Cystoscope. <i>Videourology (New Rochelle, N Y)</i> , 2011, 25, .	0.1	0
116	Ileoureteral Substitution for Complex Ureteral Reconstruction using Refluxing, Non-tailoring Vesicoileal Anastomosis. <i>Korean Journal of Urology</i> , 2007, 48, 615.	0.2	0
117	Laparoscopic Radical Nephrectomy for Renal Tumor: Comparison with Hand-assisted and Open Radical Nephrectomy. <i>Korean Journal of Urology</i> , 2006, 47, 1046.	0.2	0