

Elisabeth Cardis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7659763/publications.pdf>

Version: 2024-02-01

233
papers

13,570
citations

31976

53
h-index

23533

111
g-index

240
all docs

240
docs citations

240
times ranked

13795
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic radiological examinations and risk of intracranial tumours in adults—findings from the Interphone Study. <i>International Journal of Epidemiology</i> , 2022, 51, 537-546.	1.9	2
2	Wireless phone use in childhood and adolescence and neuroepithelial brain tumours: Results from the international MOBI-Kids study. <i>Environment International</i> , 2022, 160, 107069.	10.0	17
3	Association of allergic diseases and epilepsy with risk of glioma, meningioma and acoustic neuroma: results from the INTERPHONE international case-control study. <i>European Journal of Epidemiology</i> , 2022, 37, 503-512.	5.7	2
4	Estimation of RF and ELF dose by anatomical location in the brain from wireless phones in the MOBI-Kids study. <i>Environment International</i> , 2022, 163, 107189.	10.0	8
5	Radiofrequency electromagnetic fields from mobile communication: Description of modeled dose in brain regions and the body in European children and adolescents. <i>Environmental Research</i> , 2021, 193, 110505.	7.5	13
6	The SHAMISEN Project: Challenging historical recommendations for preparedness, response and surveillance of health and well-being in case of nuclear accidents: Lessons learnt from Chernobyl and Fukushima. <i>Environment International</i> , 2021, 146, 106200.	10.0	15
7	Lessons learned from Chernobyl and Fukushima on thyroid cancer screening and recommendations in case of a future nuclear accident. <i>Environment International</i> , 2021, 146, 106230.	10.0	15
8	Association between estimated whole-brain radiofrequency electromagnetic fields dose and cognitive function in preadolescents and adolescents. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113659.	4.3	10
9	Lessons from past radiation accidents: Critical review of methods addressed to individual dose assessment of potentially exposed people and integration with medical assessment. <i>Environment International</i> , 2021, 146, 106175.	10.0	10
10	The SHAMISEN Recommendations on preparedness and health surveillance of populations affected by a radiation accident. <i>Environment International</i> , 2021, 146, 106278.	10.0	10
11	Cognitive effects of low dose of ionizing radiation – Lessons learned and research gaps from epidemiological and biological studies. <i>Environment International</i> , 2021, 147, 106295.	10.0	31
12	Radio-frequency electromagnetic field exposure and contribution of sources in the general population: an organ-specific integrative exposure assessment. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 999-1007.	3.9	21
13	Dose Estimation for the European Epidemiological Study on Pediatric Computed Tomography (EPI-CT). <i>Radiation Research</i> , 2021, 196, 74-99.	1.5	17
14	Exposure to drinking water trihalomethanes and nitrate and the risk of brain tumours in young people. <i>Environmental Research</i> , 2021, 200, 111392.	7.5	12
15	Exposure to radiofrequency electromagnetic fields: Comparison of exposimeters with a novel body-worn distributed meter. <i>Environment International</i> , 2021, 156, 106711.	10.0	9
16	Risk of cancer associated with low-dose radiation exposure: comparison of results between the INWORKS nuclear workers study and the A-bomb survivors study. <i>Radiation and Environmental Biophysics</i> , 2021, 60, 23-39.	1.4	35
17	Estimated all-day and evening whole-brain radiofrequency electromagnetic fields doses, and sleep in preadolescents. <i>Environmental Research</i> , 2021, 204, 112291.	7.5	5
18	Stakeholder participation in nuclear and radiological emergency preparedness and recovery in Spain: benefits and challenges of working together. <i>Journal of Radiological Protection</i> , 2020, 40, N1-N8.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Trends in Estimated Thyroid, Salivary Gland, Brain, and Eye Lens Doses From Intraoral Dental Radiography Over Seven Decades (1940 TO 2009). <i>Health Physics</i> , 2020, 118, 136-148.	0.5	6
20	EVALUATION OF SPECIFIC ABSORPTION RATE IN THE FAR-FIELD, NEAR-TO-FAR FIELD AND NEAR-FIELD REGIONS FOR INTEGRATIVE RADIOFREQUENCY EXPOSURE ASSESSMENT. <i>Radiation Protection Dosimetry</i> , 2020, 190, 459-472.	0.8	25
21	Guest editorial: The SHAMISEN project – Applicability or lessons learnt and recommendations for disaster situations. <i>Environment International</i> , 2020, 144, 106000.	10.0	5
22	Epidemiological Studies of Low-Dose Ionizing Radiation and Cancer: Summary Bias Assessment and Meta-Analysis. <i>Journal of the National Cancer Institute Monographs</i> , 2020, 2020, 188-200.	2.1	97
23	Epidemiological Studies of Low-Dose Ionizing Radiation and Cancer: Rationale and Framework for the Monograph and Overview of Eligible Studies. <i>Journal of the National Cancer Institute Monographs</i> , 2020, 2020, 97-113.	2.1	39
24	Evaluation of Confounding and Selection Bias in Epidemiological Studies of Populations Exposed to Low-Dose, High-Energy Photon Radiation. <i>Journal of the National Cancer Institute Monographs</i> , 2020, 2020, 133-153.	2.1	23
25	Maternal cumulative exposure to extremely low frequency electromagnetic fields, prematurity and small for gestational age: a pooled analysis of two birth cohorts. <i>Occupational and Environmental Medicine</i> , 2020, 77, 22-31.	2.8	3
26	Is there any supportive evidence for low dose radiotherapy for COVID-19 pneumonia?. <i>International Journal of Radiation Biology</i> , 2020, 96, 1228-1235.	1.8	21
27	Estimated whole-brain and lobe-specific radiofrequency electromagnetic fields doses and brain volumes in preadolescents. <i>Environment International</i> , 2020, 142, 105808.	10.0	11
28	Clinical presentation of young people (10–24 years old) with brain tumors: results from the international MOBI-Kids study. <i>Journal of Neuro-Oncology</i> , 2020, 147, 427-440.	2.9	20
29	Exposure to Medical Radiation during Fetal Life, Childhood and Adolescence and Risk of Brain Tumor in Young Age: Results from The MOBI-Kids Case-Control Study. <i>Neuroepidemiology</i> , 2020, 54, 343-355.	2.3	6
30	Association of ionizing radiation dose from common medical diagnostic procedures and lymphoma risk in the Epilymph case-control study. <i>PLoS ONE</i> , 2020, 15, e0235658.	2.5	6
31	Low dose radiation therapy for COVID-19 pneumonia: is there any supportive evidence?. <i>International Journal of Radiation Biology</i> , 2020, 96, 1224-1227.	1.8	25
32	Neurodevelopmental effects of low dose ionizing radiation exposure: A systematic review of the epidemiological evidence. <i>Environment International</i> , 2020, 136, 105371.	10.0	19
33	Computed tomography of the head and the risk of brain tumours during childhood and adolescence: results from a case–control study in Japan. <i>Journal of Radiological Protection</i> , 2020, 40, 1010-1023.	1.1	9
34	Parental occupational exposure to low-frequency magnetic fields and risk of leukaemia in the offspring: findings from the Childhood Leukaemia International Consortium (CLIC). <i>Occupational and Environmental Medicine</i> , 2019, 76, 746-753.	2.8	10
35	Development of a Job-Exposure Matrix for Assessment of Occupational Exposure to High-Frequency Electromagnetic Fields (3 kHz–300 GHz). <i>Annals of Work Exposures and Health</i> , 2019, 63, 1013-1028.	1.4	6
36	Thyroid Cancer after Exposure to Radioiodine in Childhood and Adolescence: 131I-Related Risk and the Role of Selected Host and Environmental Factors. <i>Cancers</i> , 2019, 11, 1481.	3.7	11

#	ARTICLE	IF	CITATIONS
37	Environmental Factors and the Risk of Brain Tumours in Young People: A Systematic Review. <i>Neuroepidemiology</i> , 2019, 53, 121-141.	2.3	22
38	Associations of Maternal Cell-Phone Use During Pregnancy With Pregnancy Duration and Fetal Growth in 4 Birth Cohorts. <i>American Journal of Epidemiology</i> , 2019, 188, 1270-1280.	3.4	17
39	A Multi-Band Body-Worn Distributed Exposure Meter for Personal Radio-Frequency Dosimetry in Diffuse Indoor Environments. <i>IEEE Sensors Journal</i> , 2019, 19, 6927-6937.	4.7	8
40	Nonparticipation Selection Bias in the MOBI-Kids Study. <i>Epidemiology</i> , 2019, 30, 145-153.	2.7	6
41	The effect of antenna polarization and body morphology on the measurement uncertainty of a wearable multi-band distributed exposure meter. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2019, 74, 67-77.	2.5	5
42	Telecommunication devices use, screen time and sleep in adolescents. <i>Environmental Research</i> , 2019, 171, 341-347.	7.5	66
43	Cohort Profile: the EPI-CT study: a European pooled epidemiological study to quantify the risk of radiation-induced cancer from paediatric CT. <i>International Journal of Epidemiology</i> , 2019, 48, 379-381g.	1.9	49
44	Exposure to loud noise and risk of vestibular schwannoma: results from the INTERPHONE international case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 183-193.	3.4	4
45	Cancer risk from paediatric computed tomography scanning: implications for radiation protection in medicine. <i>Annals of the ICRP</i> , 2018, 47, 113-114.	3.8	6
46	Multidisciplinary European Low Dose Initiative (MELODI): strategic research agenda for low dose radiation risk research. <i>Radiation and Environmental Biophysics</i> , 2018, 57, 5-15.	1.4	44
47	Maternal cumulative exposure to extremely low frequency electromagnetic fields and pregnancy outcomes in the Elfe cohort. <i>Environment International</i> , 2018, 112, 165-173.	10.0	12
48	Recall of mobile phone usage and laterality in young people: The multinational Mobi-Expo study. <i>Environmental Research</i> , 2018, 165, 150-157.	7.5	21
49	Long-term recall accuracy for mobile phone calls in young Japanese people: A follow-up validation study using software-modified phones. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 166-172.	3.9	4
50	Berkson error adjustment and other exposure surrogates in occupational case-control studies, with application to the Canadian INTEROCC study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 251-258.	3.9	12
51	The INTEROCC case-control study: risk of meningioma and occupational exposure to selected combustion products, dusts and other chemical agents. <i>Occupational and Environmental Medicine</i> , 2018, 75, 12-22.	2.8	6
52	Site-specific Solid Cancer Mortality After Exposure to Ionizing Radiation. <i>Epidemiology</i> , 2018, 29, 31-40.	2.7	82
53	1185...Maternal cumulative exposure to extremely low frequency electromagnetic fields and pregnancy outcomes in the elfe cohort. , 2018, , .		0
54	CT scan exposure in Spanish children and young adults by socioeconomic status: Cross-sectional analysis of cohort data. <i>PLoS ONE</i> , 2018, 13, e0196449.	2.5	8

#	ARTICLE	IF	CITATIONS
55	Personal exposure to radio-frequency electromagnetic fields in Europe: Is there a generation gap?. Environment International, 2018, 121, 216-226.	10.0	28
56	Authors' response to the Comments from S.M.J. Mortazavi regarding: "Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approach". Environment International, 2018, 121, 1025-1026.	10.0	1
57	Spatial and temporal variability of personal environmental exposure to radio frequency electromagnetic fields in children in Europe. Environment International, 2018, 117, 204-214.	10.0	59
58	Subtle excess in lifetime cancer risk related to CT scanning in Spanish young people. Environment International, 2018, 120, 1-10.	10.0	15
59	A Multi-Band Body-Worn Distributed Radio-Frequency Exposure Meter: Design, On-Body Calibration and Study of Body Morphology. Sensors, 2018, 18, 272.	3.8	17
60	Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approach. Environment International, 2018, 119, 353-365.	10.0	16
61	La carga de enfermedad en España: resultados del Estudio de la Carga Global de las Enfermedades 2016. Medicina Clínica, 2018, 151, 171-190.	0.6	113
62	P II " 3" 8" Benefits of participation citizen science in recovery programs (post-nuclear accidents). , 2018, , .		2
63	The first in vivo multiparametric comparison of different radiation exposure biomarkers in human blood. PLoS ONE, 2018, 13, e0193412.	2.5	34
64	Early Detection of Cardiovascular Changes After Radiotherapy for Breast Cancer: Protocol for a European Multicenter Prospective Cohort Study (MEDIRAD EARLY HEART Study). JMIR Research Protocols, 2018, 7, e178.	1.0	23
65	Socio-economic, historical and cultural background. , 2018, , 28-42.		4
66	Ionizing radiation biomarkers in epidemiological studies " An update. Mutation Research - Reviews in Mutation Research, 2017, 771, 59-84.	5.5	118
67	Measurements of intermediate-frequency electric and magnetic fields in households. Environmental Research, 2017, 154, 160-170.	7.5	31
68	ELF exposure from mobile and cordless phones for the epidemiological MOBI-Kids study. Environment International, 2017, 101, 59-69.	10.0	7
69	Mobile phone types and SAR characteristics of the human brain. Physics in Medicine and Biology, 2017, 62, 2741-2761.	3.0	23
70	Maternal cell phone use during pregnancy and child behavioral problems in five birth cohorts. Environment International, 2017, 104, 122-131.	10.0	31
71	Exposure to electric and magnetic fields at intermediate frequencies of household appliances. , 2017, , .		3
72	Examining temporal effects on cancer risk in the international nuclear workers"™ study. International Journal of Cancer, 2017, 140, 1260-1269.	5.1	23

#	ARTICLE	IF	CITATIONS
73	Risk of Lung Cancer Mortality in Nuclear Workers from Internal Exposure to Alpha Particle-emitting Radionuclides. <i>Epidemiology</i> , 2017, 28, 675-684.	2.7	32
74	Interactions between occupational exposure to extremely low frequency magnetic fields and chemicals for brain tumour risk in the INTEROCC study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 802-809.	2.8	7
75	Somatic health effects of Chernobyl: 30 years on. <i>European Journal of Epidemiology</i> , 2017, 32, 1047-1054.	5.7	43
76	Mortality from Circulatory Diseases and other Non-Cancer Outcomes among Nuclear Workers in France, the United Kingdom and the United States (INWORKS). <i>Radiation Research</i> , 2017, 188, 276.	1.5	99
77	Occupational solvent exposure and risk of glioma in the INTEROCC study. <i>British Journal of Cancer</i> , 2017, 117, 1246-1254.	6.4	10
78	A restatement of the natural science evidence base concerning the health effects of low-level ionizing radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20171070.	2.6	68
79	The International Nuclear Workers Study (Inworks): A Collaborative Epidemiological Study to Improve Knowledge About Health Effects of Protracted Low-Dose Exposure. <i>Radiation Protection Dosimetry</i> , 2017, 173, 21-25.	0.8	41
80	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. <i>Environment International</i> , 2017, 107, 65-74.	10.0	27
81	Investigation of DNA repair-related SNPs underlying susceptibility to papillary thyroid carcinoma reveals MGMT as a novel candidate gene in Belarusian children exposed to radiation. <i>BMC Cancer</i> , 2017, 17, 328.	2.6	18
82	Development of a source-exposure matrix for occupational exposure assessment of electromagnetic fields in the INTEROCC study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2017, 27, 398-408.	3.9	8
83	Lifetime occupational exposure to metals and welding fumes, and risk of glioma: a 7-country population-based case-control study. <i>Environmental Health</i> , 2017, 16, 90.	4.0	26
84	Probabilistic Multiple-Bias Modeling Applied to the Canadian Data From the Interphone Study of Mobile Phone Use and Risk of Glioma, Meningioma, Acoustic Neuroma, and Parotid Gland Tumors. <i>American Journal of Epidemiology</i> , 2017, 186, 885-893.	3.4	46
85	R Implementation of the Excess Relative Rate Model: Applications to Radiation Epidemiology. <i>Trends in Mathematics</i> , 2017, , 121-126.	0.1	0
86	Reconstruction of Internal Doses for the Alpha-Risk Case-Control Study of Lung Cancer and Leukaemia Among European Nuclear Workers. <i>Radiation Protection Dosimetry</i> , 2016, 174, 485-494.	0.8	4
87	O10-2â€¦Maternal occupational exposure assessment to extremely low frequency electromagnetic fields (ELF-EMF) and pregnancy outcomes in the elfe cohort. , 2016, , .		0
88	InterCardioRisk: a novel online tool for estimating doses of ionising radiation to occupationally-exposed medical staff and their associated health risks. <i>Journal of Radiological Protection</i> , 2016, 36, 561-578.	1.1	7
89	Occupational exposure to metals and risk of meningioma: a multinational case-control study. <i>Journal of Neuro-Oncology</i> , 2016, 130, 505-515.	2.9	16
90	Investigation of bias related to differences between case and control interview dates in five INTERPHONE countries. <i>Annals of Epidemiology</i> , 2016, 26, 827-832.e2.	1.9	5

#	ARTICLE	IF	CITATIONS
91	The Intracranial Distribution of Gliomas in Relation to Exposure From Mobile Phones: Analyses From the INTERPHONE Study. <i>American Journal of Epidemiology</i> , 2016, 184, 818-828.	3.4	21
92	Childhood CT scans and cancer risk: impact of predisposing factors for cancer on the risk estimates. <i>Journal of Radiological Protection</i> , 2016, 36, N1-N7.	1.1	44
93	Concerted Uranium Research in Europe (CURE): toward a collaborative project integrating dosimetry, epidemiology and radiobiology to study the effects of occupational uranium exposure. <i>Journal of Radiological Protection</i> , 2016, 36, 319-345.	1.1	17
94	A Source-based Measurement Database for Occupational Exposure Assessment of Electromagnetic Fields in the INTEROCC Study: A Literature Review Approach. <i>Annals of Work Exposures and Health</i> , 2016, 60, 184-204.	1.4	18
95	Cohort Profile: The International Nuclear Workers Study (INWORKS). <i>International Journal of Epidemiology</i> , 2016, 45, 693-699.	1.9	37
96	Trends and patterns in the use of computed tomography in children and young adults in Catalonia â€” results from the EPI-CT study. <i>Pediatric Radiology</i> , 2016, 46, 119-129.	2.0	37
97	Numerical Implementation of Representative Mobile Phone Models for Epidemiological Studies. <i>Journal of the Korean Institute of Electromagnetic Engineering and Science</i> , 2016, 16, 87-99.	3.0	17
98	INWORKS study: risk of leukaemia from protracted radiation exposure â€” Authors' reply. <i>Lancet Haematology</i> , 2015, 2, e405-e406.	4.6	5
99	Using softwareâ€”modified smartphones to validate selfâ€”reported mobile phone use in young people: A pilot study. <i>Bioelectromagnetics</i> , 2015, 36, 538-543.	1.6	20
100	A threeâ€”dimensional point process model for the spatial distribution of disease occurrence in relation to an exposure source. <i>Statistics in Medicine</i> , 2015, 34, 3170-3180.	1.6	7
101	EPI-CT: design, challenges and epidemiological methods of an international study on cancer risk after paediatric and young adult CT. <i>Journal of Radiological Protection</i> , 2015, 35, 611-628.	1.1	48
102	Childhood central nervous system tumours: Incidence and time trends in 13 Southern and Eastern European cancer registries. <i>European Journal of Cancer</i> , 2015, 51, 1444-1455.	2.8	30
103	Comment on â€”Are the studies on cancer risk from CT scans biased by indication? Elements of answer from a large-scale cohort study in Franceâ€”Evidence of confounding by predisposing factors unclear. <i>British Journal of Cancer</i> , 2015, 112, 1842-1843.	6.4	11
104	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514.	6.0	86
105	Ionising radiation and risk of death from leukaemia and lymphoma in radiation-monitored workers (INWORKS): an international cohort study. <i>Lancet Haematology</i> , 2015, 2, e276-e281.	4.6	325
106	Low-dose ionising radiation and cardiovascular diseases â€” Strategies for molecular epidemiological studies in Europe. <i>Mutation Research - Reviews in Mutation Research</i> , 2015, 764, 90-100.	5.5	64
107	Risk of cancer from occupational exposure to ionising radiation: retrospective cohort study of workers in France, the United Kingdom, and the United States (INWORKS). <i>BMJ</i> , 2015, 351, h5359.	6.0	267
108	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€”2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , 2015, 386, 2287-2323.	13.7	2,184

#	ARTICLE	IF	CITATIONS
109	Dose Estimation for a Study of Nuclear Workers in France, the United Kingdom and the United States of America: Methods for the International Nuclear Workers Study (INWORKS). <i>Radiation Research</i> , 2015, 183, 632.	1.5	52
110	The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk. <i>Frontiers in Public Health</i> , 2014, 2, 124.	2.7	53
111	Usefulness of Saliva Samples for Biomarker Studies in Radiation Research. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2673-2680.	2.5	26
112	Assessment of extremely low frequency magnetic field exposure from GSM mobile phones. <i>Bioelectromagnetics</i> , 2014, 35, 210-221.	1.6	15
113	Contribution of <i>ATM</i> and <i>FOXO1</i> (<i>TTF2</i>) to risk of papillary thyroid carcinoma in Belarusian children exposed to radiation. <i>International Journal of Cancer</i> , 2014, 134, 1659-1668.	5.1	53
114	Occupational solvent exposure and risk of meningioma: results from the INTEROCC multicentre case-control study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 253-258.	2.8	11
115	Brain tumours and cigarette smoking: analysis of the INTERPHONE Canada case-control study. <i>Environmental Health</i> , 2014, 13, 55.	4.0	17
116	Occupational Exposure to Extremely Low-Frequency Magnetic Fields and Brain Tumor Risks in the INTEROCC Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1863-1872.	2.5	65
117	Potential health impacts of residential exposures to extremely low frequency magnetic fields in Europe. <i>Environment International</i> , 2014, 62, 55-63.	10.0	80
118	Mobile Phones and Cancer. <i>Epidemiology</i> , 2014, 25, 616-617.	2.7	5
119	INTEROCC case-control study: lack of association between glioma tumors and occupational exposure to selected combustion products, dusts and other chemical agents. <i>BMC Public Health</i> , 2013, 13, 340.	2.9	26
120	Comment on "Dose-responses from multi-model inference for the non-cancer disease mortality of atomic bomb survivors" (<i>Radiat. Environ. Biophys</i> (2012) 51:165-178) by Schöllinger et al.. <i>Radiation and Environmental Biophysics</i> , 2013, 52, 157-159.	1.4	10
121	Allergy and brain tumors in the INTERPHONE study: pooled results from Australia, Canada, France, Israel, and New Zealand. <i>Cancer Causes and Control</i> , 2013, 24, 949-960.	1.8	63
122	Assessing Occupational Exposure to Chemicals in an International Epidemiological Study of Brain Tumours. <i>Annals of Occupational Hygiene</i> , 2013, 57, 610-26.	1.9	24
123	Systematic Review and Meta-analysis of Circulatory Disease from Exposure to Low-Level Ionizing Radiation and Estimates of Potential Population Mortality Risks. <i>Environmental Health Perspectives</i> , 2012, 120, 1503-1511.	6.0	296
124	Estimating Risk of Circulatory Disease: Little et al. Respond. <i>Environmental Health Perspectives</i> , 2012, 120, .	6.0	3
125	Comparison of exposure estimates in the Finnish job-exposure matrix FINJEM with a JEM derived from expert assessments performed in Montreal. <i>Occupational and Environmental Medicine</i> , 2012, 69, 465-471.	2.8	44
126	Exposure to diagnostic radiation and risk of breast cancer among carriers of BRCA1/2 mutations: retrospective cohort study (GENE-RAD-RISK). <i>BMJ</i> , The, 2012, 345, e5660-e5660.	6.0	186

#	ARTICLE	IF	CITATIONS
127	DoReMi workshop on multidisciplinary approaches to evaluating cancer risks associated with low-dose internal contamination. <i>Radioprotection</i> , 2012, 47, 119-148.	1.0	13
128	Ionizing radiation biomarkers for potential use in epidemiological studies. <i>Mutation Research - Reviews in Mutation Research</i> , 2012, 751, 258-286.	5.5	181
129	Risk of Thyroid Cancer among Chernobyl Liquidators. <i>Radiation Research</i> , 2012, 178, 425-436.	1.5	75
130	Variability of radiofrequency exposure across days of the week: A population-based study. <i>Environmental Research</i> , 2011, 111, 510-513.	7.5	27
131	Evaluation of the quality and comparability of job coding across seven countries in the INTEROCC study. <i>Occupational and Environmental Medicine</i> , 2011, 68, A61-A61.	2.8	3
132	Exposure assessment for chemical agents in the INTEROCC study: refinement of the Finnish Job Exposure Matrix (FINJEM). <i>Occupational and Environmental Medicine</i> , 2011, 68, A61-A61.	2.8	1
133	Uranium carcinogenicity in humans might depend on the physical and chemical nature of uranium and its isotopic composition: results from pilot epidemiological study of French nuclear workers. <i>Cancer Causes and Control</i> , 2011, 22, 1563-1573.	1.8	43
134	Analysis of three-dimensional SAR distributions emitted by mobile phones in an epidemiological perspective. <i>Bioelectromagnetics</i> , 2011, 32, 634-643.	1.6	11
135	The Chernobyl Accident – An Epidemiological Perspective. <i>Clinical Oncology</i> , 2011, 23, 251-260.	1.4	163
136	P1-46 Diagnostic radiation exposure and breast cancer risk in BRCA1/2 mutation carriers in the gene-rad-risk study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A79-A79.	3.7	0
137	Risk of brain tumours in relation to estimated RF dose from mobile phones: results from five Interphone countries. <i>Occupational and Environmental Medicine</i> , 2011, 68, 631-640.	2.8	116
138	Indications of possible brain-tumour risk in mobile-phone studies: should we be concerned?. <i>Occupational and Environmental Medicine</i> , 2011, 68, 169-171.	2.8	17
139	Estimation of RF energy absorbed in the brain from mobile phones in the Interphone Study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 686-693.	2.8	48
140	MOBI-KIDS; STUDY ON COMMUNICATION TECHNOLOGY, ENVIRONMENT AND BRAIN TUMOURS IN YOUNG PEOPLE. <i>ISEE Conference Abstracts</i> , 2011, 2011, .	0.0	1
141	Medical exposure to ionizing radiation and brain tumour risk – analyses of data from five Interphone countries. <i>ISEE Conference Abstracts</i> , 2011, 2011, .	0.0	0
142	REPROCESSED URANIUM EXPOSURE AND LUNG CANCER RISK. <i>Health Physics</i> , 2010, 99, 308-313.	0.5	17
143	RECONSTRUCTION OF RADIATION DOSES IN A CASE-CONTROL STUDY OF THYROID CANCER FOLLOWING THE CHERNOBYL ACCIDENT. <i>Health Physics</i> , 2010, 99, 1-16.	0.5	30
144	French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 301-308.	2.3	29

#	ARTICLE	IF	CITATIONS
145	Conduct of a personal radiofrequency electromagnetic field measurement study: proposed study protocol. <i>Environmental Health</i> , 2010, 9, 23.	4.0	94
146	Thyroid cancer following nuclear tests in French Polynesia. <i>British Journal of Cancer</i> , 2010, 103, 1115-1121.	6.4	39
147	431 Diagnostic radiation exposure and risk of breast cancer in BRCA1/2 mutation carriers in the GENE-RAD-RISK study: a report from the GENEPSO, EMBRACE, and HEBON Collaborators' group. <i>European Journal of Cancer, Supplement</i> , 2010, 8, 185.	2.2	0
148	Evaluation of stable iodine status of the areas affected by the Chernobyl accident in an epidemiological study in Belarus and the Russian Federation. <i>Journal of Geochemical Exploration</i> , 2010, 107, 124-135.	3.2	15
149	Residential exposure to radiofrequency fields from mobile phone base stations, and broadcast transmitters: a population-based survey with personal meter. <i>Occupational and Environmental Medicine</i> , 2009, 66, 550-556.	2.8	76
150	The estimation of 3D SAR distributions in the human head from mobile phone compliance testing data for epidemiological studies. <i>Physics in Medicine and Biology</i> , 2009, 54, 5695-5706.	3.0	20
151	Can loud noise cause acoustic neuroma? Analysis of the INTERPHONE study in France. <i>Occupational and Environmental Medicine</i> , 2009, 66, 480-486.	2.8	28
152	Recall bias in the assessment of exposure to mobile phones. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2009, 19, 369-381.	3.9	119
153	Determinants of mobile phone output power in a multinational study: implications for exposure assessment. <i>Occupational and Environmental Medicine</i> , 2009, 66, 664-671.	2.8	62
154	Radiofrequency exposure in the French general population: Band, time, location and activity variability. <i>Environment International</i> , 2009, 35, 1150-1154.	10.0	93
155	Quantifying the Impact of Selection Bias Caused by Nonparticipation in a Case-Control Study of Mobile Phone Use. <i>Annals of Epidemiology</i> , 2009, 19, 33-41.e1.	1.9	58
156	Human exposure to high natural background radiation: what can it teach us about radiation risks?. <i>Journal of Radiological Protection</i> , 2009, 29, A29-A42.	1.1	226
157	RADRUE METHOD FOR RECONSTRUCTION OF EXTERNAL PHOTON DOSES FOR CHERNOBYL LIQUIDATORS IN EPIDEMIOLOGICAL STUDIES. <i>Health Physics</i> , 2009, 97, 275-298.	0.5	47
158	Smoking and risk of parotid gland tumors. <i>Cancer</i> , 2008, 112, 1974-1982.	4.1	80
159	Categorization of Mobile Phones for Exposure Assessment in Epidemiological Studies on Mobile Phone Use and Brain Cancer Risk. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2008, 56, 2377-2384.	4.6	14
160	Ionizing Radiation and Risk of Chronic Lymphocytic Leukemia in the 15-Country Study of Nuclear Industry Workers. <i>Radiation Research</i> , 2008, 170, 661-665.	1.5	34
161	Risk of Hematological Malignancies among Chernobyl Liquidators. <i>Radiation Research</i> , 2008, 170, 721-735.	1.5	100
162	Cellular Phone Use and Risk of Benign and Malignant Parotid Gland Tumors--A Nationwide Case-Control Study. <i>American Journal of Epidemiology</i> , 2008, 167, 457-467.	3.4	144

#	ARTICLE	IF	CITATIONS
163	Distribution of RF energy emitted by mobile phones in anatomical structures of the brain. <i>Physics in Medicine and Biology</i> , 2008, 53, 2771-2783.	3.0	150
164	RECONSTRUCTION OF INDIVIDUAL RADIATION DOSES FOR A CASE-CONTROL STUDY OF THYROID CANCER IN FRENCH POLYNESIA. <i>Health Physics</i> , 2008, 94, 418-433.	0.5	19
165	Re: Cellular Telephone Use and Cancer Risk: Update of a Nationwide Danish Cohort Study. <i>Journal of the National Cancer Institute</i> , 2007, 99, 655-655.	6.3	10
166	Uncertainties in individual doses in a case-control study of thyroid cancer after the Chernobyl accident. <i>Radiation Protection Dosimetry</i> , 2007, 127, 540-543.	0.8	12
167	Mortality from diseases other than cancer following low doses of ionizing radiation: results from the 15-Country Study of nuclear industry workers. <i>International Journal of Epidemiology</i> , 2007, 36, 1126-1135.	1.9	135
168	Radiation exposure to the population of Europe following the Chernobyl accident. <i>Radiation Protection Dosimetry</i> , 2007, 123, 515-528.	0.8	29
169	CURRENT STATUS AND EPIDEMIOLOGICAL RESEARCH NEEDS FOR ACHIEVING A BETTER UNDERSTANDING OF THE CONSEQUENCES OF THE CHERNOBYL ACCIDENT. <i>Health Physics</i> , 2007, 93, 542-546.	0.5	9
170	Identification of women with an increased risk of developing radiation-induced breast cancer. <i>Breast Cancer Research</i> , 2007, 9, 106.	5.0	10
171	The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: Study of Errors in Dosimetry. <i>Radiation Research</i> , 2007, 167, 380-395.	1.5	79
172	The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: Design, Epidemiological Methods and Descriptive Results. <i>Radiation Research</i> , 2007, 167, 361-379.	1.5	125
173	The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: Estimates of Radiation-Related Cancer Risks. <i>Radiation Research</i> , 2007, 167, 396-416.	1.5	1,139
174	Commentary: Low dose-rate exposures to ionizing radiation. <i>International Journal of Epidemiology</i> , 2007, 36, 1046-1047.	1.9	8
175	A Monte Carlo Maximum Likelihood Method for Estimating Uncertainty Arising from Shared Errors in Exposures in Epidemiological Studies of Nuclear Workers. <i>Radiation Research</i> , 2007, 168, 757-763.	1.5	36
176	The INTERPHONE study: design, epidemiological methods, and description of the study population. <i>European Journal of Epidemiology</i> , 2007, 22, 647-664.	5.7	225
177	Cancer consequences of the Chernobyl accident: 20 years on. <i>Journal of Radiological Protection</i> , 2006, 26, 127-140.	1.1	213
178	Reply: Mobile phone use and acoustic neuroma in five North European countries. <i>British Journal of Cancer</i> , 2006, 94, 1352-1353.	6.4	3
179	The effects of recall errors and of selection bias in epidemiologic studies of mobile phone use and cancer risk. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2006, 16, 371-384.	3.9	89
180	Breast cancer in Belarus and Ukraine after the Chernobyl accident. <i>International Journal of Cancer</i> , 2006, 119, 651-658.	5.1	91

#	ARTICLE	IF	CITATIONS
181	Estimates of the cancer burden in Europe from radioactive fallout from the Chernobyl accident. <i>International Journal of Cancer</i> , 2006, 119, 1224-1235.	5.1	131
182	RESPONSE: Re: Risk of Thyroid Cancer After Exposure to 131 I in Childhood. <i>Journal of the National Cancer Institute</i> , 2006, 98, 641-642.	6.3	0
183	Validation of short term recall of mobile phone use for the Interphone study. <i>Occupational and Environmental Medicine</i> , 2006, 63, 237-243.	2.8	124
184	RESPONSE: Re: Risk of Thyroid Cancer After Exposure to 131 I in Childhood. <i>Journal of the National Cancer Institute</i> , 2006, 98, 561-561.	6.3	2
185	Effect of Chest X-Rays on the Risk of Breast Cancer Among BRCA1/2 Mutation Carriers in the International BRCA1/2 Carrier Cohort Study: A Report from the EMBRACE, GENEPSO, GEO-HEBON, and IBCCS Collaboratorsâ€™ Group. <i>Journal of Clinical Oncology</i> , 2006, 24, 3361-3366.	1.6	188
186	External Dose Estimation for Nuclear Worker Studies. <i>Radiation Research</i> , 2006, 166, 168-173.	1.5	12
187	Estimation of Radiation Doses in a Case-control Study of Thyroid Cancer in French Polynesia. <i>Epidemiology</i> , 2006, 17, S457.	2.7	0
188	Effects of Low-Dose Protracted Exposuresâ€™The 15-Country Study of Nuclear Industry Workers. <i>Epidemiology</i> , 2006, 17, S67.	2.7	0
189	RF Exposure Assessment Within Interphone. <i>Epidemiology</i> , 2006, 17, S72-S73.	2.7	0
190	Assessment of RF Exposure in the General Populationâ€™Results of a Pilot Study. <i>Epidemiology</i> , 2006, 17, S73.	2.7	0
191	The Interphone Study: Cancer Risk Related to Mobile Telephone Use. <i>Epidemiology</i> , 2006, 17, S72.	2.7	0
192	Mobile phone use and risk of acoustic neuroma: results of the Interphone caseâ€™control study in five North European countries. <i>British Journal of Cancer</i> , 2005, 93, 842-848.	6.4	181
193	Occupational X-ray examinations and lung cancer risk. <i>International Journal of Cancer</i> , 2005, 115, 263-267.	5.1	14
194	Risk of cancer after low doses of ionising radiation: retrospective cohort study in 15 countries. <i>BMJ: British Medical Journal</i> , 2005, 331, 77.	2.3	494
195	Risk of Thyroid Cancer After Exposure to 131 I in Childhood. <i>Journal of the National Cancer Institute</i> , 2005, 97, 724-732.	6.3	506
196	Low-dose ionizing radiation significantly increases the risk of breast cancer among BRCA1/2 mutation carriers in the International BRCA1/2 Carrier Cohort Study (IBCCS). <i>Breast Cancer Research</i> , 2005, 7, 1.	5.0	0
197	ELF MFs: Straif et al. Respond. <i>Environmental Health Perspectives</i> , 2005, 113, A727-A727.	6.0	0
198	Funding crisis at the Radiation Effects Research Foundation. <i>Journal of Radiological Protection</i> , 2004, 24, 195-197.	1.1	0

#	ARTICLE	IF	CITATIONS
199	THE AUTHORS AND DR. CARDIS REPLY. American Journal of Epidemiology, 2004, 160, 924-925.	3.4	0
200	Potential funding crisis for the Radiation Effects Research Foundation. Lancet, The, 2004, 364, 557-558.	13.7	2
201	Studies of cancer risk among Chernobyl liquidators: materials and methods. Journal of Radiological Protection, 2002, 22, A137-A141.	1.1	13
202	Study of a Selection of 10 Historical Types of Dosimeter: Variation of the Response to Hp(10) with Photon Energy and Geometry of Exposure. Radiation Protection Dosimetry, 2002, 102, 101-113.	0.8	33
203	Joint Belarus/Russia/EU/IARC/SMFH caseâ€“control studies of thyroid cancer in young people following the Chernobyl accident. International Congress Series, 2002, 1234, 105-113.	0.2	2
204	Review of the Epidemiologic Literature on EMF and Health. Environmental Health Perspectives, 2001, 109, 911.	6.0	122
205	A Method to Assess Predominant Energies of Exposure in a Nuclear Research Centre - Saclay (France). Radiation Protection Dosimetry, 2001, 94, 215-225.	0.8	14
206	RADIATION RISK ESTIMATES IN THE BEGINNING OF THE 21ST CENTURY. Health Physics, 2001, 80, 349-361.	0.5	27
207	DEPLETED URANIUM--CAUSE FOR CONCERN OR JUST A GOOD STORY?. Pediatric Hematology and Oncology, 2001, 18, 367-370.	0.8	0
208	International Case-Control Study of Adult Brain, Head and Neck Tumours: Results of the Feasibility Study. Radiation Protection Dosimetry, 1999, 83, 179-183.	0.8	62
209	Criteria for EMF Health Risk Assessment. Radiation Protection Dosimetry, 1997, 72, 305-312.	0.8	27
210	A Retrospective Evaluation of the Dosimetry Employed in an International Combined Epidemiological Study. Radiation Protection Dosimetry, 1997, 74, 39-53.	0.8	10
211	Radiation epidemiology and national dose registers. European Journal of Cancer, 1997, 33, S1-S2.	2.8	3
212	The use of national registers of radiation exposure in occupational radiation risk assessment. European Journal of Cancer, 1997, 33, S3-S6.	2.8	4
213	The Future of Population Monitoring in Cancer Research. Environmental Health Perspectives, 1996, 104, 527.	6.0	1
214	Epidemiology of Accidental Radiation Exposures. Environmental Health Perspectives, 1996, 104, 643.	6.0	0
215	Response to the Letters of Drs. Schillaci and Uma Devi. Radiation Research, 1996, 145, 648.	1.5	0
216	Cancer consequences of the Chernobyl accident in Europe outside the former USSR: A review. , 1996, 67, 343-352.		42

#	ARTICLE	IF	CITATIONS
217	Response to the Letter of Drs. Gopinath and Nambi. Radiation Research, 1995, 144, 347.	1.5	1
218	Effects of Low Doses and Low Dose Rates of External Ionizing Radiation: Cancer Mortality among Nuclear Industry Workers in Three Countries. Radiation Research, 1995, 142, 117.	1.5	431
219	Effects of low doses and low dose rates of external ionizing radiation: cancer mortality among nuclear industry workers in three countries. Radiation Research, 1995, 142, 117-32.	1.5	107
220	Bladder cancer and occupational exposures.. Scandinavian Journal of Work, Environment and Health, 1994, 20, 322-330.	3.4	37
221	Childhood leukaemia following the Chernobyl accident: The European Childhood Leukaemia-Lymphoma Incidence Study (ECLIS). European Journal of Cancer, 1993, 29, 87-95.	2.8	51
222	Estimating human cancer risk from the results of animal experiments: Relationship between mechanism and dose-rate and dose. American Journal of Industrial Medicine, 1992, 21, 5-14.	2.1	4
223	Cancer risks related to electricity production. European Journal of Cancer & Clinical Oncology, 1991, 27, 1504-1519.	0.7	14
224	Uncertainties in Recorded Doses in the Nuclear Industry: Identification, Quantification and Implications for Epidemiology Studies. Radiation Protection Dosimetry, 1991, 36, 315-319.	0.8	8
225	Epidemiological designs in radioepidemiological research. International Journal of Public Health, 1991, 36, 279-285.	2.6	3
226	Cytochrome P-450 Isozyme Pattern Is Related to Individual Susceptibility to Diethylnitrosamine-induced Liver Cancer in Rats. Japanese Journal of Cancer Research, 1991, 82, 146-156.	1.7	11
227	Tumour incidence in the progeny of male rats exposed to ethylnitrosourea before mating. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1990, 229, 231-237.	1.0	17
228	Cancer incidence correlations: Genital, urinary and some tobacco-related cancers. International Journal of Cancer, 1990, 46, 178-184.	5.1	41
229	Systematic modulation by human diet levels of dietary fibre and beef on metabolism and disposition of benzo[a]pyrene in the gastrointestinal tract of Fischer F344 rats. Carcinogenesis, 1990, 11, 609-616.	2.8	19
230	Mortality of a cohort in a polyamide-polyester factory in Lyon: a further follow up.. Occupational and Environmental Medicine, 1989, 46, 665-670.	2.8	4
231	Degree of Confounding Bias Related to Smoking, Ethnic Group, and Socioeconomic Status in Estimates of the Associations Between Occupation and Cancer. Journal of Occupational and Environmental Medicine, 1988, 30, 617-625.	1.7	104
232	Mortality experience in a polyamide-polyester factory.. Scandinavian Journal of Work, Environment and Health, 1986, 12, 455-460.	3.4	3
233	Subclinical Left Ventricular Dysfunction Detected by Speckle-Tracking Echocardiography in Breast Cancer Patients Treated With Radiation Therapy: A Six-Month Follow-Up Analysis (MEDIRAD EARLYâ€œHEART) Tj ETQp 1 0.784314 rgBT	1.0	1