

Fei Tong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/766141/publications.pdf>

Version: 2024-02-01

21
papers

363
citations

758635

12
h-index

887659

17
g-index

21
all docs

21
docs citations

21
times ranked

617
citing authors

#	ARTICLE	IF	CITATIONS
1	In vitro/vivo Drug Release and Anti-Diabetic Cardiomyopathy Properties of Curcumin/PBLG-PEG-PBLG Nanoparticles [Retraction]. International Journal of Nanomedicine, 2021, Volume 16, 3579-3580.	3.3	0
2	Simvastatin Alleviates Intestinal Ischemia/Reperfusion Injury by Modulating Omi/HtrA2 Signaling Pathways. Transplantation Proceedings, 2019, 51, 2798-2807.	0.3	5
3	Preconditioning with endoplasmic reticulum stress alleviated heart ischemia/reperfusion injury via modulating IRE1/ATF6/RACK1/PERK and PGC-1 α in diabetes mellitus. Biomedicine and Pharmacotherapy, 2019, 118, 109407.	2.5	24
4	Phycocyanin/PEG-b-(PG-g-PEI) attenuated hepatic ischemia/reperfusion-induced pancreatic islet injury and enlarged islet functionality. International Journal of Nanomedicine, 2019, Volume 14, 339-351.	3.3	6
5	The interaction between CSE/H2S and the iNOS/NO-mediated resveratrol/poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 505 Biomedicine and Pharmacotherapy, 2019, 112, 108736.	2.5	10
6	In vitro/vivo drug release and anti-diabetic cardiomyopathy properties of curcumin/PBLG-PEG-PBLG nanoparticles. International Journal of Nanomedicine, 2018, Volume 13, 1945-1962.	3.3	26
7	Lumbrokinase/paclitaxel nanoparticle complex: potential therapeutic applications in bladder cancer. International Journal of Nanomedicine, 2018, Volume 13, 3625-3640.	3.3	14
8	Endogenous ornithine decarboxylase/polyamine system mediated the antagonist role of insulin/PEG-CMCS preconditioning against heart ischemia/reperfusion injury in diabetes mellitus. International Journal of Nanomedicine, 2018, Volume 13, 2507-2520.	3.3	13
9	Sustained delivery of insulin-loaded block copolymers: Potential implications on renal ischemia/reperfusion injury in diabetes mellitus. Biomedicine and Pharmacotherapy, 2017, 91, 534-545.	2.5	15
10	Poly (Ethylene Glycol)-b-Block-Brush Poly (L-Lysine) Copolymer as an Efficient Nanocarrier for Human Hepatocyte Growth Factor with Enhanced Bioavailability and Anti-Ischemia Reperfusion Injury Efficacy. Kidney and Blood Pressure Research, 2017, 42, 495-508.	0.9	7
11	Quercetin nanoparticle complex attenuated diabetic nephropathy via regulating the expression level of ICAM-1 on endothelium. International Journal of Nanomedicine, 2017, Volume 12, 7799-7813.	3.3	58
12	In vitro and in vivo protein release and anti-ischemia/reperfusion injury properties of bone morphogenetic protein-2-loaded glycyrrhetic acid-poly(ethylene glycol)-b-poly(L-lysine) nanoparticles. International Journal of Nanomedicine, 2017, Volume 12, 7613-7625.	3.3	14
13	PEG-b-(PELG-g-PLL) nanoparticles as TNF- α ; nanocarriers: potential cerebral ischemia/reperfusion injury therapeutic applications. International Journal of Nanomedicine, 2017, Volume 12, 2243-2254.	3.3	32
14	Preparation of exenatide-loaded linear poly(ethylene glycol)-brush poly(L-lysine) block copolymer: potential implications on diabetic nephropathy. International Journal of Nanomedicine, 2017, Volume 12, 4663-4678.	3.3	23
15	Simvastatin nanoparticles attenuated intestinal ischemia/reperfusion injury by downregulating BMP4/COX-2 pathway in rats. International Journal of Nanomedicine, 2017, Volume 12, 2477-2488.	3.3	22
16	The effect of insulin-loaded linear poly(ethylene glycol)-brush-like poly(L-lysine) block copolymer on renal ischemia/reperfusion-induced lung injury through downregulating hypoxia-inducible factor. International Journal of Nanomedicine, 2016, 11, 1717.	3.3	25
17	Effect of Intervention in Mast Cell Function Before Reperfusion on Renal Ischemia-Reperfusion Injury in Rats. Kidney and Blood Pressure Research, 2016, 41, 335-344.	0.9	23
18	GSK-3 β Inhibitor Induces Expression of Nrf2/TrxR2 Signaling Pathway to Protect against Renal Ischemia/Reperfusion Injury in Diabetic Rats. Kidney and Blood Pressure Research, 2016, 41, 937-946.	0.9	46

#	ARTICLE	IF	CITATIONS
19	Poly(L-lysine)-based cylindrical copolypeptide brushes as potential drug and gene carriers. <i>Journal of Controlled Release</i> , 2015, 213, e24-e25.	4.8	0
20	Quercetin nanoparticle complex attenuated diabetic nephropathy via regulating the expression level of ICACAM-1 on endothelium [Corrigendum]. <i>International Journal of Nanomedicine</i> , 0, Volume 17, 2503-2504.	3.3	0
21	In vitro and in vivo Protein Release and Anti-Ischemia/Reperfusion Injury Properties of Bone Morphogenetic Protein-2-Loaded Glycyrrhetic Acid-Poly(Ethylene Glycol)-b-Poly(L-Lysine) Nanoparticles [Retraction]. <i>International Journal of Nanomedicine</i> , 0, Volume 17, 2609-2610.	3.3	0