

# Fresia Ricardi-Branco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7661817/publications.pdf>

Version: 2024-02-01

63  
papers

509  
citations

687363

13  
h-index

794594

19  
g-index

64  
all docs

64  
docs citations

64  
times ranked

567  
citing authors

#	ARTICLE	IF	CITATIONS
1	Permian Bryophytes from Gondwana: A Perspective from the Teresina Formation Fossil Record. , 2022, , 1-29.		0
2	Characterization of a glacial neotropical rainforest from pollen and spore assemblages (Colnia, So Tj ETQq0 0 0 rgBT /Overlock 10 T	0.8	2
3	Morphological and paleohistological description of a new Baurusuchidae specimen from the Adamantina Formation, Upper Cretaceous of Brazil. Journal of South American Earth Sciences, 2022, 114, 103693.	1.4	5
4	Blood parasites and acute osteomyelitis in a non-avian dinosaur (Sauropoda, Titanosauria) from the Upper Cretaceous Adamantina Formation, Bauru Basin, Southeast Brazil. Cretaceous Research, 2021, 118, 104672.	1.4	15
5	Evolution of the Semideciduous-Riparian Forest (ecotone Cerrado-Atlantic Forest) during the late Holocene, Southeast of Brazil. Revista Brasileira De Paleontologia, 2021, 24, 120-140.	0.4	0
6	Exquisite air sac histological traces in a hyperpneumatized nanoid sauropod dinosaur from South America. Scientific Reports, 2021, 11, 24207.	3.3	9
7	Influence of taphonomy on histological evidence for vertebral pneumaticity in an Upper Cretaceous titanosaur from South America. Cretaceous Research, 2020, 108, 104337.	1.4	10
8	Carcharodontosauridae theropod tooth crowns from the Upper Cretaceous (Bauru Basin) of Brazil: A reassessment of isolated elements and its implications to palaeobiogeography of the group. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 556, 109870.	2.3	14
9	Suraju itayma: The first paleozoic fossil scorpion in South America. Journal of South American Earth Sciences, 2020, 101, 102600.	1.4	2
10	Reconstruo da temperatura e da precipitao mdia anual com base em acumulaes de macrorrestos vegetais da Bacia do Rio Itanham, So Paulo, Brasil. Revista Brasileira De Paleontologia, 2020, 23, 251-258.	0.4	0
11	A new tonstein occurrence in the eastern Paran Basin associated with the Figueira coalfield (Paran), Tj ETQq1 1 0.784314 rgBT /Ove	1.4	14
12	Fossildiagenesis and ontogenetic insights of crocodyliform bones from the Adamantina Formation, Bauru Basin, Brazil. Journal of South American Earth Sciences, 2019, 96, 102327.	1.4	5
13	Vegetation and climate changes in the forest of Campinas, So Paulo State, Brazil, during the last 25,000 cal yr BP. Brazilian Journal of Geology, 2019, 49, .	0.7	2
14	Permian woods with preserved primary structures from the southeast of Brazil (Irati Formation,) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 2	1.3	3
15	The Inventory of Geological Heritage of the State of So Paulo, Brazil: Methodological Basis, Results and Perspectives. Geoheritage, 2018, 10, 239-258.	2.8	40
16	Microbial Biofacies and the Influence of Metazoans in Holocene Deposits of the Lagoa Salgada, Rio De Janeiro State, Brazil. Journal of Sedimentary Research, 2018, 88, 1300-1317.	1.6	13
17	The morphofunctional design of Montealtosuchus arrudacamposi (Crocodyliformes, Upper) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.4	7
18	Descrio dos mtodos paleoartsticos para reconstrues de animais e vegetais fsseis. Terrae Didatica, 2017, 13, 101.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Pennsylvanian “ Early Cisuralian interglacial macrofloristic succession in Paran Basin of the State of So Paulo. <i>Journal of South American Earth Sciences</i> , 2016, 72, 351-374.	1.4	23
20	Hepaticites iporangae Ricardi-Branco, Faria, Jasper, and Guerra-Sommer, 2011 from the early Permian of the Paran Basin, Brazil, is not a liverwort but a tracheophyte. <i>Journal of Paleontology</i> , 2016, 90, 632-639.	0.8	4
21	Rare Carboniferous and Permian glacial and non-glacial bryophytes and associated lycophyte megaspores of the Paran Basin, Brazil: A new occurrence and paleoenvironmental considerations. <i>Journal of South American Earth Sciences</i> , 2016, 72, 63-75.	1.4	8
22	Study of the West Gondwana Floras during the Late Paleozoic: A paleogeographic approach in the Paran Basin “ Brazil. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 426, 159-169.	2.3	18
23	Osteoderms of <i>Montealtosuchus arrudacamposi</i> (Crocodyliformes, Peirosauridae) from the Turonian-Santonian (Upper Cretaceous) of Bauru Basin, Brazil. <i>Cretaceous Research</i> , 2015, 56, 651-661.	1.4	19
24	Relationships Among Subaquatic Environment and Leaf/Palynomorph Assemblages of the Quaternary Mogi-Gua River Alluvial Plain, SP, Brazil. <i>Springer Earth System Sciences</i> , 2015, , 667-705.	0.2	1
25	Paleoflora Cuaternaria de El Ans, norte de los Andes, Venezuela. <i>Revista Brasileira De Paleontologia</i> , 2015, 18, 489-508.	0.4	0
26	Theropod teeth from the Adamantina Formation (Bauru Group, Upper Cretaceous), Monte Alto, So Paulo, Brazil. <i>Cretaceous Research</i> , 2014, 50, 59-71.	1.4	19
27	New approach for the study of paleofloras using geographical information systems applied to <i>Glossopteris</i> Flora. <i>Brazilian Journal of Geology</i> , 2014, 44, 681-689.	0.7	5
28	Paleoenvironmental reconstruction of the Lower Mogi Guau River Basin (So Paulo State “ Brazil), morphopedosedimentary records and fluvial processes. <i>Catena</i> , 2013, 111, 80-97.	5.0	8
29	PermianLeonardosiaorganic oospores from southern Brazil. <i>Palaeontology</i> , 2013, 56, 797-805.	2.2	6
30	Evoluo paleoambiental holocnica da poro nordeste do Estado de So Paulo, Brasil. <i>Revista Brasileira De Paleontologia</i> , 2013, 16, 297-308.	0.4	7
31	<i>Terminalia palaeopubescens</i> sp. nov. (Combretaceae) da Formao Fonseca (Eoceno/Oligoceno) de Minas Gerais, Brasil: Morfologia Foliar, Fungos Epifilicos Associados e Paleoclima. <i>Ameghiniana</i> , 2012, 49, 273-288.	0.7	6
32	Late Quaternary vegetation and coastal environmental changes at Ilha do Cardoso mangrove, southeastern Brazil. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 363-364, 57-68.	2.3	46
33	Permian bryophytes of Western Gondwanaland from the Paran Basin in Brazil. <i>Palaeontology</i> , 2012, 55, 229-241.	2.2	21
34	Hepaticites iporangae n. sp., Rio Bonito Formation, Early Permian (Sakmarian), Paran Basin, Brazil, Western Gondwana. <i>Journal of Paleontology</i> , 2011, 85, 360-368.	0.8	7
35	PLANT DEBRIS ACCUMULATIONS IN THE PRETO RIVER SUBBASIN, ITANHAEM, SAO PAULO, BRAZIL: INSIGHTS FROM GEOTECHNOLOGY. <i>Palaios</i> , 2011, 26, 264-274.	1.3	4
36	<i>Lepidophylloides corumbataensis</i> sp. nov. from the Guadalupian in the Paran Basin, southern Brazil. <i>Review of Palaeobotany and Palynology</i> , 2010, 160, 135-142.	1.5	9

#	ARTICLE	IF	CITATIONS
37	Plant accumulations along the Itanhaem River Basin, southern coast of Sao Paulo State, Brazil. <i>Palaios</i> , 2009, 24, 416-424.	1.3	10
38	<i>Lycopodiopsis derbyi</i> Renault from the Corumbataí-Formation in the state of São Paulo (Guadalupian) Tj ETQq0 0 0 rgBT /Overlock 10 TF 5 and <i>Palynology</i> , 2009, 158, 180-192.	1.5	16
39	Venezuelan paleoflora of the Pennsylvanian-Early Permian: Paleobiogeographical relationships to central and western equatorial Pangea. <i>Gondwana Research</i> , 2008, 14, 297-305.	6.0	19
40	Interdisciplinary paleovegetation study in the Fernando de Noronha Island (Pernambuco State), northeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 677-691.	0.8	9
41	Record of the genus <i>Lycopodites</i> in the Lower Permian of Paran Basin, Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 553-563.	0.8	15
42	Levantamento de ocorrncias fsseis nas pedreiras de calcrio do Subgrupo Irati no estado de So Paulo, Brasil. <i>Revista Brasileira De Geocincias</i> , 2008, 38, 78-86.	0.1	7
43	Late Holocene development of a mangrove ecosystem in southeastern Brazil (Itanham, state of So) Tj ETQq1_1_0.784314 rgBT /O 2.3 30	2.3	30
44	<i>Coricladus quiteriensis</i> gen. et sp. nov., a new conifer in Southern-Brazil Gondwana (Lower Permian,) Tj ETQq0 0 0 rgBT /Overlock 10 TF 5 0.8 12	0.8	12
45	OCORRNCIA DE MEGSPOROS NO CARBONFERO SUPERIOR (SUBGRUPO ITARAR) NA PORFO NE DA BACIA DO PARAN, ESTADO DE SO PAULO. <i>Revista Brasileira De Geocincias</i> , 2004, 34, 253-262.	0.1	6
46	<p><strong>Presencia de Bryopsida frtil en los niveles Westfalianos del subgrup Itarar, Cuenca de Paran, Brasil</strong></p>. <i>Bryophyte Diversity and Evolution</i> , 2004, 25, 101-110.	1.1	4
47	Megaspores from coals of the Triunfo Member, Rio Bonito Formation (Lower Permian), northeastern Paran State, Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2002, 74, 491-503.	0.8	13
48	Probable first occurrence of Lycopodiales in the Gondwana Neopaleozoic. <i>Anais Da Academia Brasileira De Ciencias</i> , 2002, 74, 546-547.	0.8	0
49	Macro and microphytofossils study of the Itarar Subgroup at Km 96 of Bandeirantes highway, Campinas municipality, SP. <i>Anais Da Academia Brasileira De Ciencias</i> , 2001, 73, 462-463.	0.8	2
50	<i>Itajuba yansanae</i> Gen and SP NOV of Gnetales, Araripe Basin (Albian-Aptian) in Northeast Brazil. , 0, , .		7
51	A plant fossil assemblage of <i>Lycopodiopsis</i> cf. <i>derbyi</i> from the Corumbataí-Formation, Paran Basin, So Paulo State, Brazil. <i>Palaeobiodiversity and Palaeoenvironments</i> , 0, , 1.	1.5	2
52	Atlas palinolgico atual da Bacia de Colnia, Estado de So Paulo, Brasil. <i>Terrae Didactica</i> , 0, 17, e0210230.	0.0	1
53	FOSSILIFEROUS PLANKTONIC RECORD ASSOCIATED WITH CHERT CONCRETIONS IN OUTCROPS OF ASSISTENCIA AND TERESINA FORMATIONS - PARANA BASIN.. , 0, , .		1
54	PALEOPALYNOLOGY FROM THE MINE 08 OF THE CAMBUCARBONIFEROUS COMPANY, FIGUEIRA-PR (LOWER) Tj ETQq0 0 0 rgBT /Ove		

#	ARTICLE	IF	CITATIONS
55	MICROFOSSILS ASSOCIATED WITH CHERT CONCRETIONS OUTCROPS IN ASSISTENCIA AND TERESINA FORMATIONS (PARANÁ-BASIN).. , 0, , .		0
56	Paleoclimatic reconstruction to the Eocene/Oligocene in Fonseca district, Minas Gerais, Brasil.. , 0, , .		0
57	Paleoclima da macroflora fóssil da Formação Fonseca, Minas Gerais, e sua relação com níveis de CO2 atmosférico durante o Eoceno-Oligoceno.. , 0, , .		0
58	PLANÍCIE ALUVIONAR DO RIO MOGI-GUAÍ, SP, BRASIL – AS RELAÇÕES AMBIENTAIS ENTRE O AMBIENTE AQUÁTICO E A ANÁLISE CLIMÁTICA BASEADA EM ASSEMBLAGENS DE FOLHAS. Revista Águas Subterrâneas, 0, , 0.1 .		0
59	MICROFÓSSIS PRESERVADOS EM SILEX NAS FORMAÇÕES ASSISTÊNCIA E TERESINA (BACIA DO PARANÁ), NO ESTADO DE SÃO PAULO. , 0, , .		0
60	Tafonomia e análise de charcoals como ferramenta para a caracterização paleoambiental da Formação São Carlos (Cretáceo Superior, Bacia Bauru, Brasil).. , 0, , .		0
61	Ícnofósseis da Formação Pacujá (Cambriano, Bacia Jaibas, CE-Brasil).. , 0, , .		0
62	Considerações sobre abelisauridae (Dinosauria: Theropoda) e o registro brasileiro. Terrae Didactica, 0, 16, e020017.	0.0	0
63	Roteiros de difusão das geociências sob a nova visão da sociedade pós-pandemia. Terrae Didactica, 0, 18, e022001.	0.0	2