

Michel Arthur

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7663549/michel-arthur-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153 papers	7,259 citations	50 h-index	81 g-index
162 ext. papers	8,247 ext. citations	6.5 avg, IF	5.53 L-index

#	Paper	IF	Citations
153	Traceless Staudinger Ligation To Introduce Chemical Diversity on β -Lactamase Inhibitors of Second Generation. <i>Organic Letters</i> , 2021 , 23, 7755-7758	6.2	0
152	Partition of tRNA ^{Gly} isoacceptors between protein and cell-wall peptidoglycan synthesis in <i>Staphylococcus aureus</i> . <i>Nucleic Acids Research</i> , 2021 , 49, 684-699	20.1	0
151	Click and Release Chemistry for Activity-Based Purification of β -Lactam Targets. <i>Chemistry - A European Journal</i> , 2021 , 27, 7687-7695	4.8	0
150	Synthesis of Carbapenems Containing Peptidoglycan Mimetics and Inhibition of the Cross-Linking Activity of a Transpeptidase of L,d Specificity. <i>Chemistry - A European Journal</i> , 2021 , 27, 3542-3551	4.8	1
149	Traceless Staudinger Ligation for Bioconjugation of RNA. <i>Current Protocols</i> , 2021 , 1, e42		2
148	Role of endopeptidases in peptidoglycan synthesis mediated by alternative cross-linking enzymes in <i>Escherichia coli</i> . <i>EMBO Journal</i> , 2021 , 40, e108126	13	3
147	Impact of relebactam-mediated inhibition of <i>Mycobacterium abscessus</i> Bla _{Mab} β -Lactamase on the in vitro and intracellular efficacy of imipenem. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 379-383	5.1	2
146	Activity-Based Protein Profiling Reveals That Cephalosporins Selectively Active on Non-replicating Bind Multiple Protein Families and Spare Peptidoglycan Transpeptidases. <i>Frontiers in Microbiology</i> , 2020 , 11, 1248	5.7	5
145	Diazabicyclooctane Functionalization for Inhibition of β -Lactamases from Enterobacteria. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 5257-5273	8.3	5
144	Ceftazidime-Avibactam Resistance Mediated by the NY Substitution in Various AmpC β -Lactamases. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	7
143	Phosphine-Mediated Bioconjugation of the 3' End of RNA. <i>Organic Letters</i> , 2020 , 22, 8034-8038	6.2	2
142	Inhibition Activity of Avibactam against <i>Nocardia farcinica</i> β -Lactamase FAR. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	1
141	Tryptophan Fluorescence Quenching in β -Lactam-Interacting Proteins Is Modulated by the Structure of Intermediates and Final Products of the Acylation Reaction. <i>ACS Infectious Diseases</i> , 2019 , 5, 1169-1176	5.5	5
140	Structural insight into YcbB-mediated beta-lactam resistance in <i>Escherichia coli</i> . <i>Nature Communications</i> , 2019 , 10, 1849	17.4	11
139	Negative Impact of Carbapenem Methylation on the Reactivity of β -Lactams for Cysteine Acylation as Revealed by Quantum Calculations and Kinetic Analyses. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	5
138	and Intracellular Activity of Imipenem Combined with Tedizolid, Rifabutin, and Avibactam against. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	27
137	903. Resensitization to β -Lactams in Enterococci Depends on Penicillin-Binding Protein (PBP) Mislocalization and Is Mediated by a Single Protein That Modulates Cell Membrane (CM) Adaptation to Daptomycin (DAP). <i>Open Forum Infectious Diseases</i> , 2019 , 6, S28-S29	1	78

136	Synthesis of Avibactam Derivatives and Activity on β -Lactamases and Peptidoglycan Biosynthesis Enzymes of Mycobacteria. <i>Chemistry - A European Journal</i> , 2018 , 24, 8081-8086	4.8	22
135	Synthesis of tRNA analogues containing a terminal ribose locked in the South conformation to study tRNA-dependent enzymes. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 1903-1911	3.9	2
134	Critical Impact of Peptidoglycan Precursor Amidation on the Activity of L,d-Transpeptidases from <i>Enterococcus faecium</i> and <i>Mycobacterium tuberculosis</i> . <i>Chemistry - A European Journal</i> , 2018 , 24, 5743-5747	4.8	20
133	Peptidoglycan Cross-Linking Activity of L,d-Transpeptidases from <i>Clostridium difficile</i> and Inactivation of These Enzymes by β -Lactams. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	11
132	Synthesis of Lipid-Carbohydrate-Peptidyl-RNA Conjugates to Explore the Limits Imposed by the Substrate Specificity of Cell Wall Enzymes on the Acquisition of Drug Resistance. <i>Chemistry - A European Journal</i> , 2018 , 24, 14911-14915	4.8	3
131	and Intracellular Activity of Imipenem Combined with Rifabutin and Avibactam against <i>Mycobacterium abscessus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	24
130	Recognition of Peptidoglycan Fragments by the Transpeptidase PBP4 From. <i>Frontiers in Microbiology</i> , 2018 , 9, 3223	5.7	10
129	In vitro activity of tedizolid against the <i>Mycobacterium abscessus</i> complex. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018 , 90, 186-189	2.9	22
128	Copper inhibits peptidoglycan LD-transpeptidases suppressing β -lactam resistance due to bypass of penicillin-binding proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 10786-10791	11.5	39
127	Combination of Amino Acid Substitutions Leading to CTX-M-15-Mediated Resistance to the Ceftazidime-Avibactam Combination. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	13
126	Inhibition by Avibactam and Clavulanate of the β -Lactamases KPC-2 and CTX-M-15 Harboring the Substitution NG in the Conserved SDN Motif. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	17
125	Impaired Inhibition by Avibactam and Resistance to the Ceftazidime-Avibactam Combination Due to the DY Substitution in the KPC-2 β -Lactamase. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	50
124	Reversible inactivation of a peptidoglycan transpeptidase by a β -lactam antibiotic mediated by β -lactam-ring recyclization in the enzyme active site. <i>Scientific Reports</i> , 2017 , 7, 9136	4.9	16
123	Inhibition of the β -Lactamase Bla by Avibactam Improves the and Efficacy of Imipenem against <i>Mycobacterium abscessus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	54
122	Inhibition of β -Lactamases of mycobacteria by avibactam and clavulanate. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 1081-1088	5.1	30
121	Electrophilic RNA for Peptidyl-RNA Synthesis and Site-Specific Cross-Linking with tRNA-Binding Enzymes. <i>Angewandte Chemie</i> , 2016 , 128, 13751-13755	3.6	7
120	Routes of Synthesis of Carbapenems for Optimizing Both the Inactivation of L,D-Transpeptidase LdtMt1 of <i>Mycobacterium tuberculosis</i> and the Stability toward Hydrolysis by β -Lactamase BlaC. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 3427-38	8.3	15
119	Unusual substrate specificity of the peptidoglycan MurE ligase from <i>Erysipelothrix rhusiopathiae</i> . <i>Biochimie</i> , 2016 , 121, 209-18	4.6	4

118	Author response: Factors essential for L,D-transpeptidase-mediated peptidoglycan cross-linking and β -lactam resistance in <i>Escherichia coli</i> 2016 ,		3
117	Factors essential for L,D-transpeptidase-mediated peptidoglycan cross-linking and β -lactam resistance in. <i>ELife</i> , 2016 , 5,	8.9	90
116	Regulation of Bacterial Peptidoglycan Polymerization. <i>Trends in Microbiology</i> , 2016 , 24, 519-521	12.4	3
115	Hybrid Potential Simulation of the Acylation of <i>Enterococcus faecium</i> L,d-Transpeptidase by Carbapenems. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 4767-81	3.4	4
114	Bactericidal and intracellular activity of β -lactams against <i>Mycobacterium abscessus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 1556-63	5.1	41
113	Involvement of the Eukaryote-Like Kinase-Phosphatase System and a Protein That Interacts with Penicillin-Binding Protein 5 in Emergence of Cephalosporin Resistance in Cephalosporin-Sensitive Class A Penicillin-Binding Protein Mutants in <i>Enterococcus faecium</i> . <i>MBio</i> , 2016 , 7, e02188-15	7.8	15
112	Electrophilic RNA for Peptidyl-RNA Synthesis and Site-Specific Cross-Linking with tRNA-Binding Enzymes. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13553-13557	16.4	9
111	Rapid cytolysis of <i>Mycobacterium tuberculosis</i> by faropenem, an orally bioavailable β -lactam antibiotic. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1308-19	5.9	75
110	Mutation landscape of acquired cross-resistance to glycopeptide and β -lactam antibiotics in <i>Enterococcus faecium</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5306-15	5.9	6
109	Hydrolysis of clavulanate by <i>Mycobacterium tuberculosis</i> β -lactamase BlaC harboring a canonical SDN motif. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5714-20	5.9	21
108	Diaminopimelic Acid Amidation in <i>Corynebacteriales</i> : NEW INSIGHTS INTO THE ROLE OF LtsA IN PEPTIDOGLYCAN MODIFICATION. <i>Journal of Biological Chemistry</i> , 2015 , 290, 13079-94	5.4	30
107	Combinations of β -lactam Antibiotics Currently in Clinical Trials Are Efficacious in a DHP-I-Deficient Mouse Model of Tuberculosis Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4997-9	5.9	31
106	Covalent Organic Functionalization of Nucleic Acids 2015 , 272-298		
105	Acyl acceptor recognition by <i>Enterococcus faecium</i> L,D-transpeptidase Ldtfm. <i>Molecular Microbiology</i> , 2015 , 98, 90-100	4.1	6
104	Methicillin-Susceptible, Vancomycin-Resistant <i>Staphylococcus aureus</i> , Brazil. <i>Emerging Infectious Diseases</i> , 2015 , 21, 1844-8	10.2	28
103	Impact of β -lactamase inhibition on the activity of ceftaroline against <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium abscessus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2938-41	5.9	26
102	Synthesis of 3Sfluoro-tRNA analogues for exploring non-ribosomal peptide synthesis in bacteria. <i>ChemBioChem</i> , 2015 , 16, 477-86	3.8	4
101	β -lactamase inhibition by avibactam in <i>Mycobacterium abscessus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1051-8	5.1	88

100	Characterization of broad-spectrum Mycobacterium abscessus class A β -lactamase. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 691-6	5.1	63
99	Synthesis of 3-Striazoyl-dinucleotides as precursors of stable Phe-tRNA(Phe) and Leu-tRNA(Leu) analogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 3231-3	2.9	
98	Peptidoglycan cross-linking in glycopeptide-resistant Actinomycetales. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 1749-56	5.9	22
97	Serine/threonine protein phosphatase-mediated control of the peptidoglycan cross-linking L,D-transpeptidase pathway in Enterococcus faecium. <i>MBio</i> , 2014 , 5, e01446-14	7.8	19
96	Atomic model of a cell-wall cross-linking enzyme in complex with an intact bacterial peptidoglycan. <i>Journal of the American Chemical Society</i> , 2014 , 136, 17852-60	16.4	38
95	In vitro activity of cefoxitin and imipenem against Mycobacterium abscessus complex. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O297-300	9.5	41
94	Specificity determinants for the two tRNA substrates of the cyclodipeptide synthase AlbC from Streptomyces noursei. <i>Nucleic Acids Research</i> , 2014 , 42, 7247-58	20.1	26
93	Chemical shift perturbations induced by the acylation of Enterococcus faecium L,D-transpeptidase catalytic cysteine with ertapenem. <i>Biomolecular NMR Assignments</i> , 2014 , 8, 339-43	0.7	2
92	Synthesis and biological evaluation of non-isomerizable analogues of Ala-tRNA(Ala). <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 6161-9	3.9	3
91	Efficient access to peptidyl-RNA conjugates for picomolar inhibition of non-ribosomal FemX(Wv) aminoacyl transferase. <i>Chemistry - A European Journal</i> , 2013 , 19, 1357-63	4.8	19
90	Discovery of the first inhibitors of bacterial enzyme D-aspartate ligase from Enterococcus faecium (Aslfm). <i>European Journal of Medicinal Chemistry</i> , 2013 , 67, 208-20	6.8	13
89	The structure of FemX(Wv) in complex with a peptidyl-RNA conjugate: mechanism of aminoacyl transfer from Ala-tRNA(Ala) to peptidoglycan precursors. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 7278-81	16.4	29
88	Structure of Enterococcus faecium L,D-transpeptidase acylated by ertapenem provides insight into the inactivation mechanism. <i>ACS Chemical Biology</i> , 2013 , 8, 1140-6	4.9	30
87	L,D-Transpeptidase (Enterococcus) 2013 , 2465-2472		
86	In vitro cross-linking of Mycobacterium tuberculosis peptidoglycan by L,D-transpeptidases and inactivation of these enzymes by carbapenems. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 5940-5	5.9	91
85	The Structure of FemXWv in Complex with a Peptidyl-RNA Conjugate: Mechanism of Aminoacyl Transfer from Ala-tRNAAla to Peptidoglycan Precursors. <i>Angewandte Chemie</i> , 2013 , 125, 7419-7422	3.6	6
84	Kinetic features of L,D-transpeptidase inactivation critical for β -lactam antibacterial activity. <i>PLoS ONE</i> , 2013 , 8, e67831	3.7	42
83	Dynamics induced by β -lactam antibiotics in the active site of Bacillus subtilis L,D-transpeptidase. <i>Structure</i> , 2012 , 20, 850-61	5.2	25

82	Functional and structural characterization of PaeM, a colicin M-like bacteriocin produced by <i>Pseudomonas aeruginosa</i> . <i>Journal of Biological Chemistry</i> , 2012 , 287, 37395-405	5.4	23
81	Colicin M hydrolyses branched lipids II from Gram-positive bacteria. <i>Biochimie</i> , 2012 , 94, 985-90	4.6	14
80	Backbone and side-chain ¹ H, ¹⁵ N and ¹³ C assignment of apo- and imipenem-acylated L,D-transpeptidase from <i>Bacillus subtilis</i> . <i>Biomolecular NMR Assignments</i> , 2012 , 6, 205-8	0.7	3
79	Colicin M, a peptidoglycan lipid-II-degrading enzyme: potential use for antibacterial means?. <i>Biochemical Society Transactions</i> , 2012 , 40, 1522-7	5.1	13
78	Kinetic analysis of <i>Enterococcus faecium</i> L,D-transpeptidase inactivation by carbapenems. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 3409-12	5.9	22
77	Characterization of colicin M and its orthologs targeting bacterial cell wall peptidoglycan biosynthesis. <i>Microbial Drug Resistance</i> , 2012 , 18, 222-9	2.9	16
76	Inactivation of <i>Mycobacterium tuberculosis</i> l,d-transpeptidase LdtMt1 by carbapenems and cephalosporins. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 4189-95	5.9	103
75	Fighting resistant tuberculosis with old compounds: the carbapenem paradigm. <i>Clinical Microbiology and Infection</i> , 2011 , 17, 1755-6	9.5	18
74	Inactivation kinetics of a new target of beta-lactam antibiotics. <i>Journal of Biological Chemistry</i> , 2011 , 286, 22777-84	5.4	42
73	The peptidoglycan of <i>Mycobacterium abscessus</i> is predominantly cross-linked by L,D-transpeptidases. <i>Journal of Bacteriology</i> , 2011 , 193, 778-82	3.5	74
72	The in vitro contribution of autolysins to bacterial killing elicited by amoxicillin increases with inoculum size in <i>Enterococcus faecalis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 910-2	5.9	12
71	Synthesis of stable aminoacyl-tRNA analogs. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2011 , Chapter 4, Unit 4.44	0.5	1
70	Characterization of CrgA, a new partner of the <i>Mycobacterium tuberculosis</i> peptidoglycan polymerization complexes. <i>Journal of Bacteriology</i> , 2011 , 193, 3246-56	3.5	53
69	Activation of the L,D-transpeptidation peptidoglycan cross-linking pathway by a metallo-D,D-carboxypeptidase in <i>Enterococcus faecium</i> . <i>Molecular Microbiology</i> , 2010 , 75, 874-85	4.1	35
68	The <i>Mycobacterium tuberculosis</i> protein LdtMt2 is a nonclassical transpeptidase required for virulence and resistance to amoxicillin. <i>Nature Medicine</i> , 2010 , 16, 466-9	50.5	208
67	Cleavage specificity of <i>Enterococcus faecalis</i> EnpA (EF1473), a peptidoglycan endopeptidase related to the LytM/lysostaphin family of metallopeptidases. <i>Journal of Molecular Biology</i> , 2010 , 398, 507-17	6.5	5
66	Decoding the Logic of the tRNA Regiospecificity of Nonribosomal FemXWv Aminoacyl Transferase. <i>Angewandte Chemie</i> , 2010 , 122, 5241-5245	3.6	7
65	Decoding the logic of the tRNA regiospecificity of nonribosomal FemX(Wv) aminoacyl transferase. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 5115-9	16.4	24

64	Human- and plant-pathogenic <i>Pseudomonas</i> species produce bacteriocins exhibiting colicin M-like hydrolase activity towards peptidoglycan precursors. <i>Journal of Bacteriology</i> , 2009 , 191, 3657-64	3.5	55
63	Contribution of the autolysin AtlA to the bactericidal activity of amoxicillin against <i>Enterococcus faecalis</i> JH2-2. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 1667-9	5.9	10
62	Aminoacyl-tRNA recognition by the FemXWv transferase for bacterial cell wall synthesis. <i>Nucleic Acids Research</i> , 2009 , 37, 1589-601	20.1	31
61	The elucidation of the structure of <i>Thermotoga maritima</i> peptidoglycan reveals two novel types of cross-link. <i>Journal of Biological Chemistry</i> , 2009 , 284, 21856-21862	5.4	23
60	Role of class A penicillin-binding proteins in the expression of beta-lactam resistance in <i>Enterococcus faecium</i> . <i>Journal of Bacteriology</i> , 2009 , 191, 3649-56	3.5	42
59	Impact of peptidoglycan O-acetylation on autolytic activities of the <i>Enterococcus faecalis</i> N-acetylglucosaminidase AtlA and N-acetylmuramidase AtlB. <i>FEBS Letters</i> , 2009 , 583, 3033-8	3.8	16
58	Synthesis of stable aminoacyl-tRNA analogues containing triazole as a bioisoster of esters. <i>Chemistry - A European Journal</i> , 2009 , 15, 1929-38	4.8	42
57	The beta-lactam-sensitive D,D-carboxypeptidase activity of Pbp4 controls the L,D and D,D transpeptidation pathways in <i>Corynebacterium jeikeium</i> . <i>Molecular Microbiology</i> , 2009 , 74, 650-61	4.1	36
56	Quantitative high-performance liquid chromatography analysis of the pool levels of undecaprenyl phosphate and its derivatives in bacterial membranes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 213-20	3.2	45
55	The peptidoglycan of stationary-phase <i>Mycobacterium tuberculosis</i> predominantly contains cross-links generated by L,D-transpeptidation. <i>Journal of Bacteriology</i> , 2008 , 190, 4360-6	3.5	256
54	Identification of the L,D-transpeptidases for peptidoglycan cross-linking in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2008 , 190, 4782-5	3.5	115
53	Role of N-acetylglucosaminidase and N-acetylmuramidase activities in <i>Enterococcus faecalis</i> peptidoglycan metabolism. <i>Journal of Biological Chemistry</i> , 2008 , 283, 19845-53	5.4	51
52	Evolution of peptidoglycan biosynthesis under the selective pressure of antibiotics in Gram-positive bacteria. <i>FEMS Microbiology Reviews</i> , 2008 , 32, 386-408	15.1	130
51	Covalent attachment of proteins to peptidoglycan. <i>FEMS Microbiology Reviews</i> , 2008 , 32, 307-20	15.1	93
50	Stable analogues of aminoacyl-tRNA for inhibition of an essential step of bacterial cell-wall synthesis. <i>Journal of the American Chemical Society</i> , 2007 , 129, 12642-3	16.4	24
49	Specificity of L,D-transpeptidases from gram-positive bacteria producing different peptidoglycan chemotypes. <i>Journal of Biological Chemistry</i> , 2007 , 282, 13151-9	5.4	66
48	Unexpected inhibition of peptidoglycan LD-transpeptidase from <i>Enterococcus faecium</i> by the beta-lactam imipenem. <i>Journal of Biological Chemistry</i> , 2007 , 282, 30414-22	5.4	97
47	Idiosyncratic features in tRNAs participating in bacterial cell wall synthesis. <i>Nucleic Acids Research</i> , 2007 , 35, 6870-83	20.1	40

46	Identification of the L,D-transpeptidases responsible for attachment of the Braun lipoprotein to Escherichia coli peptidoglycan. <i>Journal of Bacteriology</i> , 2007 , 189, 3927-31	3.5	126
45	Aslfm, the D-aspartate ligase responsible for the addition of D-aspartic acid onto the peptidoglycan precursor of Enterococcus faecium. <i>Journal of Biological Chemistry</i> , 2006 , 281, 11586-94	5.4	68
44	Novel mechanism of resistance to glycopeptide antibiotics in Enterococcus faecium. <i>Journal of Biological Chemistry</i> , 2006 , 281, 32254-62	5.4	32
43	Functional analysis of AtlA, the major N-acetylglucosaminidase of Enterococcus faecalis. <i>Journal of Bacteriology</i> , 2006 , 188, 8513-9	3.5	64
42	Crystal structure of a novel beta-lactam-insensitive peptidoglycan transpeptidase. <i>Journal of Molecular Biology</i> , 2006 , 359, 533-8	6.5	95
41	Structure-based site-directed mutagenesis of the UDP-MurNAc-pentapeptide-binding cavity of the FemX alanyl transferase from Weissella viridescens. <i>Journal of Bacteriology</i> , 2005 , 187, 3833-8	3.5	30
40	A novel peptidoglycan cross-linking enzyme for a beta-lactam-resistant transpeptidation pathway. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38146-52	5.4	152
39	Role of class A penicillin-binding proteins in PBP5-mediated beta-lactam resistance in Enterococcus faecalis. <i>Journal of Bacteriology</i> , 2004 , 186, 1221-8	3.5	82
38	Expression of glycopeptide-resistance gene in response to vancomycin and teicoplanin in the cardiac vegetations of rabbits infected with VanB-type Enterococcus faecalis. <i>Journal of Infectious Diseases</i> , 2004 , 189, 90-7	7	11
37	Synthesis of mosaic peptidoglycan cross-bridges by hybrid peptidoglycan assembly pathways in gram-positive bacteria. <i>Journal of Biological Chemistry</i> , 2004 , 279, 41546-56	5.4	66
36	Crystal structures of Weissella viridescens FemX and its complex with UDP-MurNAc-pentapeptide: insights into FemABX family substrates recognition. <i>Structure</i> , 2004 , 12, 257-67	5.2	65
35	The CroRS two-component regulatory system is required for intrinsic beta-lactam resistance in Enterococcus faecalis. <i>Journal of Bacteriology</i> , 2003 , 185, 7184-92	3.5	77
34	Crystallization and preliminary X-ray analysis of Weissella viridescens FemX UDP-MurNAc-pentapeptide:l-alanine ligase. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003 , 59, 1055-7		2
33	Balance between two transpeptidation mechanisms determines the expression of beta-lactam resistance in Enterococcus faecium. <i>Journal of Biological Chemistry</i> , 2002 , 277, 35801-7	5.4	62
32	Synthesis of the L-alanyl-L-alanine cross-bridge of Enterococcus faecalis peptidoglycan. <i>Journal of Biological Chemistry</i> , 2002 , 277, 45935-41	5.4	61
31	Role of penicillin-binding protein 5 in expression of ampicillin resistance and peptidoglycan structure in Enterococcus faecium. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 2594-7	5.9	70
30	Regulation of VanA- and VanB-type glycopeptide resistance in enterococci. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 375-81	5.9	94
29	Identification of the UDP-MurNAc-pentapeptide:L-alanine ligase for synthesis of branched peptidoglycan precursors in Enterococcus faecalis. <i>Journal of Bacteriology</i> , 2001 , 183, 5122-7	3.5	36

28	Novel mechanism of beta-lactam resistance due to bypass of DD-transpeptidation in <i>Enterococcus faecium</i> . <i>Journal of Biological Chemistry</i> , 2000 , 275, 16490-6	5.4	115
27	Bactericidal activity of gentamicin against <i>Enterococcus faecalis</i> in vitro and in vivo. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2077-80	5.9	13
26	Two-step acquisition of resistance to the teicoplanin-gentamicin combination by VanB-type <i>Enterococcus faecalis</i> in vitro and in experimental endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 476-82	5.9	25
25	Moderate-level resistance to glycopeptide LY333328 mediated by genes of the vanA and vanB clusters in enterococci. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 1875-80	5.9	62
24	Regulated interactions between partner and non-partner sensors and response regulators that control glycopeptide resistance gene expression in enterococci. <i>Microbiology (United Kingdom)</i> , 1999 , 145 (Pt 8), 1849-1858	2.9	50
23	Characterization and modelling of VanT: a novel, membrane-bound, serine racemase from vancomycin-resistant <i>Enterococcus gallinarum</i> BM4174. <i>Molecular Microbiology</i> , 1999 , 31, 1653-64	4.1	65
22	Single-cell analysis of glycopeptide resistance gene expression in teicoplanin-resistant mutants of a VanB-type <i>Enterococcus faecalis</i> . <i>Molecular Microbiology</i> , 1999 , 32, 17-28	4.1	39
21	Requirement of the VanY and VanX D,D-peptidases for glycopeptide resistance in enterococci. <i>Molecular Microbiology</i> , 1998 , 30, 819-30	4.1	91
20	Mutations leading to increased levels of resistance to glycopeptide antibiotics in VanB-type enterococci. <i>Molecular Microbiology</i> , 1997 , 25, 93-105	4.1	78
19	Glycopeptide resistance in enterococci. <i>Trends in Microbiology</i> , 1996 , 4, 401-7	12.4	333
18	Mechanisms of glycopeptide resistance in enterococci. <i>Journal of Infection</i> , 1996 , 32, 11-6	18.9	87
17	Quantitative analysis of the metabolism of soluble cytoplasmic peptidoglycan precursors of glycopeptide-resistant enterococci. <i>Molecular Microbiology</i> , 1996 , 21, 33-44	4.1	150
16	The vanZ gene of Tn1546 from <i>Enterococcus faecium</i> BM4147 confers resistance to teicoplanin. <i>Gene</i> , 1995 , 154, 87-92	3.8	132
15	Glycopeptide resistance mediated by enterococcal transposon Tn1546 requires production of VanX for hydrolysis of D-alanyl-D-alanine. <i>Molecular Microbiology</i> , 1994 , 13, 1065-70	4.1	179
14	Sequence of the vanC gene of <i>Enterococcus gallinarum</i> BM4174 encoding a D-alanine:D-alanine ligase-related protein necessary for vancomycin resistance. <i>Gene</i> , 1992 , 112, 53-8	3.8	132
13	Sequence of the vanY gene required for production of a vancomycin-inducible D,D-carboxypeptidase in <i>Enterococcus faecium</i> BM4147. <i>Gene</i> , 1992 , 120, 111-4	3.8	44
12	Structural relationship between the vancomycin resistance protein VanH and 2-hydroxycarboxylic acid dehydrogenases. <i>Gene</i> , 1991 , 103, 133-4	3.8	82
11	Molecular basis for vancomycin resistance in <i>Enterococcus faecium</i> BM4147: biosynthesis of a depsipeptide peptidoglycan precursor by vancomycin resistance proteins VanH and VanA. <i>Biochemistry</i> , 1991 , 30, 10408-15	3.2	521

10	Identification of vancomycin resistance protein VanA as a D-alanine:D-alanine ligase of altered substrate specificity. <i>Biochemistry</i> , 1991 , 30, 2017-21	3.2	204
9	Regulation of icosahedral virion capsid size by the in vivo activity of a cloned gene product. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990 , 87, 2428-32	11.5	21
8	The VANA glycopeptide resistance protein is related to D-alanyl-D-alanine ligase cell wall biosynthesis enzymes. <i>Molecular Genetics and Genomics</i> , 1990 , 224, 364-72		108
7	A phasmid shuttle vector for the cloning of complex operons in Salmonella. <i>Plasmid</i> , 1990 , 23, 42-58	3.3	6
6	Transfert heterogramique de la resistance bacterienne aux antibiotiques dans les conditions naturelles. <i>Médecine Et Maladies Infectieuses</i> , 1988 , 18, 225-229	4	
5	Origin and evolution of genes specifying resistance to macrolide, lincosamide and streptogramin antibiotics: data and hypotheses. <i>Journal of Antimicrobial Chemotherapy</i> , 1987 , 20, 783-802	5.1	123
4	Analysis of the nucleotide sequence of the ereB gene encoding the erythromycin esterase type II. <i>Nucleic Acids Research</i> , 1986 , 14, 4987-99	20.1	76
3	Heterogeneity of genes conferring high-level resistance to erythromycin by inactivation in enterobacteria. <i>Annales De L'Institut Pasteur Microbiologie</i> , 1986 , 137A, 125-34		7
2	Regulation of Glycopeptide Resistance Genes of Enterococcal Transposon Tn1546 by the VanR-VanS Two-Component Regulatory System 387-391		2
1	In vitro and intracellular activity of imipenem combined with tedizolid, rifabutin, and avibactam against Mycobacterium abscessus		2