Eduardo Egusquiza Estevez

List of Publications by Citations

Source:

https://exaly.com/author-pdf/7663636/eduardo-egusquiza-estevez-publications-by-citations.pdf **Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 1,965 24 42 g-index

90 2,283 3 4.85 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
89	Detection of cavitation in hydraulic turbines. <i>Mechanical Systems and Signal Processing</i> , 2006 , 20, 983-10	0 9 78	227
88	Frequencies in the Vibration Induced by the Rotor Stator Interaction in a Centrifugal Pump Turbine. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2007 , 129, 1428-1435	2.1	115
87	Failure investigation of a large pump-turbine runner. <i>Engineering Failure Analysis</i> , 2012 , 23, 27-34	3.2	103
86	Influence of the turbulence model in CFD modeling of wall-to-fluid heat transfer in packed beds. <i>Chemical Engineering Science</i> , 2005 , 60, 1733-1742	4.4	98
85	Numerical simulation of fluid added mass effect on a francis turbine runner. <i>Computers and Fluids</i> , 2007 , 36, 1106-1118	2.8	79
84	Cavitation Influence on von Kāmā Vortex Shedding and Induced Hydrofoil Vibrations. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2007 , 129, 966-973	2.1	77
83	Experimental investigation of added mass effects on a Francis turbine runner in still water. <i>Journal of Fluids and Structures</i> , 2006 , 22, 699-712	3.1	76
82	Experimental investigation of added mass effects on a hydrofoil under cavitation conditions. Journal of Fluids and Structures, 2013 , 39, 173-187	3.1	66
81	Performance and influence of numerical sub-models on the CFD simulation of free and forced convection in double-glazed ventilated falldes. <i>Energy and Buildings</i> , 2008 , 40, 1781-1789	7	63
80	CFD Flow and Heat Transfer in Nonregular Packings for Fixed Bed Equipment Design. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 7049-7056	3.9	58
79	Power Swing Generated in Francis Turbines by Part Load and Overload Instabilities. <i>Energies</i> , 2017 , 10, 2124	3.1	44
78	Thermal Performance of Ventilated Double Skin Falldes with Venetian Blinds. <i>Energies</i> , 2015 , 8, 4882-48	3 9 &	42
77	A CFD approach to evaluate the influence of construction and operation parameters on the performance of Active Transparent Falldes in Mediterranean climates. <i>Energy and Buildings</i> , 2009 , 41, 534-542	7	42
76	Experimental study on the added mass and damping of a disk submerged in a partially fluid-filled tank with small radial confinement. <i>Journal of Fluids and Structures</i> , 2014 , 50, 1-17	3.1	39
75	Condition monitoring of pump-turbines. New challenges. <i>Measurement: Journal of the International Measurement Confederation</i> , 2015 , 67, 151-163	4.6	36
74	Capability of structuralEcoustical FSI numerical model to predict natural frequencies of submerged structures with nearby rigid surfaces. <i>Computers and Fluids</i> , 2012 , 64, 117-126	2.8	35
73	Analysis of the dynamic response of pump-turbine impellers. Influence of the rotor. <i>Mechanical Systems and Signal Processing</i> , 2016 , 68-69, 330-341	7.8	34

(2002-2016)

72	Testing of self-similarity and helical symmetry in vortex generator flow simulations. <i>Wind Energy</i> , 2016 , 19, 1043-1052	3.4	32
71	Dynamic Analysis of Francis Runners - Experiment and Numerical Simulation. <i>International Journal of Fluid Machinery and Systems</i> , 2009 , 2, 303-314	1.1	30
7º	Feasibility of using PZT actuators to study the dynamic behavior of a rotating disk due to rotor-stator interaction. <i>Sensors</i> , 2014 , 14, 11919-42	3.8	29
69	Influence of the rotation on the natural frequencies of a submerged-confined disk in water. <i>Journal of Sound and Vibration</i> , 2015 , 337, 161-180	3.9	28
68	On the detection of natural frequencies and mode shapes of submerged rotating disk-like structures from the casing. <i>Mechanical Systems and Signal Processing</i> , 2015 , 60-61, 547-570	7.8	26
67	Accurate Determination of the Frequency Response Function of Submerged and Confined Structures by Using PZT-Patches Sensors, 2017 , 17,	3.8	25
66	Performance of stress-transport models in the prediction of particle-to-fluid heat transfer in packed beds. <i>Chemical Engineering Science</i> , 2007 , 62, 6897-6907	4.4	25
65	Advanced condition monitoring of Pelton turbines. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018 , 119, 46-55	4.6	24
64	Monitoring of Rotor-Stator Interaction in Pump-Turbine Using Vibrations Measured with On-Board Sensors Rotating with Shaft. <i>Shock and Vibration</i> , 2014 , 2014, 1-8	1.1	24
63	Cavitation erosion tests on a 2D hydrofoil using surface-mounted obstacles. <i>Wear</i> , 2003 , 254, 441-449	3.5	23
62	Dynamic response of a rotating disk submerged and confined. Influence of the axial gap. <i>Journal of Fluids and Structures</i> , 2016 , 62, 332-349	3.1	22
61	Analysis of damage caused by siloxanes in stationary reciprocating internal combustion engines operating with landfill gas. <i>Engineering Failure Analysis</i> , 2015 , 50, 29-38	3.2	21
60	Numerical study on the influence of acoustic natural frequencies on the dynamic behaviour of submerged and confined disk-like structures. <i>Journal of Fluids and Structures</i> , 2017 , 73, 53-69	3.1	20
59	Feasibility of Detecting Natural Frequencies of Hydraulic Turbines While in Operation, Using Strain Gauges. <i>Sensors</i> , 2018 , 18,	3.8	19
58	Numerical and experimental study of a nearby solid boundary and partial submergence effects on hydrofoil added mass. <i>Computers and Fluids</i> , 2014 , 91, 1-9	2.8	19
57	Failure investigation of a Kaplan turbine blade. Engineering Failure Analysis, 2019, 97, 690-700	3.2	19
56	Failures due to ingested bodies in hydraulic turbines. Engineering Failure Analysis, 2011, 18, 464-473	3.2	18
55	Analysis of the fluid-dynamic and thermal behaviour of a tin bath in float glass manufacturing. <i>International Journal of Thermal Sciences</i> , 2002 , 41, 348-359	4.1	18

54	Extension of Operating Range in Pump-Turbines. Influence of Head and Load. <i>Energies</i> , 2017 , 10, 2178	3.1	17
53	CFD assessment of the performance of lateral ventilation in Double Glazed Falldes in Mediterranean climates. <i>Energy and Buildings</i> , 2011 , 43, 2539-2547	7	17
52	Transmission of High Frequency Vibrations in Rotating Systems. Application to Cavitation Detection in Hydraulic Turbines. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 451	2.6	16
51	Failure investigation of a Pelton turbine runner. <i>Engineering Failure Analysis</i> , 2017 , 81, 234-244	3.2	16
50	Dynamics and Intensity of Erosive Partial Cavitation. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2007 , 129, 886-893	2.1	13
49	Experimental Study of a Vibrating Disk Submerged in a Fluid-Filled Tank and Confined With a Nonrigid Cover. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2017 , 139,	1.6	12
48	Influence of the boundary conditions on the natural frequencies of a Francis turbine. <i>IOP Conference Series: Earth and Environmental Science</i> , 2016 , 49, 072004	0.3	12
47	On the use of artificial neural networks for condition monitoring of pump-turbines with extended operation. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020 , 163, 107952	4.6	12
46	Sensor-Based Optimized Control of the Full Load Instability in Large Hydraulic Turbines. <i>Sensors</i> , 2018 , 18,	3.8	12
45	Detection and analysis of part load and full load instabilities in a real Francis turbine prototype. Journal of Physics: Conference Series, 2017, 813, 012038	0.3	11
44	On the Capability of Structural Acoustical Fluid Structure Interaction Simulations to Predict Natural Frequencies of Rotating Disklike Structures Submerged in a Heavy Fluid. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2016 , 138,	1.6	11
43	Transposition of the mechanical behavior from model to prototype of Francis turbines. <i>Renewable Energy</i> , 2020 , 152, 1011-1023	8.1	10
42	Detection of Hydraulic Phenomena in Francis Turbines with Different Sensors. Sensors, 2019, 19,	3.8	9
41	Experimental and numerical investigation on the influence of a large crack on the modal behaviour of a Kaplan turbine blade. <i>Engineering Failure Analysis</i> , 2020 , 109, 104389	3.2	9
40	Condition monitoring of a prototype turbine. Description of the system and main results. <i>Journal of Physics: Conference Series</i> , 2017 , 813, 012041	0.3	9
39	Numerical and experimental analysis of the dynamic response of large submerged trash-racks. <i>Computers and Fluids</i> , 2013 , 71, 54-64	2.8	8
38	Use of Coand[hozzles for double glazed falldes forced ventilation. <i>Energy and Buildings</i> , 2013 , 62, 605-6	1 / 4	8
37	Fluid Added Mass Effect in the Modal Response of a Pump-Turbine Impeller 2009 ,		8

36	Analysis of the dynamic response of pump-turbine runners-Part I: Experiment. <i>IOP Conference Series: Earth and Environmental Science</i> , 2012 , 15, 052015	0.3	8
35	Experimental mode shape determination of a cantilevered hydrofoil under different flow conditions. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2016 , 230, 3408-3419	1.3	7
34	Computational Fluid Dynamics Modeling of Impinging Gas-Jet Systems: II. Application to an Industrial Cooling System Device. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2005 , 127, 704	4 - 713	7
33	Influence of the hydrodynamic damping on the dynamic response of Francis turbine runners. <i>Journal of Fluids and Structures</i> , 2019 , 90, 71-89	3.1	6
32	Dynamic behaviour of pump-turbine runner: From disk to prototype runner. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013 , 52, 022036	0.4	6
31	Assessment of the Economic and Environmental Impact of Double Glazed Fallde Ventilation Systems in Mediterranean Climates. <i>Energies</i> , 2013 , 6, 5069-5087	3.1	6
30	Multi-objective optimization of a hydro-wind-photovoltaic power complementary plant with a vibration avoidance strategy. <i>Applied Energy</i> , 2021 , 301, 117459	10.7	6
29	Experimental and Numerical Design and Evaluation of a Vibration Bioreactor using Piezoelectric Patches. <i>Sensors</i> , 2019 , 19,	3.8	5
28	Overview of the experimental tests in prototype. <i>Journal of Physics: Conference Series</i> , 2017 , 813, 0120	37.3	5
27	Experimental Measurements of the Natural Frequencies and Mode Shapes of Rotating Disk-Blades-Disk Assemblies from the Stationary Frame. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3864	2.6	5
26	Behavior of Francis turbines at part load. Field assessment in prototype: Effects on power swing. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 240, 062012	0.3	3
25	Dynamic response of the MICA runner. Experiment and simulation. <i>Journal of Physics: Conference Series</i> , 2017 , 813, 012036	0.3	3
24	On the Use of PZT-Patches as Exciters in Modal Analysis: Application to Submerged Structures. <i>Proceedings (mdpi)</i> , 2017 , 1, 32	0.3	3
23	Experimental analysis of the dynamic behavior of a rotating disk submerged in water. <i>IOP Conference Series: Earth and Environmental Science</i> , 2014 , 22, 032043	0.3	3
22	Improved damage detection in Pelton turbines using optimized condition indicators and data-driven techniques. <i>Structural Health Monitoring</i> ,147592172098183	4.4	3
21	Feasibility to Detect Natural Frequencies of Hydraulic Turbines under Operation Using Strain Gauges. <i>Proceedings (mdpi)</i> , 2017 , 1, 821	0.3	2
20	Natural frequencies of rotating disk-like structures submerged viewed from the stationary frame. <i>IOP Conference Series: Earth and Environmental Science</i> , 2016 , 49, 082023	0.3	2
19	Detection of erosive cavitation on hydraulic turbines through demodulation analysis. <i>IOP</i> Conference Series: Earth and Environmental Science, 2019 , 240, 062048	0.3	2

18	Analysis of chatter marks damage on the Yankee dryer surface of a tissue machine. <i>Engineering Failure Analysis</i> , 2012 , 23, 44-54	3.2	2
17	Optimized Use of Sensors to Detect Critical Full Load Instability in Large Hydraulic Turbines. <i>Proceedings (mdpi)</i> , 2017 , 1, 822	0.3	2
16	Influence of the added mass effect and boundary conditions on the dynamic response of submerged and confined structures. <i>IOP Conference Series: Earth and Environmental Science</i> , 2014 , 22, 032042	0.3	2
15	Dynamic response of Pelton runners: Numerical and experimental analysis in prototypes. <i>Renewable Energy</i> , 2020 , 157, 116-129	8.1	2
14	Synchronous condenser operation in Francis turbines: Effects in the runner stress and machine vibration. <i>Renewable Energy</i> , 2020 , 146, 890-900	8.1	2
13	Increasing the operating range and energy production in Francis turbines by an early detection of the overload instability. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021 , 181, 109580	4.6	2
12	Boundary layer effects on the vortex shedding in a Donaldson-type hydrofoil. <i>IOP Conference Series: Earth and Environmental Science</i> , 2014 , 22, 032045	0.3	1
11	Detached eddy simulation of the rotor-stator interaction phenomenon in a moving cascade of airfoils. <i>IOP Conference Series: Earth and Environmental Science</i> , 2012 , 15, 062039	0.3	1
10	Characterization of the Effects of Ingested Bodies on the RotorBtator Interaction of Hydraulic Turbines. <i>Energies</i> , 2021 , 14, 6669	3.1	1
9	A Dataset to Evaluate IEEE 802.15.4g SUN for Dependable Low-Power Wireless Communications in Industrial Scenarios. <i>Data</i> , 2020 , 5, 64	2.3	1
8	On the use of neural networks for dynamic stress prediction in Francis turbines by means of stationary sensors. <i>Renewable Energy</i> , 2021 , 170, 652-660	8.1	1
7	On the use of Vibrational Hill Charts for improved condition monitoring and diagnosis of hydraulic turbines. <i>Structural Health Monitoring</i> ,147592172110724	4.4	O
6	Experimental investigation on the dynamic response of Pelton runners. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 240, 022062	0.3	
5	Behavior of Francis turbines at part load. Field assessment in prototype: Effects on the hydraulic system. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 240, 052029	0.3	
4	Extension of the Lever & Weaver\u00c4\u00fansteady analytical model to the fluidelastic instability of arrays of flexible cylinders. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 1993 , 49, 177-186	3.7	
3	Dynamic Model for Axial Motion of Horizontal Pelton Turbine and Validation in Actual Failure Case. <i>Shock and Vibration</i> , 2020 , 2020, 1-16	1.1	
2	Selection and Optimization of Sensors for Monitoring of Francis Turbines. <i>IOP Conference Series:</i> Earth and Environmental Science, 2021 , 774, 012028	0.3	
1	Strain prediction in Francis runners by means of stationary sensors. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021 , 774, 012084	0.3	