

Carlos R Zamarreo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/766411/carlos-r-zamarreno-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

2,460
citations

26
h-index

47
g-index

132
ext. papers

2,975
ext. citations

4.2
avg, IF

5.11
L-index

#	Paper	IF	Citations
108	Optical fiber thermo-refractometer.. <i>Optics Express</i> , 2022 , 30, 11036-11045	3.3	0
107	Lossy Mode Resonances Supported by Nanoparticle-Based Thin-Films. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 135-147	0.2	
106	Beyond near-infrared lossy mode resonances with fluoride glass optical fiber. <i>Optics Letters</i> , 2021 , 46, 2892-2895	3	2
105	Optimization of Fiber Bragg Gratings Inscribed in Thin Films Deposited on D-Shaped Optical Fibers. <i>Sensors</i> , 2021 , 21,	3.8	2
104	Twin lossy mode resonance on a single D-shaped optical fiber. <i>Optics Letters</i> , 2021 , 46, 3284-3287	3	1
103	Optical System Based on Multiplexed FBGs to Monitor Hand Movements. <i>IEEE Sensors Journal</i> , 2021 , 21, 14081-14089	4	1
102	Advances in Fiber Optic DNA-Based Sensors: A Review. <i>IEEE Sensors Journal</i> , 2021 , 21, 12679-12691	4	5
101	Fiber Optic Gas Sensors Based on Lossy Mode Resonances and Sensing Materials Used Therefor: A Comprehensive Review. <i>Sensors</i> , 2021 , 21,	3.8	16
100	Guest Editorial Special Issue on Advances and Current Trends in Sensing Physiological Parameters for Human Wellness and Patient Monitoring. <i>IEEE Sensors Journal</i> , 2021 , 21, 13965-13966	4	
99	Optical Biosensors for the Detection of Rheumatoid Arthritis (RA) Biomarkers: A Comprehensive Review. <i>Sensors</i> , 2020 , 20,	3.8	9
98	Electric discharge detection and localization using a distributed optical fiber vibration sensor. <i>Optical Fiber Technology</i> , 2020 , 58, 102266	2.4	6
97	Low Cutoff Wavelength Etched SMS Structures Towards Verification of the Quality of Automotive Antifreeze. <i>IEEE Sensors Journal</i> , 2020 , 20, 11342-11349	4	0
96	A Comprehensive Review: Materials for the Fabrication of Optical Fiber Refractometers Based on Lossy Mode Resonance. <i>Sensors</i> , 2020 , 20,	3.8	16
95	Lossy Mode Resonance Sensors based on Tungsten Oxide Thin Films 2020 ,		2
94	Lossy mode resonance sensors based on nanocoated multimode-coreless-multimode fibre. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 126955	8.5	8
93	Fiber-based early diagnosis of venous thromboembolic disease by label-free D-dimer detection. <i>Biosensors and Bioelectronics: X</i> , 2019 , 2, 100026	2.9	19
92	Lossy mode resonance optical sensors based on indium-gallium-zinc oxide thin film. <i>Sensors and Actuators A: Physical</i> , 2019 , 290, 20-27	3.9	15

91	A Comprehensive Review of Optical Fiber Refractometers: Toward a Standard Comparative Criterion. <i>Laser and Photonics Reviews</i> , 2019 , 13, 1900094	8.3	63
90	Lossy Mode Resonance Fiber-Optic Biosensing Allowing Ultra-Low Detection Limit 2019 ,		1
89	Aluminum doped zinc oxide (AZO) coated optical fiber LMR refractometers: An experimental demonstration. <i>Sensors and Actuators B: Chemical</i> , 2019 , 281, 698-704	8.5	19
88	Smart Carbon Fiber Transtibial Prosthesis Based on Embedded Fiber Bragg Gratings. <i>IEEE Sensors Journal</i> , 2018 , 18, 1520-1527	4	13
87	Sensitivity enhancement experimental demonstration using a low cutoff wavelength SMS modified structure coated with a pH sensitive film. <i>Sensors and Actuators B: Chemical</i> , 2018 , 262, 696-702	8.5	3
86	Femtomolar Detection by Nanocoated Fiber Label-Free Biosensors. <i>ACS Sensors</i> , 2018 , 3, 936-943	9.2	122
85	Optical Fiber Bragg Grating Instrumentation Applied to Horse Gait Detection. <i>IEEE Sensors Journal</i> , 2018 , 18, 5778-5785	4	7
84	Gas Detection Using LMR-Based Optical Fiber Sensors. <i>Proceedings (mdpi)</i> , 2018 , 2, 890	0.3	1
83	Photonic sensors: from horse racing to horse power 2017 ,		1
82	Strain Mapping in Carbon-Fiber Prosthesis Using Optical Fiber Sensors. <i>IEEE Sensors Journal</i> , 2017 , 17, 3-4	4	8
81	Is there a frontier in sensitivity with Lossy mode resonance (LMR) based refractometers?. <i>Scientific Reports</i> , 2017 , 7, 10280	4.9	33
80	Optical sensors based on lossy-mode resonances. <i>Sensors and Actuators B: Chemical</i> , 2017 , 240, 174-185	8.5	113
79	High sensitive and selective C-reactive protein detection by means of lossy mode resonance based optical fiber devices. <i>Biosensors and Bioelectronics</i> , 2017 , 93, 176-181	11.8	63
78	Distributed optical fiber microphone 2017 ,		2
77	Optimization in nanocoated D-shaped optical fiber sensors. <i>Optics Express</i> , 2017 , 25, 10743-10756	3.3	35
76	Optical Fiber Exhaled Breath Sensor Based on Lossy Mode Resonance Using a Graphene Oxide Sensitive Coating. <i>Proceedings (mdpi)</i> , 2017 , 1, 713	0.3	
75	Micro and Nanostructured Materials for the Development of Optical Fibre Sensors. <i>Sensors</i> , 2017 , 17,	3.8	37
74	Optical Fibre Sensors Using Graphene-Based Materials: A Review. <i>Sensors</i> , 2017 , 17,	3.8	71

73	LMR-Based Optical Fiber Refractometers for Oil Degradation Sensing Applications in Synthetic Lubricant Oils. <i>Journal of Lightwave Technology</i> , 2016 , 34, 4537-4542	4	9
72	Wind turbines lubricant gearbox degradation detection by means of a lossy mode resonance based optical fiber refractometer. <i>Microsystem Technologies</i> , 2016 , 22, 1619-1625	1.7	10
71	Tunable optical fiber pH sensors based on TE and TM Lossy Mode Resonances (LMRs). <i>Sensors and Actuators B: Chemical</i> , 2016 , 231, 484-490	8.5	22
70	Fabrication of Optical Fiber Sensors for Measuring Ageing Transformer Oil in Wavelength. <i>IEEE Sensors Journal</i> , 2016 , 16, 4798-4802	4	11
69	Giant sensitivity of optical fiber sensors by means of lossy mode resonance. <i>Sensors and Actuators B: Chemical</i> , 2016 , 232, 660-665	8.5	62
68	High sensitive refractometers based on lossy mode resonances (LMRs) supported by ITO coated D-shaped optical fibers. <i>Optics Express</i> , 2015 , 23, 8045-50	3.3	47
67	Indium-Tin-Oxide coated optical fibers for temperature-viscosity sensing applications in synthetic lubricant oils 2015 ,		1
66	Nanocoated optical fibre for lossy mode resonance (LMR) sensors and filters 2015 ,		2
65	Sensors Based on Thin-Film Coated Cladding Removed Multimode Optical Fiber and Single-Mode Multimode Single-Mode Fiber: A Comparative Study. <i>Journal of Sensors</i> , 2015 , 2015, 1-7	2	9
64	. <i>Journal of Lightwave Technology</i> , 2015 , 33, 2412-2418	4	21
63	Fiber optic refractometer based in multimode interference effects (MMI) using Indium Tin Oxide (ITO) coating 2015 ,		2
62	Single and Multiphase Flow Characterization by Means of an Optical Fiber Bragg Grating Grid. <i>Journal of Lightwave Technology</i> , 2015 , 33, 1857-1862	4	9
61	D-shape optical fiber pH sensor based on Lossy Mode Resonances (LMRs) 2015 ,		2
60	Optical Sensors for Corrosion Monitoring 2015 , 603-640		4
59	Generation of Surface Plasmon Resonance and Lossy Mode Resonance by thermal treatment of ITO thin-films. <i>Optics and Laser Technology</i> , 2015 , 69, 1-7	4.2	29
58	Optical fiber refractometers based on Lossy Mode Resonances by means of SnO ₂ sputtered coatings. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 154-159	8.5	49
57	Gasohol quality control for real time applications by means of a multimode interference fiber sensor. <i>Sensors</i> , 2014 , 14, 17817-28	3.8	14
56	A fiber optic ammonia sensor using a universal pH indicator. <i>Sensors</i> , 2014 , 14, 4060-73	3.8	25

55	Coatings for Optical Fiber Sensors 2014 , 103-119		1
54	Exhaled breath optical fiber sensor based on LMRs for respiration monitoring 2014 ,		7
53	Fiber optic ammonia sensor using Bromocresol Green pH indicator 2014 ,		1
52	Optical fiber Brix sensor based on Lossy Mode Resonances (LMRs) 2014 ,		1
51	D-shape optical fiber refractometer based on TM and TE lossy mode resonances 2014 ,		1
50	Fiber-optic Lossy Mode Resonance Sensors. <i>Procedia Engineering</i> , 2014 , 87, 3-8		20
49	Two-Phase Flow Imaging by means of an 8x8 Optical Fiber Bragg Grating Grid 2014 ,		1
48	Considerations for Lossy-Mode Resonance-Based Optical Fiber Sensor. <i>IEEE Sensors Journal</i> , 2013 , 13, 1167-1171	4	13
47	Optical Fiber Sensors Based on Lossy Mode Resonances. <i>Smart Sensors, Measurement and Instrumentation</i> , 2013 , 191-210	0.3	1
46	Humidity sensor fabricated by deposition of SnO ₂ layers onto optical fibers 2013 ,		4
45	C-reactive protein aptasensor for early sepsis diagnosis by means of an optical fiber device 2013 ,		7
44	Experimental demonstration of lossy mode resonance generation for transverse-magnetic and transverse-electric polarizations. <i>Optics Letters</i> , 2013 , 38, 2481-3	3	29
43	Rum adulteration detection using an optical fiber sensor based on multimodal interference (MMI). <i>Optica Pura Y Aplicada</i> , 2013 , 46, 345-352	1	3
42	Resonance-based refractometric response of cladding-removed optical fibers with sputtered indium tin oxide coatings. <i>Sensors and Actuators B: Chemical</i> , 2012 , 175, 106-110	8.5	30
41	Sensing Properties of Indium Oxide Coated Optical Fiber Devices Based on Lossy Mode Resonances. <i>IEEE Sensors Journal</i> , 2012 , 12, 151-155	4	19
40	Volatile organic compounds optical fiber sensor based on lossy mode resonances. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 523-529	8.5	24
39	Nanofabrication Techniques Applied to the Development of Novel Optical Fiber Sensors Based on Nanostructured Coatings. <i>IEEE Sensors Journal</i> , 2012 , 12, 2699-2710	4	16
38	Design rules for lossy mode resonance based sensors. <i>Applied Optics</i> , 2012 , 51, 4298-307	1.7	125

37	Optical fiber refractometers based on indium tin oxide coatings fabricated by sputtering. <i>Optics Letters</i> , 2012 , 37, 28-30	3	21
36	Thrombin detection by means of an aptamer based sensitive coating fabricated onto LMR-based optical fiber refractometer 2012 ,		11
35	SnO ₂ based optical fiber refractometers 2012 ,		1
34	Optical Fiber Refractometers based on Indium Tin Oxide Coatings with Response in the Visible Spectral Region. <i>Procedia Engineering</i> , 2011 , 25, 499-502		3
33	Functionalized screen-printed PZT cantilevers for room temperature benzene detection. <i>Procedia Engineering</i> , 2011 , 25, 1077-1080		2
32	Optical Fiber Humidity Sensor Based on Lossy Mode Resonances Supported by TiO ₂ /PSS Coatings. <i>Procedia Engineering</i> , 2011 , 25, 1385-1388		24
31	An antibacterial coating based on a polymer/sol-gel hybrid matrix loaded with silver nanoparticles. <i>Nanoscale Research Letters</i> , 2011 , 6, 305	5	64
30	Lossy mode resonance-based optical fiber humidity sensor 2011 ,		2
29	Optical fiber refractometers based on sputtered indium tin oxide coatings 2011 ,		1
28	Optical fiber pH sensor based on lossy-mode resonances by means of thin polymeric coatings. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 290-297	8.5	124
27	Thin-Film Resonance Supporting Coatings Deposited onto Optical Waveguides Towards the Fabrication of Sensing Devices. <i>Recent Patents on Materials Science</i> , 2011 , 4, 28-34	0.3	3
26	BENZENE GAS SENSOR BASED ON SCREEN-PRINTED PZT CANTILEVERS. <i>Additional Conferences (Device Packaging HiTEC HiTEN & CICMT)</i> , 2011 , 2011, 000111-000116	0.1	
25	Generation of lossy mode resonances by deposition of high-refractive-index coatings on uncladded multimode optical fibers. <i>Journal of Optics (United Kingdom)</i> , 2010 , 12, 095503	1.7	60
24	LMR-based optical fiber refractometers based on transparent conducting and semiconducting oxide coatings: a comparative study 2010 ,		4
23	Dual-Peak Resonance-Based Optical Fiber Refractometers. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 1778-1780	2.2	35
22	Optical fiber refractometers based on lossy mode resonances supported by TiO ₂ coatings. <i>Applied Optics</i> , 2010 , 49, 3980-5	0.2	98
21	Resonances in coated long period fiber gratings and cladding removed multimode optical fibers: a comparative study. <i>Optics Express</i> , 2010 , 18, 20183-9	3.3	21
20	Lossy Mode Resonance Generation With Indium-Tin-Oxide-Coated Optical Fibers for Sensing Applications. <i>Journal of Lightwave Technology</i> , 2010 , 28, 111-117	4	172

19	Generation of Lossy Mode Resonances With Absorbing Thin-Films. <i>Journal of Lightwave Technology</i> , 2010 ,	4	24
18	ITO Coated Optical Fiber Refractometers Based on Resonances in the Infrared Region. <i>IEEE Sensors Journal</i> , 2010 , 10, 365-366	4	51
17	Lossy-mode resonance-based refractometers by means of indium oxide coatings fabricated onto optical fibers 2010 ,		4
16	Sensing properties of ITO coated optical fibers to diverse VOCs. <i>Procedia Engineering</i> , 2010 , 5, 653-656		7
15	Optical fiber sensors based on Layer-by-Layer nanostructured films. <i>Procedia Engineering</i> , 2010 , 5, 1087-1090		17
14	Lossy mode resonances supported by TiO ₂ -coated optical fibers. <i>Procedia Engineering</i> , 2010 , 5, 1099-1102		11
13	Tunable humidity sensor based on ITO-coated optical fiber. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 414-417	8.5	97
12	Optical fiber pH sensor fabrication by means of indium tin oxide coated optical fiber refractometers. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010 , 7, 2705-2707		16
11	Agarose optical fibre humidity sensor based on electromagnetic resonance in the infra-red region. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010 , 7, 2767-2769		12
10	Optical Fiber Refractometers with Tunable Sensitivity Based on Indium Tin Oxide Coatings. <i>Sensor Letters</i> , 2010 , 8, 744-746	0.9	5
9	Fiber-optic pH sensors fabrication based on selective deposition of Neutral Red 2009 ,		1
8	Optical fiber humidity sensor based on surface plasmon resonance in the infra-red region 2009 ,		3
7	Utilization of white light interferometry in pH sensing applications by mean of the fabrication of nanostructured cavities. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 613-618	8.5	55
6	Optical fiber humidity sensor based on surface plasmon resonance in the infra-red region. <i>Journal of Physics: Conference Series</i> , 2009 , 178, 012019	0.3	12
5	Laterally selective adsorption of pH sensing coatings based on neutral red by means of the electric field directed layer-by-layer self assembly method. <i>Thin Solid Films</i> , 2009 , 517, 3776-3780	2.2	8
4	Optical fiber pH sensors based on layer-by-layer electrostatic self-assembled Neutral Red. <i>Sensors and Actuators B: Chemical</i> , 2008 , 132, 305-311	8.5	100
3	Minimizing the photobleaching of self-assembled multilayers for sensor applications. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 41-47	8.5	26
2	Response time enhancement of pH sensing films by means of hydrophilic nanostructured coatings. <i>Sensors and Actuators B: Chemical</i> , 2007 , 128, 138-144	8.5	36

1 Study on White Light Optical Fiber Interferometry for pH Sensor Applications **2007**,

2