

Thomas Letzel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7664174/thomas-letzel-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

2,573

citations

28

h-index

49

g-index

98

ext. papers

2,906

ext. citations

4.5

avg, IF

5.04

L-index

#	Paper	IF	Citations
86	The changes in Lemna minor metabolomic profile: A response to diclofenac incubation. <i>Chemosphere</i> , 2022 , 287, 132078	8.4	4
85	Achiral SFC separations: Gold standard for the next generation of nontarget screening. <i>Analytical Science Advances</i> , 2021 , 2, 43-46	1.1	
84	(Very) polar organic compounds in the Danube river basin: a non-target screening workflow and prioritization strategy for extracting highly confident features. <i>Analytical Methods</i> , 2021 , 13, 2044-2054	3.2	2
83	Organic Contaminants and Interactions with Micro- and Nano-Plastics in the Aqueous Environment: Review of Analytical Methods. <i>Molecules</i> , 2021 , 26,	4.8	6
82	Do you HILIC ? With Mass Spectrometry? Then do it Systematically 2021 , 23-38		
81	Untargeted Analysis of Metabolites: Workflow and Prioritization Strategy Comparing Highly Confident Features between Different Mass Spectrometers.. <i>Metabolites</i> , 2021 , 11,	5.6	2
80	Systematic Development of a Simultaneous Determination of Plastic Particle Identity and Adsorbed Organic Compounds by Thermodesorption-Pyrolysis GC/MS (TD-Pyr-GC/MS). <i>Molecules</i> , 2020 , 25,	4.8	10
79	Lemna minor studies under various storage periods using extended-polarity extraction and metabolite non-target screening analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 188, 113362	3.5	5
78	Optimized hidden target screening for very polar molecules in surface waters including a compound database inquiry. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 4953-4966	4.4	3
77	Fate of Diclofenac and Its Transformation and Inorganic By-Products in Different Water Matrices during Electrochemical Advanced Oxidation Process Using a Boron-Doped Diamond Electrode. <i>Water (Switzerland)</i> , 2020 , 12, 1686	3	2
76	Tryptic hydrolysis of Lactoglobulin: A generic approach to describe the hydrolysis kinetic and release of peptides. <i>International Dairy Journal</i> , 2020 , 105, 104666	3.5	4
75	Persistent, mobile and toxic substances in the environment: a spotlight on current research and regulatory activities. <i>Environmental Sciences Europe</i> , 2020 , 32,	5	19
74	Untargeted Metabolomics Studies on Drug-Incubated Profiles. <i>Metabolites</i> , 2020 , 11,	5.6	2
73	Specifications of Gradients in Hydrophilic Interaction Liquid Chromatography (HILIC) 2019 , 175-182		1
72	Specifications of Gradients in Supercritical Fluid Chromatography 2019 , 183-188		
71	The strength in numbers: comprehensive characterization of house dust using complementary mass spectrometric techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 1957-1977	4.4	45
70	Comprehensive MS-based screening and identification of pharmaceutical transformation products formed during enzymatic conversion. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 339-351	4.4	6

69	Enzymes in removal of pharmaceuticals from wastewater: A critical review of challenges, applications and screening methods for their selection. <i>Chemosphere</i> , 2018 , 205, 649-661	8.4	50
68	Monitoring enzymatic degradation of emerging contaminants using a chip-based robotic nano-ESI-MS tool. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 27-32	4.4	13
67	Possibilities and Limitations of Computer-Assisted Method Development in HILIC: A Case Study. <i>Chromatographia</i> , 2017 , 80, 771-781	2.1	6
66	Mass spectrometry based in vitro assay investigations on the transformation of pharmaceutical compounds by oxidative enzymes. <i>Chemosphere</i> , 2017 , 174, 466-477	8.4	13
65	Measuring biomarkers in wastewater as a new source of epidemiological information: Current state and future perspectives. <i>Environment International</i> , 2017 , 99, 131-150	12.9	141
64	Effect of <i>Perilla frutescens</i> Extracts on Porcine Jejunal Epithelial Cells. <i>Phytotherapy Research</i> , 2017 , 31, 303-311	6.7	2
63	RPLC-HILIC and SFC with Mass Spectrometry: Polarity-Extended Organic Molecule Screening in Environmental (Water) Samples. <i>Analytical Chemistry</i> , 2017 , 89, 7907-7914	7.8	67
62	Mass spectrometric real-time monitoring of an enzymatic phosphorylation assay using internal standards and data-handling freeware. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 1019-30	2.2	3
61	Emerging pollutants and plants--Metabolic activation of diclofenac by peroxidases. <i>Chemosphere</i> , 2016 , 146, 435-41	8.4	45
60	HPLC method development for the online-coupling of chromatographic <i>Perilla frutescens</i> extract separation with xanthine oxidase enzymatic assay. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 124, 347-357	3.5	5
59	Süßern und Putzen 2016 , 151-197		
58	Das tägliche Brot 2016 , 1-36		
57	Holistic and Detailed View on Workflow Strategies Applied in This Book. <i>ACS Symposium Series</i> , 2016 , 175-181	0.4	1
56	Chemicals of Emerging Concern and Their Transformation Products in the Aqueous Environment. <i>ACS Symposium Series</i> , 2016 , 3-9	0.4	1
55	New (Practical) Strategies in Target, Suspects, and Non-Target LC-MS(/MS) Screening: Bisoprolol and Transformation Products as an Example. <i>ACS Symposium Series</i> , 2016 , 85-101	0.4	
54	Widening the Analytical Perspective: Polarity Extended Separation for Monitoring of Trace Organic Compounds in Surface Water Matrices. <i>ACS Symposium Series</i> , 2016 , 103-117	0.4	1
53	Influence of denaturation and aggregation of β -lactoglobulin on its tryptic hydrolysis and the release of functional peptides. <i>Food Chemistry</i> , 2015 , 187, 545-54	8.5	47
52	Non-target screening with high-resolution mass spectrometry: critical review using a collaborative trial on water analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 6237-55	4.4	358

51	LC-MS screening techniques for wastewater analysis and analytical data handling strategies: Sartans and their transformation products as an example. <i>Chemosphere</i> , 2015 , 137, 198-206	8.4	49
50	Comprehensive assessment of Cytochrome P450 reactions: A multiplex approach using real-time ESI-MS. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015 , 1850, 2573-81	4	1
49	Electrochemical disinfection using boron-doped diamond electrode--the synergetic effects of in situ ozone and free chlorine generation. <i>Chemosphere</i> , 2015 , 121, 47-53	8.4	74
48	Enzymatic Assays Coupled with Mass Spectrometry with or without Embedded Liquid Chromatography. <i>ChemBioChem</i> , 2015 , 16, 1985-92	3.8	6
47	Fractionation of dairy based functional peptides using ion-exchange membrane adsorption chromatography and cross-flow electro membrane filtration. <i>International Dairy Journal</i> , 2014 , 38, 116-123	3.5	21
46	Utilization of real-time electrospray ionization mass spectrometry to gain further insight into the course of nucleotide degradation by intestinal alkaline phosphatase. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 869-78	2.2	3
45	Sublethal effects of the beta-blocker sotalol at environmentally relevant concentrations on the New Zealand mudsnail <i>Potamopyrgus antipodarum</i> . <i>Environmental Toxicology and Chemistry</i> , 2014 , 33, 2510-5	3.8	9
44	Robustness of a method based on the serial coupling of reversed-phase and zwitterionic hydrophilic interaction LC-MS for the analysis of phenols. <i>Journal of Separation Science</i> , 2014 , 37, 630-4	3.4	7
43	Solid support membrane-aerated catalytic biofilm reactor for the continuous synthesis of (S)-styrene oxide at gram scale. <i>Biotechnology Journal</i> , 2014 , 9, 1339-49	5.6	16
42	Main interactions and influences of the chromatographic parameters in HILIC separations. <i>Journal of Chromatographic Science</i> , 2013 , 51, 684-93	1.4	99
41	A highly conserved arginine residue of the chitosanase from <i>Streptomyces</i> sp. N174 is involved both in catalysis and substrate binding. <i>BMC Biochemistry</i> , 2013 , 14, 23	4.8	16
40	Simultaneous investigation of sesquiterpenes, pyrrolizidine alkaloids and N-oxides in Butterbur (<i>Petasites hybridus</i>) with an offline 2D-combination of HPLC-UV and LC-MMI-ToF-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 85, 74-82	3.5	18
39	The medical plant butterbur (<i>Petasites</i>): analytical and physiological (re)view. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 75, 220-9	3.5	34
38	Serial coupling of reversed-phase and zwitterionic hydrophilic interaction LC/MS for the analysis of polar and nonpolar phenols in wine. <i>Journal of Separation Science</i> , 2013 , 36, 1379-88	3.4	64
37	Biochemical and molecular characterization of a thermostable chitosanase produced by the strain <i>Paenibacillus</i> sp. 1794 newly isolated from compost. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 5801-13	5.7	32
36	Serial coupling of RP and zwitterionic hydrophilic interaction LC-MS: suspects screening of diclofenac transformation products by oxidation with a boron-doped diamond electrode. <i>Journal of Separation Science</i> , 2013 , 36, 3011-8	3.4	26
35	On the inter-instrument and the inter-laboratory transferability of a tandem mass spectral reference library. 3. Focus on ion trap and upfront CID. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 263-70	2.2	32
34	Functional proteomics: application of mass spectrometry to the study of enzymology in complex mixtures. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 625-45	4.4	16

33	Real-time ESI-MS of enzymatic conversion: impact of organic solvents and multiplexing. <i>Analytical Sciences</i> , 2012 , 28, 607-12	1.7	10
32	Achroma: a software strategy for analysing (a-)typical mass-spectrometric data. <i>Analytical Methods</i> , 2012 , 4, 1060	3.2	2
31	In vitro and in vivo efficacy of PEGylated diisopropyl fluorophosphatase (DFPase). <i>Drug Testing and Analysis</i> , 2012 , 4, 262-70	3.5	14
30	Fingerprinting of red wine by headspace solid-phase dynamic extraction of volatile constituents. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 2429-36	4.4	10
29	Study of the retention behavior in zwitterionic hydrophilic interaction chromatography of isomeric hydroxy- and aminobenzoic acids. <i>Journal of Chromatography A</i> , 2012 , 1235, 60-7	4.5	71
28	Influence of buffer type and concentration on the peptide composition of trypsin hydrolysates of β -lactoglobulin. <i>Food Chemistry</i> , 2011 , 125, 121-127	8.5	19
27	Enzymatic conversion continuously monitored with a robotic nanoESI-MS tool: experimental status. <i>Analytical Methods</i> , 2011 , 3, 822	3.2	9
26	Chitinase-catalyzed hydrolysis of 4-nitrophenyl penta-N-acetyl-Echitopentaoside as determined by real-time ESIMS: the 4-nitrophenyl moiety of the substrate interacts with the enzyme binding site. <i>Carbohydrate Research</i> , 2011 , 346, 863-6	2.9	8
25	Inhibition of cereulide toxin synthesis by emetic <i>Bacillus cereus</i> via long-chain polyphosphates. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 1475-82	4.8	18
24	Microchip-ESI-MS determination of dissociation constant of the lysozyme-NAG(3) complex. <i>Electrophoresis</i> , 2010 , 31, 2680-5	3.6	11
23	Dissection of glutathione conjugate turnover in yeast. <i>Phytochemistry</i> , 2010 , 71, 54-61	4	28
22	Influence of temperature and degree of hydrolysis on the peptide composition of trypsin hydrolysates of β -lactoglobulin: Analysis by LCESI-TOF/MS. <i>Food Chemistry</i> , 2010 , 121, 457-467	8.5	62
21	Transglycosylation reaction catalyzed by a class V chitinase from cycad, <i>Cycas revoluta</i> : a study involving site-directed mutagenesis, HPLC, and real-time ESI-MS. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010 , 1804, 668-75	4	42
20	Das t \ddot{u} gliche Brot 2010 , 1-35		
19	Organization of nucleobase-functionalized beta-peptides investigated by soft electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 794-802	2.2	1
18	Accessory active site residues of <i>Streptomyces</i> sp. N174 chitosanase: variations on a common theme in the lysozyme superfamily. <i>FEBS Journal</i> , 2009 , 276, 857-69	5.7	27
17	26kDa endochitinase from barley seeds: real-time monitoring of the enzymatic reaction and substrate binding experiments using electrospray ionization mass spectrometry. <i>Journal of Biotechnology</i> , 2009 , 143, 274-83	3.7	11
16	Exposure assessment of the pharmaceutical diclofenac based on long-term measurements of the aquatic input. <i>Environment International</i> , 2009 , 35, 363-8	12.9	61

15	Characterisation of the tryptophan synthase alpha subunit in maize. <i>BMC Plant Biology</i> , 2008 , 8, 44	5.3	41
14	Oligosaccharide hydrolysis by chitosanase enzymes monitored by real-time electrospray ionization-mass spectrometry. <i>Journal of Biotechnology</i> , 2008 , 134, 253-60	3.7	33
13	Real-time mass spectrometry in enzymology. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 257-61	4.4	17
12	Analysis of large oxygenated and nitrated polycyclic aromatic hydrocarbons formed under simulated diesel engine exhaust conditions (by compound fingerprints with SPE/LC-API-MS). <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 2599-608	4.4	13
11	Gas-phase behavior of noncovalent transmembrane segment complexes. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 4089-97	2.2	1
10	Liquid chromatography/atmospheric pressure ionization mass spectrometry with post-column liquid mixing for the efficient determination of partially oxidized polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2007 , 1139, 75-83	4.5	38
9	Function of phytochelatin synthase in catabolism of glutathione-conjugates. <i>Plant Journal</i> , 2007 , 49, 740-9	6.9	104
8	Phytochelatins are synthesized by two vacuolar serine carboxypeptidases in <i>Saccharomyces cerevisiae</i> . <i>FEBS Letters</i> , 2007 , 581, 1681-7	3.8	31
7	Mass spectrometric real-time monitoring of enzymatic glycosidic hydrolysis, enzymatic inhibition and enzyme complexes. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 689-98	4.4	30
6	Sensitive determination of G-protein-coupled receptor binding ligands by solid phase extraction-electrospray ionization-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 744-51	3.5	7
5	On-line coupling of high-performance liquid chromatography to a continuous-flow enzyme assay based on electrospray ionization mass spectrometry. <i>Analytical Chemistry</i> , 2004 , 76, 3155-61	7.8	90
4	Interaction of Ozone and Water Vapor with Spark Discharge Soot Aerosol Particles Coated with Benzo[a]pyrene: O ₃ and H ₂ O Adsorption, Benzo[a]pyrene Degradation, and Atmospheric Implications. <i>Journal of Physical Chemistry A</i> , 2001 , 105, 4029-4041	2.8	276
3	Phenyl-modified reversed-phase liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry: a universal method for the analysis of partially oxidized aromatic hydrocarbons. <i>Analytical Chemistry</i> , 2001 , 73, 1634-45	7.8	51
2	Separation and identification of polar degradation products of benzo[a]pyrene with ozone by atmospheric pressure chemical ionization-mass spectrometry after optimized column chromatographic clean-up. <i>Journal of Chromatography A</i> , 1999 , 855, 501-14	4.5	47
1	Spotlight on mass spectrometric non-target screening analysis: Advanced data processing methods recently communicated for extracting, prioritizing and quantifying features. <i>Analytical Science Advances</i> ,	1.1	1