

Otto O Ettala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7665459/publications.pdf>

Version: 2024-02-01

56
papers

910
citations

516710

16
h-index

526287

27
g-index

57
all docs

57
docs citations

57
times ranked

1534
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of Prostate Cancer Using Biparametric Prostate MRI, Radiomics, and Kallikreins: A Retrospective Multicenter Study of Men With a Clinical Suspicion of Prostate Cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 465-477.	3.4	9
2	Incidence of and mortality from Bacille Calmette-Guérin (BCG) infections after BCG instillation therapy. <i>BJU International</i> , 2022, 129, 737-743.	2.5	5
3	Comparison of reprojected bone SPECT/CT and planar bone scintigraphy for the detection of bone metastases in breast and prostate cancer. <i>Nuclear Medicine Communications</i> , 2022, Publish Ahead of Print, .	1.1	3
4	Increased Expression and Altered Cellular Localization of Fibroblast Growth Factor Receptor-Like 1 (FGFRL1) Are Associated with Prostate Cancer Progression. <i>Cancers</i> , 2022, 14, 278.	3.7	2
5	The variant rs77559646 associated with aggressive prostate cancer disrupts ANO7 mRNA splicing and protein expression. <i>Human Molecular Genetics</i> , 2022, 31, 2063-2077.	2.9	7
6	Awareness of Smoking as a Risk Factor in Bladder Cancer: Results from the Prospective FinnBladder 9 Trial. <i>European Urology Focus</i> , 2022, 8, 1246-1252.	3.1	6
7	Uptake of ¹⁸ F-rhPSMA-7.3 in Positron Emission Tomography Imaging of Prostate Cancer: A Phase 1 Proof-of-Concept Study. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2022, 37, 205-213.	1.0	3
8	Individualised non-contrast MRI-based risk estimation and shared decision-making in men with a suspicion of prostate cancer: protocol for multicentre randomised controlled trial (multi-IMPROD) Tj ETQq0 0 0 rgBIT.9 Overlock 10 Tf 50	1.0	0
9	Mortality after surgery for benign prostate hyperplasia: a nationwide cohort study. <i>World Journal of Urology</i> , 2022, , 1.	2.2	0
10	Randomised double-blind phase 3 clinical study testing impact of atorvastatin on prostate cancer progression after initiation of androgen deprivation therapy: study protocol. <i>BMJ Open</i> , 2022, 12, e050264.	1.9	5
11	Intraoperative complications in kidney tumor surgery: critical grading for the European Association of Urology intraoperative adverse incident classification. <i>Scandinavian Journal of Urology</i> , 2022, 56, 293-300.	1.0	0
12	Combined Use of Prostate-specific Antigen Density and Magnetic Resonance Imaging for Prostate Biopsy Decision Planning: A Retrospective Multi-institutional Study Using the Prostate Magnetic Resonance Imaging Outcome Database (PROMOD). <i>European Urology Oncology</i> , 2021, 4, 971-979.	5.4	56
13	A Prospective Comparison of ¹⁸ F-prostate-specific Membrane Antigen-1007 Positron Emission Tomography Computed Tomography, Whole-body 1.5 T Magnetic Resonance Imaging with Diffusion-weighted Imaging, and Single-photon Emission Computed Tomography/Computed Tomography with Traditional Imaging in Primary Distant Metastasis Staging of Prostate Cancer (PROSTAGE). <i>European Urology Oncology</i> , 2021, 4, 635-644.	5.4	58
14	Test-retest repeatability of a deep learning architecture in detecting and segmenting clinically significant prostate cancer on apparent diffusion coefficient (ADC) maps. <i>European Radiology</i> , 2021, 31, 379-391.	4.5	15
15	Prospective comparison of ¹⁸ F-PSMA-1007 PET/CT, whole-body MRI and CT in primary nodal staging of unfavourable intermediate- and high-risk prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2951-2959.	6.4	26
16	A three-feature prediction model for metastasis-free survival after surgery of localized clear cell renal cell carcinoma. <i>Scientific Reports</i> , 2021, 11, 8650.	3.3	10
17	Kinetic analysis and optimisation of ¹⁸ F-rhPSMA-7.3 PET imaging of prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 3723-3731.	6.4	10
18	Negative Predictive Value of Biparametric Prostate Magnetic Resonance Imaging in Excluding Significant Prostate Cancer: A Pooled Data Analysis Based on Clinical Data from Four Prospective, Registered Studies. <i>European Urology Focus</i> , 2021, 7, 522-531.	3.1	10

#	ARTICLE	IF	CITATIONS
19	Computer extracted gland features from H&E predicts prostate cancer recurrence comparably to a genomic companion diagnostic test: a large multi-site study. <i>Npj Precision Oncology</i> , 2021, 5, 35.	5.4	13
20	Response to the Letter to the Editor: Prospective comparison of 18F-PSMA-1007 PET/CT, whole-body MRI and CT in primary nodal staging of unfavourable intermediate- and high-risk prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2672-2673.	6.4	2
21	Does every Clavien-Dindo complication matter? A national multi-center study in kidney cancer surgery. <i>Scandinavian Journal of Urology</i> , 2021, 55, 441-447.	1.0	4
22	How to read biparametric MRI in men with a clinical suspicion of prostate cancer: Pictorial review for beginners with public access to imaging, clinical and histopathological database. <i>Acta Radiologica Open</i> , 2021, 10, 205846012110607.	0.6	1
23	Symptoms and diagnostic delays in bladder cancer with high risk of recurrence: results from a prospective FinnBladder 9 trial. <i>World Journal of Urology</i> , 2020, 38, 1001-1007.	2.2	9
24	Decreased forced expiratory volume in first second is associated with erectile dysfunction in apparently healthy men. A preliminary study.. <i>International Journal of Impotence Research</i> , 2020, 32, 420-425.	1.8	2
25	Repeatability of radiomics and machine learning for DWI: Short-term repeatability study of 112 patients with prostate cancer. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 2293-2309.	3.0	23
26	Prostate Cancer Risk Stratification in Men With a Clinical Suspicion of Prostate Cancer Using a Unique Biparametric MRI and Expression of 11 Genes in Apparently Benign Tissue: Evaluation Using Machine Learning Techniques. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1540-1553.	3.4	3
27	Prebiopsy IMPROD Biparametric Magnetic Resonance Imaging Combined with Prostate-Specific Antigen Density in the Diagnosis of Prostate Cancer: An External Validation Study. <i>European Urology Oncology</i> , 2020, 3, 648-656.	5.4	18
28	Impact of biparametric prebiopsy prostate magnetic resonance imaging on the diagnostics of clinically significant prostate cancer in biopsy naïve men. <i>Scandinavian Journal of Urology</i> , 2020, 54, 7-13.	1.0	0
29	Prospective study on the effect of short-term androgen deprivation therapy on PSMA uptake evaluated with 68Ga-PSMA-11 PET/MRI in men with treatment-naïve prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 665-673.	6.4	42
30	Reply to Joshua S. Jue and Mahmoud Alameddine's Letter to the Editor re: Juha Knaapila, Ivan Jambor, Ileana Montoya Perez, et al. Prebiopsy IMPROD Biparametric Magnetic Resonance Imaging Combined with Prostate-Specific Antigen Density in the Diagnosis of Prostate Cancer: An External Validation Study. <i>Eur Urol Oncol</i> 2020;3:648-656. <i>European Urology Oncology</i> , 2020, 3, 711-712.	5.4	2
31	Qualitative and Quantitative Reporting of a Unique Biparametric MRI: Towards Biparametric MRI-Based Nomograms for Prediction of Prostate Biopsy Outcome in Men With a Clinical Suspicion of Prostate Cancer (IMPROD and MULTI-IMPROD Trials). <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1556-1567.	3.4	22
32	Critical evaluation of the subcutaneous engraftments of hormone naïve primary prostate cancer. <i>Translational Andrology and Urology</i> , 2020, 9, 1120-1134.	1.4	3
33	Prediction of prostate cancer aggressiveness using 18F-Fluciclovine (FACBC) PET and multisequence multiparametric MRI. <i>Scientific Reports</i> , 2020, 10, 9407.	3.3	3
34	Added value of systematic biopsy in men with a clinical suspicion of prostate cancer undergoing biparametric MRI-targeted biopsy: multi-institutional external validation study. <i>World Journal of Urology</i> , 2020, 39, 1879-1887.	2.2	15
35	Clinical markers of morbidity, mortality and survival in bladder cancer patients treated with radical cystectomy. A systematic review. <i>Scandinavian Journal of Urology</i> , 2020, 54, 267-276.	1.0	3
36	Urine cytology is a feasible tool for assessing erythematous bladder lesions after bacille Calmette-Guérin (BCG) treatment. <i>BJU International</i> , 2019, 123, 246-251.	2.5	4

#	ARTICLE	IF	CITATIONS
37	<i>ANO7</i> rs77559646 Is Associated With First-line Docetaxel Treatment Response in Metastatic Castration-resistant Prostate Cancer. <i>Anticancer Research</i> , 2019, 39, 5353-5359.	1.1	7
38	Radiation-induced cystitis treated with hyperbaric oxygen therapy (RICH-ART): a randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 1602-1614.	10.7	65
39	Validation of IMPROD biparametric MRI in men with clinically suspected prostate cancer: A prospective multi-institutional trial. <i>PLoS Medicine</i> , 2019, 16, e1002813.	8.4	43
40	IMPROD biparametric MRI in men with a clinical suspicion of prostate cancer (IMPROD Trial): Sensitivity for prostate cancer detection in correlation with whole-mount prostatectomy sections and implications for focal therapy. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1641-1650.	3.4	16
41	Adverse Events During Neoadjuvant Chemotherapy for Muscle Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2019, 5, 273-279.	0.4	9
42	Prevalence of Complications Leading to a Health Care Contact After Transrectal Prostate Biopsies: A Prospective, Controlled, Multicenter Study Based on a Selected Study Cohort. <i>European Urology Focus</i> , 2019, 5, 443-448.	3.1	16
43	Antibiotic susceptibility of intestinal <i>Escherichia coli</i> in men undergoing transrectal prostate biopsies: a prospective, registered, multicentre study. <i>BJU International</i> , 2018, 122, 203-210.	2.5	14
44	Radiomic features from pretreatment biparametric MRI predict prostate cancer biochemical recurrence: Preliminary findings. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, spcone-spcone.	3.4	5
45	Neoadjuvant Chemotherapy Does Not Increase the Morbidity of Radical Cystectomy: A 10-year Retrospective Nationwide Study. <i>European Urology Oncology</i> , 2018, 1, 525-530.	5.4	23
46	Synergistic Interaction of <i>HOXB13</i> and <i>CIP2A</i> Predisposes to Aggressive Prostate Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 6265-6276.	7.0	17
47	<i>ANO7</i> is associated with aggressive prostate cancer. <i>International Journal of Cancer</i> , 2018, 143, 2479-2487.	5.1	31
48	Intratumoral androgen levels are linked to TMPRSS2-ERG fusion in prostate cancer. <i>Endocrine-Related Cancer</i> , 2018, 25, 807-819.	3.1	16
49	¹¹ C-acetate PET/MRI in bladder cancer staging and treatment response evaluation to neoadjuvant chemotherapy: a prospective multicenter study (ACEBIB trial). <i>Cancer Imaging</i> , 2018, 18, 25.	2.8	22
50	Radiomic features from pretreatment biparametric MRI predict prostate cancer biochemical recurrence: Preliminary findings. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1626-1636.	3.4	107
51	Novel biparametric MRI and targeted biopsy improves risk stratification in men with a clinical suspicion of prostate cancer (IMPROD Trial). <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1089-1095.	3.4	75
52	Stratification of aggressive prostate cancer from indolent disease—Prospective controlled trial utilizing expression of 11 genes in apparently benign tissue. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 255.e15-255.e22.	1.6	8
53	Comment on: Exercise Overcomes Possible Influences of Race and Obesity. <i>Journal of Sexual Medicine</i> , 2015, 12, 1211.	0.6	0
54	Factors modifying the effect of blood pressure on erectile function. <i>Journal of Hypertension</i> , 2015, 33, 975-980.	0.5	16

#	ARTICLE	IF	CITATIONS
55	Erectile dysfunction cannot be used in primary screening of pre-diabetes. Diabetes Research and Clinical Practice, 2015, 108, e60-e62.	2.8	6
56	High-Intensity Physical Activity, Stable Relationship, and High Education Level Associate with Decreasing Risk of Erectile Dysfunction in 1,000 Apparently Healthy Cardiovascular Risk Subjects. Journal of Sexual Medicine, 2014, 11, 2277-2284.	0.6	15