

# Roberto PÃ©rez-CastaÃ±eda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/766798/publications.pdf>

Version: 2024-02-01

22  
papers

307  
citations

1040056

9  
h-index

888059

17  
g-index

22  
all docs

22  
docs citations

22  
times ranked

436  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Propolis, a Honeybee Product, Against a Parasite ( <i>Ligistilix floricola</i> ) from Catfish ( <i>Ictalurus punctatus</i> ) Gills. <i>Acta Parasitologica</i> , 2020, 65, 804-809.	1.1	1
2	Density-dependent condition of juvenile penaeid shrimps in seagrass-dominated aquatic vegetation beds located at different distance from a tidal inlet. <i>PeerJ</i> , 2020, 8, e10496.	2.0	3
3	Growth of <i>Penaeus aztecus</i> Lves, 1891 and <i>Penaeus duorarum</i> Burkenroad, 1931 in a hypersaline lagoon: relationships with environmental conditions and body size. <i>Indian Journal of Fisheries</i> , 2019, 66, .	0.3	0
4	Does the relative value of submerged aquatic vegetation for penaeid shrimps vary with proximity to a tidal inlet? Preliminary evidence from a subtropical coastal lagoon. <i>Marine and Freshwater Research</i> , 2017, 68, 581.	1.3	8
5	Endohelminths of Fishes of Commercial Importance from Vicente Guerrero Reservoir, Tamaulipas, Mexico. <i>Comparative Parasitology</i> , 2017, 84, 194-200.	0.4	1
6	White Spot Syndrome Virus (WSSV) and Necrotizing Hepatopancreatitis (NHP) detection in wild shrimp of the San Andrés Lagoon, Mexico. <i>Revista De Biología Marina Y Oceanografía</i> , 2016, 51, 455-459.	0.2	7
7	Co-management in Latin American small-scale shellfisheries: assessment from long-term case studies. <i>Fish and Fisheries</i> , 2016, 17, 176-192.	5.3	90
8	Regional-Scale Spatio-Temporal Analysis of <i>Anastrepha ludens</i> (Diptera: Tephritidae) Populations in the Citrus Region of Santa Engracia, Tamaulipas, Mexico. <i>Journal of Economic Entomology</i> , 2015, 108, 1655-1664.	1.8	12
9	Spatial Analysis of Metal Profiles in Sediments in a Tropical Estuary: A Geostatistical Approach. <i>Archives of Environmental Contamination and Toxicology</i> , 2015, 69, 482-493.	4.1	2
10	Chronic effects of a monogenean <i>Ligistilix floricola</i> (Ancyrocephalidae) infection on channel catfish ( <i>Ictalurus punctatus</i> ) growth performance. <i>Acta Veterinaria Brno</i> , 2014, 83, 83-87.	0.5	6
11	Interspecific Variations in Population Structure of Penaeids from an Artisanal Shrimp Fishery in a Hypersaline Coastal Lagoon of Mexico. <i>Journal of Coastal Research</i> , 2012, 278, 187-192.	0.3	1
12	Cadmium and Lead Levels Along the Estuarine Ecosystem of Tigre River-San Andres Lagoon, Tamaulipas, Mexico. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012, 89, 782-785.	2.7	9
13	Distribution of <i>Farfantepenaeus aztecus</i> and <i>F. duorarum</i> on submerged aquatic vegetation habitats along a subtropical coastal lagoon (Laguna Madre, Mexico). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 445-452.	0.8	18
14	Assessing patterns of ichthyofauna discarded by an artisanal shrimp fishery through selectivity experiments in a coastal lagoon. <i>Fisheries Research</i> , 2009, 97, 155-162.	1.7	8
15	Reproductive patterns of the hawksbill turtle <i>Eretmochelys imbricata</i> in sandy beaches of the Yucatan Peninsula. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 815-824.	0.8	17
16	First detection of channel catfish virus associated with mortality of cultured catfish ( <i>Ictalurus</i> ) Tj ETQq0 0 0 rgBT /Ovgrlock 1Q Tf 50 142	1.8	1
17	Growth and mortality of transient shrimp populations ( <i>Farfantepenaeus</i> spp.) in a coastal lagoon of Mexico: role of the environment and density-dependence. <i>ICES Journal of Marine Science</i> , 2005, 62, 14-24.	2.5	36
18	Spatial structure and bathymetric patterns of penaeoid shrimps in the southwestern Gulf of Mexico. <i>Fisheries Research</i> , 2005, 72, 291-300.	1.7	14

#	ARTICLE	IF	CITATIONS
19	A reciprocal model for mortality at length in juvenile pink shrimps ( <i>Farfantepenaeus duorarum</i> ) in a coastal lagoon of Mexico. <i>Fisheries Research</i> , 2003, 63, 283-287.	1.7	8
20	Influence of estuarine zonation on exploited shrimp populations in a Mexican biosphere reserve: a feature for management and conservation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 781-784.	0.8	9
21	Morphometric relationships of penaeid shrimps in a coastal lagoon: Spatio-temporal variability and management implications. <i>Estuaries and Coasts</i> , 2002, 25, 282-287.	1.7	25
22	Pathogenicity and Infection Route of <i>Vibrio parahaemolyticus</i> in American White Shrimp, <i>Litopenaeus vannamei</i> . <i>Journal of the World Aquaculture Society</i> , 0, 41, 464-470.	2.4	31