Li-Xin You

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7668333/publications.pdf

Version: 2024-02-01

566801 610482 40 671 15 24 citations h-index g-index papers 40 40 40 839 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Versatile monometallic coordination polymers constructed from $4,4\hat{a}\in^2$ -thiobis(methylene)bibenzoic acid and $1,10$ -phenanthroline. Synthesis, structure, magnetic and luminescence properties. Inorganica Chimica Acta, 2022, 531, 120712.	1.2	2
2	Pd and Ni NPs@Eu-MOF, an economically advantageous nanocatalyst for C(sp2)-C(sp2) cross-coupling reactions. Key role of Ni and of the metal nanoparticles. Polyhedron, 2022, 223, 115950.	1.0	3
3	Structural insights into new luminescent 2D lanthanide coordination polymers using an N, N′-disubstituted benzimidazole zwitterion. Influence of the ligand. Inorganica Chimica Acta, 2021, 525, 120441.	1.2	8
4	New Ln-MOFs based on mixed organic ligands: synthesis, structure and efficient luminescence sensing of the Hg ²⁺ ions in aqueous solutions. Dalton Transactions, 2021, 50, 15612-15619.	1.6	20
5	Engineering functional group decorated ZIFs to high-performance Pd@ZIF-92 nanocatalysts for C(sp2)-C(sp2) couplings in aqueous medium. Journal of Catalysis, 2020, 392, 80-87.	3.1	9
6	Highly Efficient and Selective Adsorption of Cationic Dyes in Aqueous Media on Microporous Hyper Crosslinked Polymer with Abundant and Evenly Dispersed Sulfonic Groups. ChemistrySelect, 2020, 5, 6541-6548.	0.7	9
7	Assembly of Three Lanthanide Coordination Polymers from 2-(4-Carboxybenzyloxy) Benzoic Acid Ligand: Synthesis, Structure, and Fluorescent Properties. Australian Journal of Chemistry, 2020, 73, 16.	0.5	3
8	Striking dual functionality of a novel Pd@Eu-MOF nanocatalyst in C(sp ²)–C(sp ²) bond-forming and CO ₂ fixation reactions. Dalton Transactions, 2020, 49, 6368-6376.	1.6	20
9	Synthesis, structure and luminescence of lanthanide coordination polymers based on the 1,3-Bis(carboxymethyl) imidazolium salt. Journal of Solid State Chemistry, 2019, 278, 120900.	1.4	12
10	Lanthanide coordination polymers containing 1,3-bis(carboxymethyl) imidazolium as organic ligand: Crystal structure and luminescent properties. Inorganica Chimica Acta, 2019, 497, 119075.	1.2	9
11	Hypervalent silicon-based, anionic porous organic polymers with solid microsphere or hollow nanotube morphologies and exceptional capacity for selective adsorption of cationic dyes. Journal of Materials Chemistry A, 2019, 7, 393-404.	5.2	61
12	Unprecedented homochiral 3D lanthanide coordination polymers with triple-stranded helical architecture constructed from a rigid achiral aryldicarboxylate ligand. CrystEngComm, 2019, 21, 1758-1763.	1.3	15
13	Synthesis, structure and photoluminescence of 3D lanthanide coordination polymers based on 2-(3,5-dicarboxybenzyloxy) benzoic acid. Inorganica Chimica Acta, 2019, 485, 49-53.	1.2	7
14	2D and 3D lanthanide metal–organic frameworks constructed from three benzenedicarboxylate ligands: synthesis, structure and luminescent properties. CrystEngComm, 2018, 20, 615-623.	1.3	32
15	Sphalerite Cu/ZnS Nanoparticles Derived from Cu/Znâ€ZIFâ€8 for the Photocatalytic Degradation and Adsorption of Dyes. European Journal of Inorganic Chemistry, 2018, 2018, 1038-1046.	1.0	11
16	La-Metal-Organic Framework incorporating Fe3O4 nanoparticles, post-synthetically modified with Schiff base and Pd. A highly active, magnetically recoverable, recyclable catalyst for C C cross-couplings at low Pd loadings. Journal of Catalysis, 2018, 361, 116-125.	3.1	75
17	Temperature-tuned topologies and interpenetrations of two 3D porous copper(II)-organic frameworks and gas adsorption behaviors. Inorganica Chimica Acta, 2018, 471, 180-185.	1.2	8
18	Lanthanide contraction and anion-controlled structure diversity in two types of novel 3d-4f heterometallic coordination polymers: Crystal structure and magnetic properties. Inorganica Chimica Acta, 2018, 483, 299-304.	1.2	3

#	Article	IF	CITATIONS
19	Tailoring the structure, pH sensitivity and catalytic performance in Suzuki–Miyaura cross-couplings of Ln/Pd MOFs based on the 1,1′-di(<i>p</i> carboxybenzyl)-2,2′-diimidazole linker. Dalton Transactions, 2018, 47, 8755-8763.	1.6	22
20	Syntheses, structures, and luminescence of a series of novel trimetallic coordination polymers constructed by Cu-I clusters and alkaline-carboxyl- alkaline-earth building units. Journal of Solid State Chemistry, 2018, 265, 393-401.	1.4	2
21	Synthesis, Crystal Structure, and Photoluminescent Properties of a Series of LnIII–Cul Heterometallic Coordination Polymers Based on Cu4I3 Clusters and Ln–ina Rod Units. Australian Journal of Chemistry, 2017, 70, 943.	0.5	5
22	A Yellow-Emitting Homoleptic Iridium(III) Complex Constructed from a Multifunctional Spiro Ligand for Highly Efficient Phosphorescent Organic Light-Emitting Diodes. Inorganic Chemistry, 2017, 56, 8397-8407.	1.9	23
23	High catalytic activity in aqueous heck and Suzuki–Miyaura reactions catalyzed by novel Pd/Ln coordination polymers based on 2,2′-bipyridine-4,4′-dicarboxylic acid as a heteroleptic ligand. Polyhedron, 2016, 115, 47-53.	1.0	35
	$Monodisperse\ Gd < SUB > 2 < /SUB > O < SUB > 3 < /SUB > :Ln < SUP > 3 + < /SUP > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ 0\ 0\ rgBT > (Ln < SUP > 3 + < /SUP > =)\ Tj\ ETQq0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0$	/Overlock	10 Tf 50 55
24	Synthesis and Multicolor Luminescence Properties. Journal of Nanoscience and Nanotechnology, 2016, 16, 9731-9737.	0.9	4
25	Novel mononuclear Pt2+ and Pd2+ complexes containing (2,3-f)pyrazino(1,10)phenanthroline-2,3-dicarboxylic acid as a multi-donor ligand. Synthesis, structure, interaction with DNA, in vitro cytotoxicity, and apoptosis. Journal of Inorganic Biochemistry, 2016, 164. 129-140.	1.5	11
26	Structure and Magnetocaloric Effect of Two Kinds of Ln–Mn ^{II} Heterometallic Coordination Polymers Produced by Fractional Crystallization. European Journal of Inorganic Chemistry, 2016, 2016, 3969-3977.	1.0	15
27	The synergistic effect of cobalt on a Pd/Co catalyzed Suzuki–Miyaura cross-coupling in water. Dalton Transactions, 2016, 45, 18455-18458.	1.6	27
28	Cooperative effects of lanthanides when associated with palladium in novel, 3D Pd/Ln coordination polymers. Sustainable applications as water-stable, heterogeneous catalysts in carbon–carbon cross-coupling reactions. Applied Catalysis A: General, 2016, 511, 1-10.	2.2	34
29	Bis(imidazole) coordination polymers controlled by oxalate as an auxiliary ligand. Journal of Coordination Chemistry. 2015. 68, 1199-1212. Facile Synthesis and Luminescence Properties of Y ₂ O ₃ Ln ³⁺	0.8	13
	ιαι, ο αυαχι, ο αιι, ο αυαχι, ο αιι, ο αυαχι, ο αυαχι, ο αιαι, ο αιταχι, ο ταιι, ι ο αιταχι,		

#	Article	IF	CITATIONS
37	Synthesis of hollow La2O3:Yb3+/Er3+/Tm3+ microspheres with tunable up-conversion luminescence properties. RSC Advances, 2013, 3, 8407.	1.7	16
38	Synthesis, characterization, and interaction with DNA of Cu(II) and Zn(II) complexes with 2,2′-bipyridyl-6,6′-dicarboxylic acid. Journal of Coordination Chemistry, 2013, 66, 2455-2464.	0.8	26
39	Hydrothermal synthesis, crystal structure and properties of three-dimensional Co(ii)-4f heterometallic–organic frameworks. CrystEngComm, 2012, 14, 8689.	1.3	9
40	The levels of jasmonic acid and salicylic acid in a rice-barnyardgrass coexistence system and their relation to rice allelochemicals. Biochemical Systematics and Ecology, 2011, 39, 491-497.	0.6	25