

Anna Laura Capriotti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7668619/anna-laura-capriotti-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

5,191
citations

41
h-index

64
g-index

174
ext. papers

6,071
ext. citations

5.3
avg, IF

5.77
L-index

#	Paper	IF	Citations
163	Opsonin-Deficient Nucleoproteic Corona Endows UnPEGylated Liposomes with Stealth Properties .. <i>ACS Nano</i> , 2022 ,	16.7	5
162	Detailed investigation of the composition and transformations of phenolic compounds in fresh and fermented <i>Vaccinium floribundum</i> berry extracts by high-resolution mass spectrometry and bioinformatics.. <i>Phytochemical Analysis</i> , 2022 ,	3.4	2
161	Kynurenine and kynurenic acid: Two human neuromodulators found in <i>Cannabis sativa</i> L.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 211, 114636	3.5	1
160	Untargeted analysis of contaminants in river water samples: Comparison between two different sorbents for solid-phase extraction followed by liquid chromatography-high-resolution mass spectrometry determination. <i>Microchemical Journal</i> , 2022 , 172, 106979	4.8	0
159	A protein hydrolysate exerts hypocholesterolemic effects in Western diet-fed ApoE mice through the modulation of LDLR and PCSK9 pathways.. <i>Food and Function</i> , 2022 , 13, 4158-4170	6.1	2
158	Comprehensive biomarker profiles and chemometric filtering of urinary metabolomics for effective discrimination of prostate carcinoma from benign hyperplasia.. <i>Scientific Reports</i> , 2022 , 12, 4361	4.9	
157	Fully Automatized Detection of Phosphocholine-Containing Lipids through an Isotopically Labeled Buffer Modification Workflow. <i>Analytical Chemistry</i> , 2021 , 93, 15042-15048	7.8	1
156	Multielement Characterization and Antioxidant Activity of Italian Extra-Virgin Olive Oils. <i>Frontiers in Chemistry</i> , 2021 , 9, 769620	5	2
155	High-Resolution Mass Spectrometry and Chemometrics for the Detailed Characterization of Short Endogenous Peptides in Milk By-Products. <i>Molecules</i> , 2021 , 26,	4.8	1
154	Biomarkers in Prostate Cancer Diagnosis: From Current Knowledge to the Role of Metabolomics and Exosomes. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	19
153	Andean Blueberry of the Genus <i>Disterigma</i> : A High-Resolution Mass Spectrometric Approach for the Comprehensive Characterization of Phenolic Compounds. <i>Separations</i> , 2021 , 8, 58	3.1	7
152	Untargeted metabolomics of prostate cancer zwitterionic and positively charged compounds in urine. <i>Analytica Chimica Acta</i> , 2021 , 1158, 338381	6.6	10
151	Production and Characterization of Medium-Sized and Short Antioxidant Peptides from Soy Flour-Simulated Gastrointestinal Hydrolysate. <i>Antioxidants</i> , 2021 , 10,	7.1	6
150	In-depth cannabis fatty acid profiling by ultra-high performance liquid chromatography coupled to high resolution mass spectrometry. <i>Talanta</i> , 2021 , 228, 122249	6.2	1
149	Profiling and quantitative analysis of underivatized fatty acids in <i>Chlorella vulgaris</i> microalgae by liquid chromatography-high resolution mass spectrometry. <i>Journal of Separation Science</i> , 2021 , 44, 3041-3051	3.4	2
148	A rapid and innovative extraction and enrichment method for the metaproteomic characterization of dissolved organic matter in groundwater samples. <i>Journal of Separation Science</i> , 2021 , 44, 1612-1620	3.4	
147	Comprehensive identification of native medium-sized and short bioactive peptides in sea bass muscle. <i>Food Chemistry</i> , 2021 , 343, 128443	8.5	7

146	Analytical Methodologies for Lipidomics in Hemp Plant. <i>Methods in Molecular Biology</i> , 2021 , 2306, 257-273	4.7	1
145	Optimal centrifugal isolating of liposome-protein complexes from human plasma. <i>Nanoscale Advances</i> , 2021 , 3, 3824-3834	5.1	5
144	Degradation of the polar lipid and fatty acid molecular species in extra virgin olive oil during storage based on shotgun lipidomics. <i>Journal of Chromatography A</i> , 2021 , 1639, 461881	4.5	5
143	Phytocannabinomics: Untargeted metabolomics as a tool for cannabis chemovar differentiation. <i>Talanta</i> , 2021 , 230, 122313	6.2	9
142	Potency testing of cannabinoids by liquid and supercritical fluid chromatography: Where we are, what we need. <i>Journal of Chromatography A</i> , 2021 , 1651, 462304	4.5	11
141	HPLC-UV-HRMS analysis of cannabigerovarin and cannabigerobutol, the two impurities of cannabigerol extracted from hemp. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 203, 114215	5.5	2
140	Recent applications of mass spectrometry for the characterization of cannabis and hemp phytocannabinoids: From targeted to untargeted analysis. <i>Journal of Chromatography A</i> , 2021 , 1655, 462492	4.5	12
139	Targeted and untargeted characterization of underivatized policosanols in hemp inflorescence by liquid chromatography-high resolution mass spectrometry. <i>Talanta</i> , 2021 , 235, 122778	6.2	1
138	The novel heptyl phorolic acid cannabinoids content in different Cannabis sativa L. accessions. <i>Talanta</i> , 2021 , 235, 122704	6.2	2
137	Methodologies for extraction and separation of short-chain bioactive peptides 2021 , 75-86		
136	Identification and Quantification of Polycyclic Aromatic Hydrocarbons in Polyhydroxyalkanoates Produced from Mixed Microbial Cultures and Municipal Organic Wastes at Pilot Scale. <i>Molecules</i> , 2021 , 26,	4.8	3
135	Identification of a new cannabidiol n-hexyl homolog in a medicinal cannabis variety with an antinociceptive activity in mice: cannabidihexol. <i>Scientific Reports</i> , 2020 , 10, 22019	4.9	18
134	Development of a Sample-Preparation Workflow for Sulfopeptide Enrichment: From Target Analysis to Challenges in Shotgun Sulfopeptomics. <i>Analytical Chemistry</i> , 2020 , 92, 7964-7971	7.8	5
133	Personalized Graphene Oxide-Protein Corona in the Human Plasma of Pancreatic Cancer Patients. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 491	5.8	24
132	Untargeted Characterization of Chestnut (Mill.) Shell Polyphenol Extract: A Valued Bioresource for Prostate Cancer Cell Growth Inhibition. <i>Molecules</i> , 2020 , 25,	4.8	11
131	A new opening for the tricky untargeted investigation of natural and modified short peptides. <i>Talanta</i> , 2020 , 219, 121262	6.2	10
130	Improved identification of phytocannabinoids using a dedicated structure-based workflow. <i>Talanta</i> , 2020 , 219, 121310	6.2	16
129	Determination of multi-class emerging contaminants in sludge and recovery materials from waste water treatment plants: Development of a modified QuEChERS method coupled to LCMS/MS. <i>Microchemical Journal</i> , 2020 , 155, 104732	4.8	13

128	Does the protein corona take over the selectivity of molecularly imprinted nanoparticles? The biological challenges to recognition. <i>Journal of Proteomics</i> , 2020 , 219, 103736	3.9	8
127	Phospholipidome of extra virgin olive oil: Development of a solid phase extraction protocol followed by liquid chromatography-high resolution mass spectrometry for its software-assisted identification. <i>Food Chemistry</i> , 2020 , 310, 125860	8.5	13
126	Magnetic molecularly imprinted multishell particles for zearalenone recognition. <i>Polymer</i> , 2020 , 188, 122102	3.9	4
125	A new software-assisted analytical workflow based on high-resolution mass spectrometry for the systematic study of phenolic compounds in complex matrices. <i>Talanta</i> , 2020 , 209, 120573	6.2	27
124	A clean-up strategy for identification of circulating endogenous short peptides in human plasma by zwitterionic hydrophilic liquid chromatography and untargeted peptidomics identification. <i>Journal of Chromatography A</i> , 2020 , 1613, 460699	4.5	4
123	Carbon nanostructure morphology templates nanocomposites for phosphoproteomics. <i>Nano Research</i> , 2020 , 13, 380-388	10	11
122	A protein corona sensor array detects breast and prostate cancers. <i>Nanoscale</i> , 2020 , 12, 16697-16704	7.7	8
121	Developments and pitfalls in the characterization of phenolic compounds in food: From targeted analysis to metabolomics-based approaches. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 133, 116083	14.6	9
120	Identification and Antimicrobial Activity of Medium-Sized and Short Peptides from Yellowfin Tuna () Simulated Gastrointestinal Digestion. <i>Foods</i> , 2020 , 9,	4.9	11
119	A comprehensive analysis of liposomal biomolecular corona upon human plasma incubation: The evolution towards the lipid corona. <i>Talanta</i> , 2020 , 209, 120487	6.2	11
118	A Novel Magnetic Molecular Imprinted Polymer for Selective Extraction of Zearalenone from Cereal Flours before Liquid Chromatography-Tandem Mass Spectrometry Determination. <i>Toxins</i> , 2019 , 11,	4.9	9
117	Protein Corona Fingerprints of Liposomes: New Opportunities for Targeted Drug Delivery and Early Detection in Pancreatic Cancer. <i>Pharmaceutics</i> , 2019 , 11,	6.4	27
116	Disease-specific protein corona sensor arrays may have disease detection capacity. <i>Nanoscale Horizons</i> , 2019 , 4, 1063-1076	10.8	41
115	The biomolecular corona of gold nanoparticles in a controlled microfluidic environment. <i>Lab on A Chip</i> , 2019 , 19, 2557-2567	7.2	24
114	Microfluidic-generated lipid-graphene oxide nanoparticles for gene delivery. <i>Applied Physics Letters</i> , 2019 , 114, 233701	3.4	16
113	Identification of bioactive short peptides in cow milk by high-performance liquid chromatography on C18 and porous graphitic carbon coupled to high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 3395-3404	4.4	19
112	Recent Applications of Magnetic Solid-phase Extraction for Sample Preparation. <i>Chromatographia</i> , 2019 , 82, 1251-1274	2.1	52
111	Peptides from Cauliflower By-Products, Obtained by an Efficient, Ecosustainable, and Semi-Industrial Method, Exert Protective Effects on Endothelial Function. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 1046504	6.7	13

110	A Triple Quadrupole and a Hybrid Quadrupole Orbitrap Mass Spectrometer in Comparison for Polyphenol Quantitation. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 4885-4896	5.7	11
109	Investigation of free and conjugated seleno-amino acids in wheat bran by hydrophilic interaction liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2019 , 42, 1938-1947	3.4	2
108	Graphitized Carbon Black Enrichment and UHPLC-MS/MS Allow to Meet the Challenge of Small Chain Peptidomics in Urine. <i>Analytical Chemistry</i> , 2019 , 91, 11474-11481	7.8	17
107	Interplay of protein corona and immune cells controls blood residency of liposomes. <i>Nature Communications</i> , 2019 , 10, 3686	17.4	97
106	Development of an Analytical Method for the Metaproteomic Investigation of Bioaerosol from Work Environments. <i>Proteomics</i> , 2019 , 19, e1900152	4.8	1
105	Converting the personalized biomolecular corona of graphene oxide nanoflakes into a high-throughput diagnostic test for early cancer detection. <i>Nanoscale</i> , 2019 , 11, 15339-15346	7.7	29
104	Peptidomic Approach for the Identification of Peptides with Potential Antioxidant and Anti-Hypertensive Effects Derived From Asparagus By-Products. <i>Molecules</i> , 2019 , 24,	4.8	13
103	Effect of shell structure of Ti-immobilized metal ion affinity chromatography core-shell magnetic particles for phosphopeptide enrichment. <i>Scientific Reports</i> , 2019 , 9, 15782	4.9	4
102	Liposome protein corona characterization as a new approach in nanomedicine. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 4313-4326	4.4	19
101	A novel phytocannabinoid isolated from Cannabis sativa L. with an in vivo cannabimimetic activity higher than Δ^9 Tetrahydrocannabinol: Δ^9 Tetrahydrocannabiphorol. <i>Scientific Reports</i> , 2019 , 9, 20335	4.9	87
100	Sensitive untargeted identification of short hydrophilic peptides by high performance liquid chromatography on porous graphitic carbon coupled to high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2019 , 1590, 73-79	4.5	20
99	Investigation of free seleno-amino acids in extra-virgin olive oil by mixed mode solid phase extraction cleanup and enantioselective hydrophilic interaction liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2019 , 278, 17-25	8.5	4
98	Effect of Glucose on Liposome-Plasma Protein Interactions: Relevance for the Physiological Response of Clinically Approved Liposomal Formulations. <i>Advanced Biology</i> , 2019 , 3, e1800221	3.5	6
97	Saliva as a source of new phosphopeptide biomarkers: Development of a comprehensive analytical method based on shotgun peptidomics. <i>Talanta</i> , 2018 , 183, 245-249	6.2	15
96	Peptidomic strategy for purification and identification of potential ACE-inhibitory and antioxidant peptides in <i>Tetrademus obliquus</i> microalgae. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 3573-3586	4.4	58
95	Recent trends and analytical challenges in plant bioactive peptide separation, identification and validation. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 3425-3444	4.4	66
94	Chromatographic column evaluation for the untargeted profiling of glucosinolates in cauliflower by means of ultra-high performance liquid chromatography coupled to high resolution mass spectrometry. <i>Talanta</i> , 2018 , 179, 792-802	6.2	26
93	Development of an enrichment method for endogenous phosphopeptide characterization in human serum. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 1177-1185	4.4	20

92	Characterization of antioxidant and angiotensin-converting enzyme inhibitory peptides derived from cauliflower by-products by multidimensional liquid chromatography and bioinformatics. <i>Journal of Functional Foods</i> , 2018 , 44, 40-47	5.1	29
91	Label-Free Shotgun Proteomics Approach to Characterize Muscle Tissue from Farmed and Wild European Sea Bass (<i>Dicentrarchus labrax</i>). <i>Food Analytical Methods</i> , 2018 , 11, 292-301	3.4	9
90	New Ti-IMAC magnetic polymeric nanoparticles for phosphopeptide enrichment from complex real samples. <i>Talanta</i> , 2018 , 178, 274-281	6.2	33
89	Brain Targeting by Liposome-Biomolecular Corona Boosts Anticancer Efficacy of Temozolomide in Glioblastoma Cells. <i>ACS Chemical Neuroscience</i> , 2018 , 9, 3166-3174	5.7	34
88	Human Biomolecular Corona of Liposomal Doxorubicin: The Overlooked Factor in Anticancer Drug Delivery. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 22951-22962	9.5	33
87	Simultaneous Preconcentration, Identification, and Quantitation of Selenoamino Acids in Oils by Enantioselective High Performance Liquid Chromatography and Mass Spectrometry. <i>Analytical Chemistry</i> , 2018 , 90, 8326-8330	7.8	6
86	Extraction of polycyclic aromatic hydrocarbons from polyhydroxyalkanoates before gas chromatography/mass spectrometry analysis. <i>Talanta</i> , 2018 , 188, 671-675	6.2	12
85	Liquid Chromatographic Strategies for Separation of Bioactive Compounds in Food Matrices. <i>Molecules</i> , 2018 , 23,	4.8	10
84	Delving into the Polar Lipidome by Optimized Chromatographic Separation, High-Resolution Mass Spectrometry, and Comprehensive Identification with Lipostar: Microalgae as Case Study. <i>Analytical Chemistry</i> , 2018 , 90, 12230-12238	7.8	14
83	In vivo protein corona patterns of lipid nanoparticles. <i>RSC Advances</i> , 2017 , 7, 1137-1145	3.7	46
82	Comprehensive polyphenol profiling of a strawberry extract (<i>Fragaria lananassa</i>) by ultra-high-performance liquid chromatography coupled with high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2127-2142	4.4	31
81	Influence of dynamic flow environment on nanoparticle-protein corona: From protein patterns to uptake in cancer cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 153, 263-271	6	68
80	Evaluation of column length and particle size effect on the untargeted profiling of a phytochemical mixture by using UHPLC coupled to high-resolution mass spectrometry. <i>Journal of Separation Science</i> , 2017 , 40, 2541-2557	3.4	15
79	A new carbon-based magnetic material for the dispersive solid-phase extraction of UV filters from water samples before liquid chromatography-tandem mass spectrometry analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 4181-4194	4.4	22
78	Biophysics and protein corona analysis of Janus cyclodextrin-DNA nanocomplexes. Efficient cellular transfection on cancer cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 1737-1749	4	14
77	A multidimensional liquid chromatography-tandem mass spectrometry platform to improve protein identification in high-throughput shotgun proteomics. <i>Journal of Chromatography A</i> , 2017 , 1498, 176-182	4.5	9
76	An apolipoprotein-enriched biomolecular corona switches the cellular uptake mechanism and trafficking pathway of lipid nanoparticles. <i>Nanoscale</i> , 2017 , 9, 17254-17262	7.7	52
75	Proteomic analysis and bioluminescent reporter gene assays to investigate effects of simulated microgravity on Caco-2 cells. <i>Proteomics</i> , 2017 , 17, 1700081	4.8	7

74	Liquid chromatography-high resolution mass spectrometry for the analysis of phytochemicals in vegetal-derived food and beverages. <i>Food Research International</i> , 2017 , 100, 28-52	7	43
73	A Rapid Magnetic Solid Phase Extraction Method Followed by Liquid Chromatography-Tandem Mass Spectrometry Analysis for the Determination of Mycotoxins in Cereals. <i>Toxins</i> , 2017 , 9,	4.9	23
72	Magnetic Materials for the Selective Analysis of Peptide and Protein Biomarkers. <i>Current Medicinal Chemistry</i> , 2017 , 24, 438-453	4.3	12
71	Labeling and label free shotgun proteomics approaches to characterize muscle tissue from farmed and wild gilthead sea bream (<i>Sparus aurata</i>). <i>Journal of Chromatography A</i> , 2016 , 1428, 193-201	4.5	41
70	New Magnetic Graphitized Carbon Black TiO Composite for Phosphopeptide Selective Enrichment in Shotgun Phosphoproteomics. <i>Analytical Chemistry</i> , 2016 , 88, 12043-12050	7.8	44
69	Mycoestrogen determination in cow milk: Magnetic solid-phase extraction followed by liquid chromatography and tandem mass spectrometry analysis. <i>Journal of Separation Science</i> , 2016 , 39, 4794-4804	2.4	12
68	Purification and identification of endogenous antioxidant and ACE-inhibitory peptides from donkey milk by multidimensional liquid chromatography and nanoHPLC-high resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 5657-66	4.4	55
67	Separation of intact proteins on γ -ray-induced polymethacrylate monolithic columns: A highly permeable stationary phase with high peak capacity for capillary high-performance liquid chromatography with high-resolution mass spectrometry. <i>Journal of Separation Science</i> , 2016 , 39, 264-71	3.4	16
66	Shotgun proteomic analysis of soybean embryonic axes during germination under salt stress. <i>Proteomics</i> , 2016 , 16, 1537-46	4.8	17
65	Recent trends in the analysis of bioactive peptides in milk and dairy products. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2677-85	4.4	100
64	Multiresidue analysis of endocrine-disrupting compounds and perfluorinated sulfates and carboxylic acids in sediments by ultra-high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1438, 133-42	4.5	24
63	Phosphopeptide enrichment: Development of magnetic solid phase extraction method based on polydopamine coating and Ti(4+)-IMAC. <i>Analytica Chimica Acta</i> , 2016 , 909, 67-74	6.6	32
62	The protein corona of circulating PEGylated liposomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 189-96	3.8	136
61	Polydopamine-coated magnetic nanoparticles for isolation and enrichment of estrogenic compounds from surface water samples followed by liquid chromatography-tandem mass spectrometry determination. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4011-20	4.4	27
60	Identification of three novel angiotensin-converting enzyme inhibitory peptides derived from cauliflower by-products by multidimensional liquid chromatography and bioinformatics. <i>Journal of Functional Foods</i> , 2016 , 27, 262-273	5.1	27
59	Membrane proteome functional characterization of breast cancer-initiating cells subjected to bone morphogenetic protein signaling inhibition by dorsomorphin. <i>Medicinal Chemistry Research</i> , 2016 , 25, 1971-1979	2.2	
58	Surface chemistry and serum type both determine the nanoparticle-protein corona. <i>Journal of Proteomics</i> , 2015 , 119, 209-17	3.9	65
57	The biomolecular corona of nanoparticles in circulating biological media. <i>Nanoscale</i> , 2015 , 7, 13958-66	7.7	100

56	Food Proteins and Peptides. <i>Comprehensive Analytical Chemistry</i> , 2015 , 68, 309-357	1.9	8
55	Ultra-high-performance liquid chromatography-tandem mass spectrometry for the analysis of free and conjugated natural estrogens in cow milk without deconjugation. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 1705-19	4.4	18
54	Simultaneous Determination of Naturally Occurring Estrogens and Mycoestrogens in Milk by Ultrahigh-Performance Liquid Chromatography-Tandem Mass Spectrometry Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 8940-6	5.7	22
53	Stealth effect of biomolecular corona on nanoparticle uptake by immune cells. <i>Langmuir</i> , 2015 , 31, 10764-73	4.7	87
52	Identification of potential bioactive peptides generated by simulated gastrointestinal digestion of soybean seeds and soy milk proteins. <i>Journal of Food Composition and Analysis</i> , 2015 , 44, 205-213	4.1	96
51	Lipid composition: a key factor for the rational manipulation of the liposome-protein corona by liposome design. <i>RSC Advances</i> , 2015 , 5, 5967-5975	3.7	64
50	Development of an analytical strategy for the identification of potential bioactive peptides generated by in vitro tryptic digestion of fish muscle proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 845-54	4.4	32
49	Chromatographic Methods Coupled to Mass Spectrometry Detection for the Determination of Phenolic Acids in Plants and Fruits. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 353-370	1.3	22
48	Natural estrogens in dairy products: Determination of free and conjugated forms by ultra high performance liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2015 , 38, 3599-606	3.4	14
47	Development of a Rapid LC-MS/MS Method for the Determination of Emerging Fusarium mycotoxins Enniatins and Beauvericin in Human Biological Fluids. <i>Toxins</i> , 2015 , 7, 3554-71	4.9	32
46	Recent advances and developments in matrix solid-phase dispersion. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 71, 186-193	14.6	80
45	Peptidome characterization and bioactivity analysis of donkey milk. <i>Journal of Proteomics</i> , 2015 , 119, 21-9	3.9	53
44	Characterization of quinoa seed proteome combining different protein precipitation techniques: Improvement of knowledge of nonmodel plant proteomics. <i>Journal of Separation Science</i> , 2015 , 38, 1017-25	3.4	21
43	Heterosis profile of sunflower leaves: a label free proteomics approach. <i>Journal of Proteomics</i> , 2014 , 99, 101-10	3.9	29
42	Proteomic study of a tolerant genotype of durum wheat under salt-stress conditions. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1423-35	4.4	42
41	Comparison of extraction methods for the identification and quantification of polyphenols in virgin olive oil by ultra-HPLC-QToF mass spectrometry. <i>Food Chemistry</i> , 2014 , 158, 392-400	8.5	62
40	Multiclass analysis of mycotoxins in biscuits by high performance liquid chromatography-tandem mass spectrometry. Comparison of different extraction procedures. <i>Journal of Chromatography A</i> , 2014 , 1343, 69-78	4.5	47
39	Comparative analysis of metabolic proteome variation in ascorbate-primed and unprimed wheat seeds during germination under salt stress. <i>Journal of Proteomics</i> , 2014 , 108, 238-57	3.9	50

38	Effect of polyethyleneglycol (PEG) chain length on the bio-nano-interactions between PEGylated lipid nanoparticles and biological fluids: from nanostructure to uptake in cancer cells. <i>Nanoscale</i> , 2014 , 6, 2782-92	7.7	353
37	A proteomics-based methodology to investigate the protein corona effect for targeted drug delivery. <i>Molecular BioSystems</i> , 2014 , 10, 2815-9		16
36	The liposome-protein corona in mice and humans and its implications for in vivo delivery. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 7419-7428	7.3	70
35	Protein profile of mature soybean seeds and prepared soybean milk. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9893-9	5.7	32
34	Peroxiredoxin 2 nuclear levels are regulated by circadian clock synchronization in human keratinocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 53, 24-34	5.6	22
33	Analytical Methods for Characterizing the Nanoparticle-Protein Corona. <i>Chromatographia</i> , 2014 , 77, 755-769	2.1	50
32	Multiresidue determination of UV filters in water samples by solid-phase extraction and liquid chromatography with tandem mass spectrometry analysis. <i>Journal of Separation Science</i> , 2014 , 37, 2882-91	3.4	20
31	Effect of DOPE and cholesterol on the protein adsorption onto lipid nanoparticles. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	27
30	Gel-free proteomics reveal potential biomarkers of priming-induced salt tolerance in durum wheat. <i>Journal of Proteomics</i> , 2013 , 91, 486-99	3.9	51
29	Proteomic characterization of human platelet-derived microparticles. <i>Analytica Chimica Acta</i> , 2013 , 776, 57-63	6.6	37
28	Label-free quantitative analysis for studying the interactions between nanoparticles and plasma proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 635-45	4.4	25
27	Recent trends in matrix solid-phase dispersion. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 43, 53-66	14.6	80
26	High performance liquid chromatography tandem mass spectrometry determination of perfluorinated acids in cow milk. <i>Journal of Chromatography A</i> , 2013 , 1319, 72-9	4.5	21
25	Proteomic platform for the identification of proteins in olive (<i>Olea europaea</i>) pulp. <i>Analytica Chimica Acta</i> , 2013 , 800, 36-42	6.6	14
24	Time evolution of nanoparticle-protein corona in human plasma: relevance for targeted drug delivery. <i>Langmuir</i> , 2013 , 29, 6485-94	4	215
23	Analytical strategies based on chromatography-mass spectrometry for the determination of estrogen-mimicking compounds in food. <i>Journal of Chromatography A</i> , 2013 , 1313, 62-77	4.5	45
22	Proteome investigation of the non-model plant pomegranate (<i>Punica granatum</i> L.). <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9301-9	4.4	16
21	Selective targeting capability acquired with a protein corona adsorbed on the surface of 1,2-dioleoyl-3-trimethylammonium propane/DNA nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 13171-9	9.5	119

20	Multiclass screening method based on solvent extraction and liquid chromatography-tandem mass spectrometry for the determination of antimicrobials and mycotoxins in egg. <i>Journal of Chromatography A</i> , 2012 , 1268, 84-90	4.5	61
19	Comparison of three different enrichment strategies for serum low molecular weight protein identification using shotgun proteomics approach. <i>Analytica Chimica Acta</i> , 2012 , 740, 58-65	6.6	38
18	Do plasma proteins distinguish between liposomes of varying charge density?. <i>Journal of Proteomics</i> , 2012 , 75, 1924-32	3.9	57
17	Polyphenol content in white table grape (<i>Vitis Vinifera</i>) berries of cultivar Italia: interactive effect of irrigation, delayed harvest and storage. <i>Natural Product Research</i> , 2012 , 26, 1787-95	2.3	2
16	Multiclass mycotoxin analysis in food, environmental and biological matrices with chromatography/mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2012 , 31, 466-503	11	105
15	Evolution of the protein corona of lipid gene vectors as a function of plasma concentration. <i>Langmuir</i> , 2011 , 27, 15048-53	4	86
14	Factors determining the superior performance of lipid/DNA/protamine nanoparticles over lipoplexes. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 4160-71	8.3	46
13	Intact protein separation by chromatographic and/or electrophoretic techniques for top-down proteomics. <i>Journal of Chromatography A</i> , 2011 , 1218, 8760-76	4.5	67
12	Differential analysis of "protein corona" profile adsorbed onto different nonviral gene delivery systems. <i>Analytical Biochemistry</i> , 2011 , 419, 180-9	3.1	35
11	Rapid Resolution Liquid chromatography/High Resolution Tandem Mass Spectrometry to Characterize Metabolic Changes in Subjects Involved in MARS500 Project. <i>Chromatographia</i> , 2011 , 73, 45-53	2.1	2
10	Shotgun proteomic analytical approach for studying proteins adsorbed onto liposome surface. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 1195-202	4.4	27
9	Extending the applicability of pressurized hot water extraction to compounds exhibiting limited water solubility by pH control: curcumin from the turmeric rhizome. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 2977-85	4.4	37
8	DNA affects the composition of lipoplex protein corona: a proteomics approach. <i>Proteomics</i> , 2011 , 11, 3349-58	4.8	26
7	Evaluation of different two-dimensional chromatographic techniques for proteomic analysis of mouse cardiac tissue. <i>Biomedical Chromatography</i> , 2011 , 25, 594-9	1.7	12
6	Nanostructured functional co-polymers bioconjugate integrin inhibitors. <i>Journal of Colloid and Interface Science</i> , 2011 , 361, 465-71	9.3	16
5	Effect of membrane charge density on the protein corona of cationic liposomes: Interplay between cationic charge and surface area. <i>Applied Physics Letters</i> , 2011 , 99, 033702	3.4	19
4	Analysis of plasma protein adsorption onto DC-Chol-DOPE cationic liposomes by HPLC-CHIP coupled to a Q-TOF mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 2895-903	4.4	36
3	Surface adsorption of protein corona controls the cell uptake mechanism in efficient cationic liposome/DNA complexes in serum. <i>Journal of Controlled Release</i> , 2010 , 148, e94-5	11.7	2

2	Recent developments in matrix solid-phase dispersion extraction. <i>Journal of Chromatography A</i> , 2010 , 1217, 2521-32	4.5	228
1	Development and validation of a liquid chromatography/atmospheric pressure photoionization-tandem mass spectrometric method for the analysis of mycotoxins subjected to commission regulation (EC) No. 1881/2006 in cereals. <i>Journal of Chromatography A</i> , 2010 , 1217, 6044-51	4.5	53