

Hisataka Kobayashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7669293/publications.pdf>

Version: 2024-02-01

291
papers

23,637
citations

8732

75
h-index

9311

143
g-index

296
all docs

296
docs citations

296
times ranked

22160
citing authors

#	ARTICLE	IF	CITATIONS
1	New Strategies for Fluorescent Probe Design in Medical Diagnostic Imaging. <i>Chemical Reviews</i> , 2010, 110, 2620-2640.	23.0	1,927
2	Clearance properties of nano-sized particles and molecules as imaging agents: considerations and caveats. <i>Nanomedicine</i> , 2008, 3, 703-717.	1.7	1,691
3	Cancer cell-selective in vivo near infrared photoimmunotherapy targeting specific membrane molecules. <i>Nature Medicine</i> , 2011, 17, 1685-1691.	15.2	851
4	Improving Conventional Enhanced Permeability and Retention (EPR) Effects; What Is the Appropriate Target?. <i>Theranostics</i> , 2014, 4, 81-89.	4.6	792
5	Selective molecular imaging of viable cancer cells with pH-activatable fluorescence probes. <i>Nature Medicine</i> , 2009, 15, 104-109.	15.2	742
6	Nanodrug Delivery: Is the Enhanced Permeability and Retention Effect Sufficient for Curing Cancer?. <i>Bioconjugate Chemistry</i> , 2016, 27, 2225-2238.	1.8	726
7	Nano-sized MRI contrast agents with dendrimer cores. <i>Advanced Drug Delivery Reviews</i> , 2005, 57, 2271-2286.	6.6	420
8	Rapid Cancer Detection by Topically Spraying a β -Glutamyltranspeptidase-Activated Fluorescent Probe. <i>Science Translational Medicine</i> , 2011, 3, 110ra119.	5.8	404
9	Toxicity of Organic Fluorophores Used in Molecular Imaging: Literature Review. <i>Molecular Imaging</i> , 2009, 8, 7290.2009.00031.	0.7	358
10	Target-Cancer-Cell-Specific Activatable Fluorescence Imaging Probes: Rational Design and in Vivo Applications. <i>Accounts of Chemical Research</i> , 2011, 44, 83-90.	7.6	353
11	Sensitive β -galactosidase-targeting fluorescence probe for visualizing small peritoneal metastatic tumours in vivo. <i>Nature Communications</i> , 2015, 6, 6463.	5.8	334
12	Simultaneous Multicolor Imaging of Five Different Lymphatic Basins Using Quantum Dots. <i>Nano Letters</i> , 2007, 7, 1711-1716.	4.5	320
13	<i>In vivo</i> Molecular Imaging of Cancer with a Quenching Near-Infrared Fluorescent Probe Using Conjugates of Monoclonal Antibodies and Indocyanine Green. <i>Cancer Research</i> , 2009, 69, 1268-1272.	0.4	306
14	Near-Infrared Photoimmunotherapy of Cancer. <i>Accounts of Chemical Research</i> , 2019, 52, 2332-2339.	7.6	286
15	Dendrimer-Based Nanoprobe for Dual Modality Magnetic Resonance and Fluorescence Imaging. <i>Nano Letters</i> , 2006, 6, 1459-1463.	4.5	259
16	Macromolecular MRI Contrast Agents with Small Dendrimers: Pharmacokinetic Differences between Sizes and Cores. <i>Bioconjugate Chemistry</i> , 2003, 14, 388-394.	1.8	254
17	Fluorescence-Guided Surgery. <i>Frontiers in Oncology</i> , 2017, 7, 314.	1.3	249
18	Markedly Enhanced Permeability and Retention Effects Induced by Photo-immunotherapy of Tumors. <i>ACS Nano</i> , 2013, 7, 717-724.	7.3	237

#	ARTICLE	IF	CITATIONS
19	Rational chemical design of the next generation of molecular imaging probes based on physics and biology: mixing modalities, colors and signals. <i>Chemical Society Reviews</i> , 2011, 40, 4626.	18.7	198
20	Multimodal Nanoprobes for Radionuclide and Five-Color Near-Infrared Optical Lymphatic Imaging. <i>ACS Nano</i> , 2007, 1, 258-264.	7.3	183
21	Immunogenic cancer cell death selectively induced by near infrared photoimmunotherapy initiates host tumor immunity. <i>Oncotarget</i> , 2017, 8, 10425-10436.	0.8	179
22	Photoinduced Ligand Release from a Silicon Phthalocyanine Dye Conjugated with Monoclonal Antibodies: A Mechanism of Cancer Cell Cytotoxicity after Near-Infrared Photoimmunotherapy. <i>ACS Central Science</i> , 2018, 4, 1559-1569.	5.3	171
23	H-Type Dimer Formation of Fluorophores: A Mechanism for Activatable, <i>in Vivo</i> Optical Molecular Imaging. <i>ACS Chemical Biology</i> , 2009, 4, 535-546.	1.6	167
24	Spatially selective depletion of tumor-associated regulatory T cells with near-infrared photoimmunotherapy. <i>Science Translational Medicine</i> , 2016, 8, 352ra110.	5.8	163
25	An Enzymatically Activated Fluorescence Probe for Targeted Tumor Imaging. <i>Journal of the American Chemical Society</i> , 2007, 129, 3918-3929.	6.6	161
26	Dendrimer-based Macromolecular MRI Contrast Agents: Characteristics and Application. <i>Molecular Imaging</i> , 2003, 2, 1-10.	0.7	160
27	Lymphatic Drainage Imaging of Breast Cancer in Mice by Micro-Magnetic Resonance Lymphangiography Using a Nano-Size Paramagnetic Contrast Agent. <i>Journal of the National Cancer Institute</i> , 2004, 96, 703-708.	3.0	149
28	Biologically Optimized Nanosized Molecules and Particles: More than Just Size. <i>Bioconjugate Chemistry</i> , 2011, 22, 993-1000.	1.8	149
29	Clinical implications of near-infrared fluorescence imaging in cancer. <i>Future Oncology</i> , 2009, 5, 1501-1511.	1.1	148
30	Toxicity of organic fluorophores used in molecular imaging: literature review. <i>Molecular Imaging</i> , 2009, 8, 341-54.	0.7	148
31	3D-micro-MR angiography of mice using macromolecular MR contrast agents with polyamidoamine dendrimer core with reference to their pharmacokinetic properties. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 454-460.	1.9	143
32	Macromolecular MRI contrast agents for imaging tumor angiogenesis. <i>European Journal of Radiology</i> , 2006, 60, 353-366.	1.2	143
33	Dendrimer-Based Nanosized MRI Contrast Agents. <i>Current Pharmaceutical Biotechnology</i> , 2004, 5, 539-549.	0.9	143
34	Delivery of gadolinium-labeled nanoparticles to the sentinel lymph node: Comparison of the sentinel node visualization and estimations of intra-nodal gadolinium concentration by the magnetic resonance imaging. <i>Journal of Controlled Release</i> , 2006, 111, 343-351.	4.8	142
35	Near-IR Light-Mediated Cleavage of Antibody-Drug Conjugates Using Cyanine Photocages. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13635-13638.	7.2	140
36	A dendrimer-based nanosized contrast agent dual-labeled for magnetic resonance and optical fluorescence imaging to localize the sentinel lymph node in mice. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 866-871.	1.9	136

#	ARTICLE	IF	CITATIONS
37	Near-infrared Theranostic Photoimmunotherapy (PIT): Repeated Exposure of Light Enhances the Effect of Immunoconjugate. <i>Bioconjugate Chemistry</i> , 2012, 23, 604-609.	1.8	136
38	Imaging of the lymphatic system: new horizons. <i>Contrast Media and Molecular Imaging</i> , 2006, 1, 230-245.	0.4	128
39	Dendrimer-Based Contrast Agents for Molecular Imaging. <i>Current Topics in Medicinal Chemistry</i> , 2008, 8, 1180-1186.	1.0	128
40	Targeted, Activatable, In Vivo Fluorescence Imaging of Prostate-Specific Membrane Antigen (PSMA) Positive Tumors Using the Quenched Humanized J591 Antibody-Indocyanine Green (ICG) Conjugate. <i>Bioconjugate Chemistry</i> , 2011, 22, 1700-1705.	1.8	128
41	Pharmacokinetics and enhancement patterns of macromolecular MR contrast agents with various sizes of polyamidoamine dendrimer cores. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 1169-1173.	1.9	127
42	<i>In Vivo</i> Activation of Duocarmycin Antibody Conjugates by Near-Infrared Light. <i>ACS Central Science</i> , 2017, 3, 329-337.	5.3	125
43	Preparation and Preliminary Evaluation of a Biotin-Targeted, Lectin-Targeted Dendrimer-Based Probe for Dual-Modality Magnetic Resonance and Fluorescence Imaging. <i>Bioconjugate Chemistry</i> , 2007, 18, 1474-1482.	1.8	119
44	Simultaneous two-color spectral fluorescence lymphangiography with near infrared quantum dots to map two lymphatic flows from the breast and the upper extremity. <i>Breast Cancer Research and Treatment</i> , 2007, 103, 23-28.	1.1	118
45	Positive effects of polyethylene glycol conjugation to generation-4 polyamidoamine dendrimers as macromolecular MR contrast agents. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 781-788.	1.9	116
46	Dendrimer-based MRI contrast agents: the effects of PEGylation on relaxivity and pharmacokinetics. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2011, 7, 1001-1008.	1.7	116
47	<i>In vivo</i> multiple color lymphatic imaging using upconverting nanocrystals. <i>Journal of Materials Chemistry</i> , 2009, 19, 6481.	6.7	112
48	<i>In vivo</i> Diagnosis of Epidermal Growth Factor Receptor Expression using Molecular Imaging with a Cocktail of Optically Labeled Monoclonal Antibodies. <i>Clinical Cancer Research</i> , 2007, 13, 6639-6648.	3.2	110
49	Evaluation of the <i>In Vivo</i> Biodistribution of Indium-111 and Yttrium-88 Labeled Dendrimer-1B4M-DTPA and Its Conjugation with Anti-Tac Monoclonal Antibody. <i>Bioconjugate Chemistry</i> , 1999, 10, 103-111.	1.8	109
50	Comparison of dendrimer-based macromolecular contrast agents for dynamic micro-magnetic resonance lymphangiography. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 758-766.	1.9	109
51	Increased (18)F-FDG uptake in a model of inflammation: concanavalin A-mediated lymphocyte activation. <i>Journal of Nuclear Medicine</i> , 2002, 43, 658-663.	2.8	109
52	Avidin-dendrimer-(1B4M-Gd)254: A Tumor-Targeting Therapeutic Agent for Gadolinium Neutron Capture Therapy of Intraperitoneal Disseminated Tumor Which Can Be Monitored by MRI. <i>Bioconjugate Chemistry</i> , 2001, 12, 587-593.	1.8	106
53	A Target Cell-Specific Activatable Fluorescence Probe for <i>In vivo</i> Molecular Imaging of Cancer Based on a Self-Quenched Avidin-Rhodamine Conjugate. <i>Cancer Research</i> , 2007, 67, 2791-2799.	0.4	105
54	Near infrared fluorescence-guided real-time endoscopic detection of peritoneal ovarian cancer nodules using intravenously injected indocyanine green. <i>International Journal of Cancer</i> , 2011, 129, 1671-1677.	2.3	102

#	ARTICLE	IF	CITATIONS
55	Influence of dendrimer generation and polyethylene glycol length on the biodistribution of PEGylated dendrimers. <i>International Journal of Pharmaceutics</i> , 2010, 383, 293-296.	2.6	99
56	Host Immunity Following Near-Infrared Photoimmunotherapy Is Enhanced with PD-1 Checkpoint Blockade to Eradicate Established Antigenic Tumors. <i>Cancer Immunology Research</i> , 2019, 7, 401-413.	1.6	99
57	Fluorophore-Quencher Based Activatable Targeted Optical Probes for Detecting <i>in Vivo</i> Cancer Metastases. <i>Molecular Pharmaceutics</i> , 2009, 6, 386-395.	2.3	98
58	Monoclonal antibody-dendrimer conjugates enable radiolabeling of antibody with markedly high specific activity with minimal loss of immunoreactivity. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1334-1339.	2.2	97
59	<i>In vivo</i> target-specific activatable near-infrared optical labeling of humanized monoclonal antibodies. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 232-239.	1.9	95
60	Photoimmunotherapy: Comparative effectiveness of two monoclonal antibodies targeting the epidermal growth factor receptor. <i>Molecular Oncology</i> , 2014, 8, 620-632.	2.1	95
61	In Vivo Molecular Imaging to Diagnose and Subtype Tumors through Receptor-Targeted Optically Labeled Monoclonal Antibodies. <i>Neoplasia</i> , 2007, 9, 1021-1029.	2.3	94
62	Micro-magnetic resonance lymphangiography in mice using a novel dendrimer-based magnetic resonance imaging contrast agent. <i>Cancer Research</i> , 2003, 63, 271-6.	0.4	93
63	Dual-Modality Molecular Imaging Using Antibodies Labeled with Activatable Fluorescence and a Radionuclide for Specific and Quantitative Targeted Cancer Detection. <i>Bioconjugate Chemistry</i> , 2009, 20, 2177-2184.	1.8	92
64	Rapid intraoperative visualization of breast lesions with $\hat{1}^3$ -glutamyl hydroxymethyl rhodamine green. <i>Scientific Reports</i> , 2015, 5, 12080.	1.6	89
65	Renal tubular damage detected by dynamic micro-MRI with a dendrimer-based magnetic resonance contrast agent. <i>Kidney International</i> , 2002, 61, 1980-1985.	2.6	87
66	Micro-MR angiography of normal and intratumoral vessels in mice using dedicated intravascular MR contrast agents with high generation of polyamidoamine dendrimer core: Reference to pharmacokinetic properties of dendrimer-based MR contrast agents. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 705-713.	1.9	86
67	Immediate <i>in vivo</i> target-specific cancer cell death after near infrared photoimmunotherapy. <i>BMC Cancer</i> , 2012, 12, 345.	1.1	86
68	Super enhanced permeability and retention (SUPR) effects in tumors following near infrared photoimmunotherapy. <i>Nanoscale</i> , 2016, 8, 12504-12509.	2.8	86
69	Near Infrared Photoimmunotherapy in the Treatment of Pleural Disseminated NSCLC: Preclinical Experience. <i>Theranostics</i> , 2015, 5, 698-709.	4.6	81
70	Near Infrared Photoimmunotherapy in the Treatment of Disseminated Peritoneal Ovarian Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 141-150.	1.9	81
71	Application of a Macromolecular Contrast Agent for Detection of Alterations of Tumor Vessel Permeability Induced by Radiation. <i>Clinical Cancer Research</i> , 2004, 10, 7712-7720.	3.2	80
72	Novel liver macromolecular MR contrast agent with a polypropylenimine diaminobutyl dendrimer core: Comparison to the vascular MR contrast agent with the polyamidoamine dendrimer core. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 795-802.	1.9	79

#	ARTICLE	IF	CITATIONS
73	Near-infrared photoimmunotherapy of cancer: a new approach that kills cancer cells and enhances anti-cancer host immunity. <i>International Immunology</i> , 2021, 33, 7-15.	1.8	79
74	Dendrimers in medical nanotechnology. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2009, 28, 12-22.	1.1	78
75	Comparison of the Macromolecular MR Contrast Agents with Ethylenediamine-Core versus Ammonia-Core Generation-6 Polyamidoamine Dendrimer. <i>Bioconjugate Chemistry</i> , 2001, 12, 100-107.	1.8	77
76	Real-time Monitoring of <i>In Vivo</i> Acute Necrotic Cancer Cell Death Induced by Near Infrared Photoimmunotherapy Using Fluorescence Lifetime Imaging. <i>Cancer Research</i> , 2012, 72, 4622-4628.	0.4	77
77	In Vivo Real-Time, Multicolor, Quantum Dot Lymphatic Imaging. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2818-2822.	0.3	76
78	Spectral Fluorescence Molecular Imaging of Lung Metastases Targeting HER2/neu. <i>Clinical Cancer Research</i> , 2007, 13, 2936-2945.	3.2	74
79	Improving the Efficacy of Photoimmunotherapy (PIT) using a Cocktail of Antibody Conjugates in a Multiple Antigen Tumor Model. <i>Theranostics</i> , 2013, 3, 357-365.	4.6	74
80	Polyamine dendrimer-based MRI contrast agents for functional kidney imaging to diagnose acute renal failure. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 512-518.	1.9	72
81	Determination of Optimal Rhodamine Fluorophore for <i>In Vivo</i> Optical Imaging. <i>Bioconjugate Chemistry</i> , 2008, 19, 1735-1742.	1.8	72
82	Multiplexed imaging in cancer diagnosis: applications and future advances. <i>Lancet Oncology</i> , The, 2010, 11, 589-595.	5.1	72
83	Imaging and Selective Elimination of Glioblastoma Stem Cells with Theranostic Near-Infrared-Labeled CD133-Specific Antibodies. <i>Theranostics</i> , 2016, 6, 862-874.	4.6	71
84	Near Infrared Photoimmunotherapy Targeting EGFR Positive Triple Negative Breast Cancer: Optimizing the Conjugate-Light Regimen. <i>PLoS ONE</i> , 2015, 10, e0136829.	1.1	69
85	Near-Infrared Photoimmunotherapy Targeting Prostate Cancer with Prostate-Specific Membrane Antigen (PSMA) Antibody. <i>Molecular Cancer Research</i> , 2017, 15, 1153-1162.	1.5	69
86	Cancer Drug Delivery: Considerations in the Rational Design of Nanosized Bioconjugates. <i>Bioconjugate Chemistry</i> , 2014, 25, 2093-2100.	1.8	68
87	Near infrared photoimmunotherapy with avelumab, an anti-programmed death-ligand 1 (PD-L1) antibody. <i>Oncotarget</i> , 2017, 8, 8807-8817.	0.8	68
88	Photoimmunotherapy Targeting Prostate-Specific Membrane Antigen: Are Antibody Fragments as Effective as Antibodies?. <i>Journal of Nuclear Medicine</i> , 2015, 56, 140-144.	2.8	66
89	Multiplexing with Multispectral Imaging: From Mice to Microscopy. <i>ILAR Journal</i> , 2008, 49, 78-88.	1.8	65
90	Molecular probes for the in vivo imaging of cancer. <i>Molecular BioSystems</i> , 2009, 5, 1279.	2.9	65

#	ARTICLE	IF	CITATIONS
91	<i>In vivo</i> molecular imaging using nanomaterials: General <i>in vivo</i> characteristics of nano-sized reagents and applications for cancer diagnosis (Review). <i>Molecular Membrane Biology</i> , 2010, 27, 274-285.	2.0	65
92	Photoimmunotherapy of Gastric Cancer Peritoneal Carcinomatosis in a Mouse Model. <i>PLoS ONE</i> , 2014, 9, e113276.	1.1	65
93	Phototheranostics of CD44-positive cell populations in triple negative breast cancer. <i>Scientific Reports</i> , 2016, 6, 27871.	1.6	64
94	Syngeneic Mouse Models of Oral Cancer Are Effectively Targeted by Anti-CD44-Based NIR-PIT. <i>Molecular Cancer Research</i> , 2017, 15, 1667-1677.	1.5	64
95	Near infrared photoimmunotherapy for lung metastases. <i>Cancer Letters</i> , 2015, 365, 112-121.	3.2	62
96	High sensitivity detection of cancer in vivo using a dual-controlled activation fluorescent imaging probe based on H-dimer formation and pH activation. <i>Molecular BioSystems</i> , 2010, 6, 888.	2.9	61
97	The Effect of Photoimmunotherapy Followed by Liposomal Daunorubicin in a Mixed Tumor Model: A Demonstration of the Super-Enhanced Permeability and Retention Effect after Photoimmunotherapy. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 426-432.	1.9	61
98	In vivo breast cancer characterization imaging using two monoclonal antibodies activatably labeled with near infrared fluorophores. <i>Breast Cancer Research</i> , 2012, 14, R61.	2.2	60
99	Galactosyl Human Serum Albumin-NMP1 Conjugate: A Near Infrared (NIR)-Activatable Fluorescence Imaging Agent to Detect Peritoneal Ovarian Cancer Metastases. <i>Bioconjugate Chemistry</i> , 2012, 23, 1671-1679.	1.8	60
100	In Vivo Spectral Fluorescence Imaging of Submillimeter Peritoneal Cancer Implants Using a Lectin-Targeted Optical Agent. <i>Neoplasia</i> , 2006, 8, 607-612.	2.3	59
101	Toward Improved Syntheses of Dendrimer-Based Magnetic Resonance Imaging Contrast Agents: New Bifunctional Diethylenetriaminepentaacetic Acid Ligands and Nonaqueous Conjugation Chemistry. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3185-3193.	2.9	59
102	Glypican-3 Targeted Human Heavy Chain Antibody as a Drug Carrier for Hepatocellular Carcinoma Therapy. <i>Molecular Pharmaceutics</i> , 2015, 12, 2151-2157.	2.3	59
103	Epidermal Growth Factor Receptor (EGFR)-targeted Photoimmunotherapy (PIT) for the Treatment of EGFR-expressing Bladder Cancer. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 2201-2214.	1.9	59
104	Multicolor imaging of lymphatic function with two nanomaterials: quantum dot-labeled cancer cells and dendrimer-based optical agents. <i>Nanomedicine</i> , 2009, 4, 411-419.	1.7	57
105	Role of Fluorophore Charge on the In Vivo Optical Imaging Properties of Near-Infrared Cyanine Dye/Monoclonal Antibody Conjugates. <i>Bioconjugate Chemistry</i> , 2016, 27, 404-413.	1.8	57
106	Targeting Epidermal Growth Factor Receptor (EGFR) and Human Epidermal Growth Factor Receptor 2 (HER2) Expressing Bladder Cancer Using Combination Photoimmunotherapy (PIT). <i>Scientific Reports</i> , 2019, 9, 2084.	1.6	57
107	Multicolor <i>in vivo</i> targeted imaging to guide real-time surgery of HER2-positive micrometastases in a two-tumor coincident model of ovarian cancer. <i>Cancer Science</i> , 2009, 100, 1099-1104.	1.7	56
108	Near Infra-Red Photoimmunotherapy with Anti-CEA-IR700 Results in Extensive Tumor Lysis and a Significant Decrease in Tumor Burden in Orthotopic Mouse Models of Pancreatic Cancer. <i>PLoS ONE</i> , 2015, 10, e0121989.	1.1	56

#	ARTICLE	IF	CITATIONS
109	Dendrimer-enhanced MRI as a diagnostic and prognostic biomarker of sepsis-induced acute renal failure in aged mice. <i>Kidney International</i> , 2005, 67, 2159-2167.	2.6	55
110	Activatable Fluorescent Molecular Imaging of Peritoneal Metastases following Pretargeting with a Biotinylated Monoclonal Antibody. <i>Cancer Research</i> , 2007, 67, 3809-3817.	0.4	54
111	A Near-Infrared, Wavelength-Shiftable, Turn-on Fluorescent Probe for the Detection and Imaging of Cancer Tumor Cells. <i>ACS Chemical Biology</i> , 2017, 12, 1121-1132.	1.6	54
112	Activatable Optical Imaging with a Silica-Rhodamine Based Near Infrared (SiR700) Fluorophore: A comparison with cyanine based dyes. <i>Bioconjugate Chemistry</i> , 2011, 22, 2531-2538.	1.8	53
113	Short PEG-Linkers Improve the Performance of Targeted, Activatable Monoclonal Antibody-Indocyanine Green Optical Imaging Probes. <i>Bioconjugate Chemistry</i> , 2013, 24, 811-816.	1.8	53
114	Photoimmunotherapy of hepatocellular carcinoma-targeting Glypican-3 combined with nanosized albumin-bound paclitaxel. <i>Nanomedicine</i> , 2015, 10, 1139-1147.	1.7	53
115	Detection of Lymph Node Involvement in Hematologic Malignancies Using Micromagnetic Resonance Lymphangiography with a Gadolinium-Labeled Dendrimer Nanoparticle. <i>Neoplasia</i> , 2005, 7, 984-991.	2.3	52
116	A Comparison of the Emission Efficiency of Four Common Green Fluorescence Dyes after Internalization into Cancer Cells. <i>Bioconjugate Chemistry</i> , 2006, 17, 1426-1431.	1.8	51
117	Nanoparticles in sentinel lymph node mapping. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2009, 1, 610-623.	3.3	51
118	Norcyanine-Carbamates Are Versatile Near-Infrared Fluorogenic Probes. <i>Journal of the American Chemical Society</i> , 2021, 143, 5674-5679.	6.6	51
119	Targeted optical imaging of cancer cells using lectin-binding BODIPY conjugated avidin. <i>Biochemical and Biophysical Research Communications</i> , 2006, 348, 807-813.	1.0	49
120	Gadolinium MRI Contrast Agents Based on Triazine Dendrimers: Relaxivity and In Vivo Pharmacokinetics. <i>Bioconjugate Chemistry</i> , 2012, 23, 2291-2299.	1.8	49
121	Two-Color Lymphatic Mapping Using Ig-Conjugated Near Infrared Optical Probes. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2351-2356.	0.3	48
122	Photoimmunotherapy for cancer-associated fibroblasts targeting fibroblast activation protein in human esophageal squamous cell carcinoma. <i>Cancer Biology and Therapy</i> , 2019, 20, 1234-1248.	1.5	48
123	Combined CD44- and CD25-Targeted Near-Infrared Photoimmunotherapy Selectively Kills Cancer and Regulatory T Cells in Syngeneic Mouse Cancer Models. <i>Cancer Immunology Research</i> , 2020, 8, 345-355.	1.6	48
124	Fibroblast activation protein targeted near infrared photoimmunotherapy (NIR PIT) overcomes therapeutic resistance in human esophageal cancer. <i>Scientific Reports</i> , 2021, 11, 1693.	1.6	48
125	Near Infrared Photoimmunotherapy; A Review of Targets for Cancer Therapy. <i>Cancers</i> , 2021, 13, 2535.	1.7	47
126	The effects of conjugate and light dose on photo-immunotherapy induced cytotoxicity. <i>BMC Cancer</i> , 2014, 14, 389.	1.1	46

#	ARTICLE	IF	CITATIONS
127	Near infrared photoimmunotherapy of Bâ€cell lymphoma. <i>Molecular Oncology</i> , 2016, 10, 1404-1414.	2.1	46
128	Activatable fluorescent probes in fluorescence-guided surgery: Practical considerations. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 925-930.	1.4	46
129	3D MR angiography of intratumoral vasculature using a novel macromolecular MR contrast agent. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 579-585.	1.9	45
130	Near-Infrared Photoimmunotherapy: Photoactivatable Antibodyâ€Drug Conjugates (ADCs). <i>Bioconjugate Chemistry</i> , 2020, 31, 28-36.	1.8	45
131	Gadolinium-labeled dendrimers as biometric nanoprobe to detect vascular permeability. <i>Journal of Materials Chemistry</i> , 2003, 13, 1523.	6.7	44
132	Near infrared photoimmunotherapy with an anti-mesothelin antibody. <i>Oncotarget</i> , 2016, 7, 23361-23369.	0.8	44
133	Real-time optical imaging using quantum dot and related nanocrystals. <i>Nanomedicine</i> , 2010, 5, 765-776.	1.7	42
134	Comparative effectiveness of light emitting diodes (LEDs) and Lasers in near infrared photoimmunotherapy. <i>Oncotarget</i> , 2016, 7, 14324-14335.	0.8	42
135	Novel intravascular macromolecular MRI contrast agent with generation-4 polyamidoamine dendrimer core: Accelerated renal excretion with coinjection of lysine. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 457-464.	1.9	41
136	New Approaches to Lymphatic Imaging. <i>Lymphatic Research and Biology</i> , 2009, 7, 205-214.	0.5	41
137	New Nanosized Biocompatible MR Contrast Agents Based on Lysine-Dendri-Graft Macromolecules. <i>Bioconjugate Chemistry</i> , 2010, 21, 955-960.	1.8	41
138	Activatable Organic Near-Infrared Fluorescent Probes Based on a Bacteriochlorin Platform: Synthesis and Multicolor <i>in Vivo</i> Imaging with a Single Excitation. <i>Bioconjugate Chemistry</i> , 2014, 25, 362-369.	1.8	41
139	Impact of C4â€-O-Alkyl Linker on <i>in Vivo</i> Pharmacokinetics of Near-Infrared Cyanine/Monoclonal Antibody Conjugates. <i>Molecular Pharmaceutics</i> , 2015, 12, 3303-3311.	2.3	41
140	Targeted Phototherapy for Malignant Pleural Mesothelioma: Near-Infrared Photoimmunotherapy Targeting Podoplanin. <i>Cells</i> , 2020, 9, 1019.	1.8	41
141	Near infrared photoimmunotherapy prevents lung cancer metastases in a murine model. <i>Oncotarget</i> , 2015, 6, 19747-19758.	0.8	41
142	<i>in Vivo</i> Stable Tumor-Specific Painting in Various Colors Using Dehalogenase-Based Protein-Tag Fluorescent Ligands. <i>Bioconjugate Chemistry</i> , 2009, 20, 1367-1374.	1.8	40
143	Near Infrared Photoimmunotherapy with Combined Exposure of External and Interstitial Light Sources. <i>Molecular Pharmaceutics</i> , 2018, 15, 3634-3641.	2.3	40
144	Interstitial near-infrared photoimmunotherapy: effective treatment areas and light doses needed for use with fiber optic diffusers. <i>Oncotarget</i> , 2018, 9, 11159-11169.	0.8	40

#	ARTICLE	IF	CITATIONS
145	Hepatocyte targeting of ¹¹¹ In-labeled oligo-DNA with avidin or avidin-dendrimer complex. <i>Journal of Controlled Release</i> , 2004, 95, 133-141.	4.8	39
146	Targeted optical fluorescence imaging of human ovarian adenocarcinoma using a galactosyl serum albumin-conjugated fluorophore. <i>Cancer Science</i> , 2007, 98, 1727-1733.	1.7	39
147	Magnetic resonance lymphangiography with a nano-sized gadolinium-labeled dendrimer in small and large animal models. <i>Nanomedicine</i> , 2010, 5, 1183-1191.	1.7	39
148	Dendrimers as high relaxivity MR contrast agents. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2014, 6, 155-162.	3.3	39
149	Monoclonal antibody-based optical molecular imaging probes; considerations and caveats in chemistry, biology and pharmacology. <i>Current Opinion in Chemical Biology</i> , 2016, 33, 32-38.	2.8	39
150	A Self-Quenched Galactosamine-Serum Albumin-RhodamineX Conjugate: A Smart-Fluorescent Molecular Imaging Probe Synthesized with Clinically Applicable Material for Detecting Peritoneal Ovarian Cancer Metastases. <i>Clinical Cancer Research</i> , 2007, 13, 6335-6343.	3.2	37
151	Endoscopic near infrared photoimmunotherapy using a fiber optic diffuser for peritoneal dissemination of gastric cancer. <i>Cancer Science</i> , 2018, 109, 1902-1908.	1.7	37
152	D-galactose receptor-targeted in vivo spectral fluorescence imaging of peritoneal metastasis using galactosamin-conjugated serum albumin-rhodamine green. <i>Journal of Biomedical Optics</i> , 2007, 12, 051501.	1.4	36
153	Lymphatic dysfunction in transgenic mice expressing KSHV k-cyclin under the control of the VEGFR-3 promoter. <i>Blood</i> , 2005, 105, 2356-2363.	0.6	35
154	Minibody-Indocyanine Green Based Activatable Optical Imaging Probes: The Role of Short Polyethylene Glycol Linkers. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 411-415.	1.3	35
155	Effect of charge localization on the in vivo optical imaging properties of near-infrared cyanine dye/monoclonal antibody conjugates. <i>Molecular BioSystems</i> , 2016, 12, 3046-3056.	2.9	35
156	The Effect of Antibody Fragments on CD25 Targeted Regulatory T Cell Near-Infrared Photoimmunotherapy. <i>Bioconjugate Chemistry</i> , 2019, 30, 2624-2633.	1.8	35
157	Dendrimer-based Macromolecular MRI Contrast Agents: Characteristics and Application. <i>Molecular Imaging</i> , 2003, 2, 153535002003031.	0.7	34
158	Selective cell elimination in vitro and in vivo from tissues and tumors using antibodies conjugated with a near infrared phthalocyanine. <i>RSC Advances</i> , 2015, 5, 25105-25114.	1.7	34
159	Molecular targeted photoimmunotherapy for HER2-positive human gastric cancer in combination with chemotherapy results in improved treatment outcomes through different cytotoxic mechanisms. <i>BMC Cancer</i> , 2016, 16, 37.	1.1	34
160	Production of Multiple Growth Factors by a Newly Established Human Thyroid Carcinoma Cell Line. <i>Japanese Journal of Cancer Research</i> , 1992, 83, 153-158.	1.7	33
161	Photoimmunotherapy targeting biliary-pancreatic cancer with humanized anti-TROP2 antibody. <i>Cancer Medicine</i> , 2019, 8, 7781-7792.	1.3	33
162	Self-Illuminating in vivo lymphatic imaging using a bioluminescence resonance energy transfer quantum dot nano-particle. <i>Contrast Media and Molecular Imaging</i> , 2011, 6, 55-59.	0.4	32

#	ARTICLE	IF	CITATIONS
163	Combination photoimmunotherapy with monoclonal antibodies recognizing different epitopes of human epidermal growth factor receptor 2: an assessment of phototherapeutic effect based on fluorescence molecular imaging. <i>Oncotarget</i> , 2016, 7, 14143-14152.	0.8	32
164	Multi-Wavelength Fluorescence in Image-Guided Surgery, Clinical Feasibility and Future Perspectives. <i>Molecular Imaging</i> , 2020, 19, 153601212096233.	0.7	32
165	Near-infrared photoimmunotherapy: a comparison of light dosing schedules. <i>Oncotarget</i> , 2017, 8, 35069-35075.	0.8	32
166	Avoiding thermal injury during near-infrared photoimmunotherapy (NIR-PIT): the importance of NIR light power density. <i>Oncotarget</i> , 2017, 8, 113194-113201.	0.8	32
167	Activated Clearance of a Biotinylated Macromolecular MRI Contrast Agent from the Blood Pool Using an Avidin Chase. <i>Bioconjugate Chemistry</i> , 2003, 14, 1044-1047.	1.8	31
168	Preparation and long-term biodistribution studies of a PAMAM dendrimer G5 ^{â€} Gd-BnDOTA conjugate for lymphatic imaging. <i>Nanomedicine</i> , 2015, 10, 1423-1437.	1.7	31
169	Tumor-Specific Detection of an Optically Targeted Antibody Combined with a Quencher-Conjugated Neutravidin ^{â€} Quencher-Chaser ^{â€} : A Dual ^{â€} Quench and Chase ^{â€} Strategy to Improve Target to Nontarget Ratios for Molecular Imaging of Cancer. <i>Bioconjugate Chemistry</i> , 2009, 20, 147-154.	1.8	30
170	Acute Cytotoxic Effects of Photoimmunotherapy Assessed by ¹⁸ F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2013, 54, 770-775.	2.8	30
171	Near-Infrared Photochemoimmunotherapy by Photoactivatable Bifunctional Antibody ^{â€} Drug Conjugates Targeting Human Epidermal Growth Factor Receptor 2 Positive Cancer. <i>Bioconjugate Chemistry</i> , 2017, 28, 1458-1469.	1.8	30
172	Near infrared photoimmunotherapy for cancers: A translational perspective. <i>EBioMedicine</i> , 2021, 70, 103501.	2.7	30
173	Near infrared photoimmunotherapy targeting bladder cancer with a canine anti-epidermal growth factor receptor (EGFR) antibody. <i>Oncotarget</i> , 2018, 9, 19026-19038.	0.8	30
174	Imaging Acute Renal Failure with Polyamine Dendrimer-Based MRI Contrast Agents. <i>Nephron Clinical Practice</i> , 2006, 103, c45-c49.	2.3	29
175	Fluorescence lifetime imaging of activatable target specific molecular probes. <i>Contrast Media and Molecular Imaging</i> , 2010, 5, 1-8.	0.4	29
176	Design strategy for germanium-rhodamine based pH-activatable near-infrared fluorescence probes suitable for biological applications. <i>Communications Chemistry</i> , 2019, 2, .	2.0	29
177	Activatable Near-Infrared Fluorescence Imaging Using PEGylated Bacteriochlorin-Based Chlorin and BODIPY-Dyads as Probes for Detecting Cancer. <i>Bioconjugate Chemistry</i> , 2019, 30, 169-183.	1.8	29
178	Micro-MRI methods to detect renal cysts in mice. <i>Kidney International</i> , 2004, 65, 1511-1516.	2.6	27
179	Photoimmunotherapy lowers recurrence after pancreatic cancer surgery in orthotopic nude mouse models. <i>Journal of Surgical Research</i> , 2015, 197, 5-11.	0.8	27
180	Local Depletion of Immune Checkpoint Ligand CTLA4 Expressing Cells in Tumor Beds Enhances Antitumor Host Immunity. <i>Advanced Therapeutics</i> , 2021, 4, 2000269.	1.6	27

#	ARTICLE	IF	CITATIONS
181	Improved micro-distribution of antibody-photon absorber conjugates after initial near infrared photoimmunotherapy (NIR-PIT). <i>Journal of Controlled Release</i> , 2016, 232, 1-8.	4.8	26
182	Evaluation of Early Therapeutic Effects after Near-Infrared Photoimmunotherapy (NIR-PIT) Using Luciferase- α -Luciferin Photon-Counting and Fluorescence Imaging. <i>Molecular Pharmaceutics</i> , 2017, 14, 4628-4635.	2.3	26
183	Multi-targeted multi-color in vivo optical imaging in a model of disseminated peritoneal ovarian cancer. <i>Journal of Biomedical Optics</i> , 2009, 14, 014023.	1.4	25
184	Near Infrared Photoimmunotherapy in a Transgenic Mouse Model of Spontaneous Epidermal Growth Factor Receptor (EGFR)-expressing Lung Cancer. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 408-414.	1.9	25
185	Near infrared photoimmunotherapy using a fiber optic diffuser for treating peritoneal gastric cancer dissemination. <i>Gastric Cancer</i> , 2019, 22, 463-472.	2.7	25
186	Interleukin-15 after Near-Infrared Photoimmunotherapy (NIR-PIT) Enhances T Cell Response against Syngeneic Mouse Tumors. <i>Cancers</i> , 2020, 12, 2575.	1.7	25
187	Viral transduction of the HER2-extracellular domain expands trastuzumab-based photoimmunotherapy for HER2-negative breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 597-605.	1.1	24
188	Molecularly Targeted Cancer Combination Therapy with Near-Infrared Photoimmunotherapy and Near-Infrared Photorelease with Duocarmycin- α Antibody Conjugate. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 661-670.	1.9	24
189	Cancer neovasculature-targeted near-infrared photoimmunotherapy (NIR-PIT) for gastric cancer: different mechanisms of phototoxicity compared to cell membrane-targeted NIR-PIT. <i>Gastric Cancer</i> , 2020, 23, 82-94.	2.7	24
190	Dynamic changes in the cell membrane on three dimensional low coherent quantitative phase microscopy (3D LC-QPM) after treatment with the near infrared photoimmunotherapy. <i>Oncotarget</i> , 2017, 8, 104295-104302.	0.8	24
191	Comparison of the Chase Effects of Avidin, Streptavidin, Neutravidin, and Avidin-Ferritin on a Radiolabeled Biotinylated Anti-tumor Monoclonal Antibody. <i>Japanese Journal of Cancer Research</i> , 1995, 86, 310-314.	1.7	23
192	Molecular imaging of tumor invasion and metastases: the role of MRI. <i>NMR in Biomedicine</i> , 2011, 24, 561-568.	1.6	23
193	Two-Step Synthesis of Galactosylated Human Serum Albumin as a Targeted Optical Imaging Agent for Peritoneal Carcinomatosis. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 1579-1586.	2.9	23
194	Trastuzumab-Based Photoimmunotherapy Integrated with Viral HER2 Transduction Inhibits Peritoneally Disseminated HER2-Negative Cancer. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 402-411.	1.9	23
195	Near-Infrared Photoimmunotherapy Combined with CTLA4 Checkpoint Blockade in Syngeneic Mouse Cancer Models. <i>Vaccines</i> , 2020, 8, 528.	2.1	23
196	Increased Immunogenicity of a Minimally Immunogenic Tumor after Cancer-Targeting Near Infrared Photoimmunotherapy. <i>Cancers</i> , 2020, 12, 3747.	1.7	23
197	Antimicrobial strategy for targeted elimination of different microbes, including bacterial, fungal and viral pathogens. <i>Communications Biology</i> , 2022, 5, .	2.0	23
198	Photoimmunotherapy Inhibits Tumor Recurrence After Surgical Resection on a Pancreatic Cancer Patient-Derived Orthotopic Xenograft (PDOX) Nude Mouse Model. <i>Annals of Surgical Oncology</i> , 2015, 22, 1469-1474.	0.7	22

#	ARTICLE	IF	CITATIONS
199	Rapid diagnosis of lymph node metastasis in breast cancer using a new fluorescent method with I^3 -glutamyl hydroxymethyl rhodamine green. <i>Scientific Reports</i> , 2016, 6, 27525.	1.6	22
200	Biodistribution and Excretion of Monosaccharide~Albumin Conjugates Measured with in Vivo Near-Infrared Fluorescence Imaging. <i>Bioconjugate Chemistry</i> , 2010, 21, 1925-1932.	1.8	21
201	Cerenkov Radiation~Induced Photoimmunotherapy with ^{18}F -FDG. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1395-1400.	2.8	21
202	Real-time monitoring of microdistribution of antibody-photon absorber conjugates during photoimmunotherapy in vivo. <i>Journal of Controlled Release</i> , 2017, 260, 154-163.	4.8	21
203	Near-infrared photoimmunotherapy targeting human-EGFR in a mouse tumor model simulating current and future clinical trials. <i>EBioMedicine</i> , 2021, 67, 103345.	2.7	21
204	Implantable wireless powered light emitting diode (LED) for near-infrared photoimmunotherapy: device development and experimental assessment <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2018, 9, 20048-20057.	0.8	21
205	3D mesoscopic fluorescence tomography for imaging micro-distribution of antibody-photon absorber conjugates during near infrared photoimmunotherapy in vivo. <i>Journal of Controlled Release</i> , 2018, 279, 171-180.	4.8	20
206	Simultaneously Combined Cancer Cell- and CTLA4-Targeted NIR-PIT Causes a Synergistic Treatment Effect in Syngeneic Mouse Models. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 2262-2273.	1.9	20
207	Rapid Depletion of Intratumoral Regulatory T Cells Induces Synchronized CD8 T- and NK-cell Activation and IFN^3 -Dependent Tumor Vessel Regression. <i>Cancer Research</i> , 2021, 81, 3092-3104.	0.4	20
208	A topically-sprayable, activatable fluorescent and retaining probe, SPiDER- I^2 Gal for detecting cancer: Advantages of anchoring to cellular proteins after activation. <i>Oncotarget</i> , 2017, 8, 39512-39521.	0.8	20
209	MR and optical imaging of early micrometastases in lymph nodes: triple labeling with nano~sized agents yielding distinct signals. <i>Contrast Media and Molecular Imaging</i> , 2012, 7, 247-253.	0.4	19
210	Near infrared photoimmunotherapy of cancer; possible clinical applications. <i>Nanophotonics</i> , 2021, 10, 3135-3151.	2.9	19
211	MR imaging biomarkers for evaluating therapeutic effects shortly after near infrared photoimmunotherapy. <i>Oncotarget</i> , 2016, 7, 17254-17264.	0.8	19
212	Cyanine Phototruncation Enables Spatiotemporal Cell Labeling. <i>Journal of the American Chemical Society</i> , 2022, 144, 11075-11080.	6.6	19
213	Semiquantitative assessment of the microdistribution of fluorescence~labeled monoclonal antibody in small peritoneal disseminations of ovarian cancer. <i>Cancer Science</i> , 2010, 101, 820-825.	1.7	18
214	Medical Uses of Fluorescence Imaging: Bringing Disease to Light. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2012, 18, 1140-1146.	1.9	18
215	Activatable fluorescent cys-diabody conjugated with indocyanine green derivative: consideration of fluorescent catabolite kinetics on molecular imaging. <i>Journal of Biomedical Optics</i> , 2013, 18, 101304.	1.4	18
216	Real-time monitoring of hemodynamic changes in tumor vessels during photoimmunotherapy using optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2014, 19, 098004.	1.4	18

#	ARTICLE	IF	CITATIONS
217	A Portable Fluorescence Camera for Testing Surgical Specimens in the Operating Room: Description and Early Evaluation. <i>Molecular Imaging and Biology</i> , 2011, 13, 862-867.	1.3	17
218	<i>In vivo</i> real-time lymphatic draining using quantum-dot optical imaging in mice. <i>Contrast Media and Molecular Imaging</i> , 2013, 8, 96-100.	0.4	17
219	Magnetic Resonance Sentinel Lymph Node Imaging of the Prostate with Gadofosveset Trisodium-Albumin. <i>Academic Radiology</i> , 2015, 22, 646-652.	1.3	17
220	Enhanced nanodrug delivery in tumors after near-infrared photoimmunotherapy. <i>Nanophotonics</i> , 2019, 8, 1673-1688.	2.9	17
221	Near-infrared photoimmunotherapy with galactosyl serum albumin in a model of diffuse peritoneal disseminated ovarian cancer. <i>Oncotarget</i> , 2016, 7, 79408-79416.	0.8	17
222	Small numbers of residual tumor cells at the site of primary inoculation are critical for anti-tumor immunity following challenge at a secondary location. <i>Cancer Immunology, Immunotherapy</i> , 2007, 56, 1119-1131.	2.0	16
223	Electron Donors Rather Than Reactive Oxygen Species Needed for Therapeutic Photochemical Reaction of Near-Infrared Photoimmunotherapy. <i>ACS Pharmacology and Translational Science</i> , 2021, 4, 1689-1701.	2.5	16
224	Polysplenia associated with semiannular pancreas. <i>European Radiology</i> , 2001, 11, 1639-1641.	2.3	15
225	<i>In Vivo</i> Longitudinal Imaging of Experimental Human Papillomavirus Infection in Mice with a Multicolor Fluorescence Mini-Endoscopy System. <i>Cancer Prevention Research</i> , 2011, 4, 767-773.	0.7	15
226	Dynamic fluorescent imaging with indocyanine green for monitoring the therapeutic effects of photoimmunotherapy. <i>Contrast Media and Molecular Imaging</i> , 2014, 9, 276-282.	0.4	15
227	Fluorescence Imaging of Tumor-Accumulating Antibody-IR700 Conjugates Prior to Near-Infrared Photoimmunotherapy (NIR-PIT) Using a Commercially Available Camera Designed for Indocyanine Green. <i>Molecular Pharmaceutics</i> , 2021, 18, 1238-1246.	2.3	15
228	Endoscopic near-infrared photoimmunotherapy in an orthotopic head and neck cancer model. <i>Cancer Science</i> , 2021, 112, 3041-3049.	1.7	15
229	Dynamic fluorescent imaging with the activatable probe, β -glutamyl hydroxymethyl rhodamine green in the detection of peritoneal cancer metastases: Overcoming the problem of dilution when using a sprayable optical probe. <i>Oncotarget</i> , 2016, 7, 51124-51137.	0.8	15
230	Scintigraphic detection of neural-cell-derived small-cell lung cancer using glioma-specific antibody. <i>Journal of Cancer Research and Clinical Oncology</i> , 1994, 120, 259-262.	1.2	14
231	Fluorescence Imaging of Tumors with α -Smart-pH-Activatable Targeted Probes. <i>Methods in Molecular Biology</i> , 2009, 574, 47-62.	0.4	14
232	MR lymphangiography using dendrimer-based contrast agents: A comparison at 1.5T and 3.0T. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 431-436.	1.9	13
233	Magnetic Resonance Lymphography of the Thoracic Duct after Interstitial Injection of Gadofosveset Trisodium: A Pilot Dosing Study in a Porcine Model. <i>Lymphatic Research and Biology</i> , 2014, 12, 32-36.	0.5	13
234	Immunotoxin SS1P is rapidly removed by proximal tubule cells of kidney, whose damage contributes to albumin loss in urine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 6086-6091.	3.3	13

#	ARTICLE	IF	CITATIONS
235	Diagnostic imaging in near-infrared photoimmunotherapy using a commercially available camera for indocyanine green. <i>Cancer Science</i> , 2021, 112, 1326-1330.	1.7	13
236	CD29 targeted near-infrared photoimmunotherapy (NIR-PIT) in the treatment of a pigmented melanoma model. <i>Oncotarget</i> , 2022, 11, 2019922.	2.1	13
237	Two-color in vivo dynamic contrast-enhanced pharmacokinetic imaging. <i>Journal of Biomedical Optics</i> , 2007, 12, 034016.	1.4	12
238	Polychromatic in vivo imaging of multiple targets using visible and near infrared light. <i>Advanced Drug Delivery Reviews</i> , 2013, 65, 1112-1119.	6.6	12
239	Near-infrared photoimmunotherapy through bone. <i>Cancer Science</i> , 2019, 110, 3689-3694.	1.7	12
240	Conjugation Ratio, Light Dose, and pH Affect the Stability of Panitumumab-IR700 for Near-Infrared Photoimmunotherapy. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 1598-1604.	1.3	12
241	A near-infrared light-mediated cleavable linker strategy using the heptamethine cyanine chromophore. <i>Methods in Enzymology</i> , 2020, 641, 245-275.	0.4	12
242	Optimizing quantitative <i>in vivo</i> fluorescence imaging with near-infrared quantum dots. <i>Contrast Media and Molecular Imaging</i> , 2011, 6, 148-152.	0.4	11
243	Alterations of filopodia by near infrared photoimmunotherapy: evaluation with 3D low-coherent quantitative phase microscopy. <i>Biomedical Optics Express</i> , 2016, 7, 2738.	1.5	11
244	Real-time IR700 Fluorescence Imaging During Near-infrared Photoimmunotherapy Using a Clinically-approved Camera for Indocyanine Green. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 29-34.	0.3	11
245	The Use of Fluorescent Proteins for Developing Cancer-Specific Target Imaging Probes. <i>Methods in Molecular Biology</i> , 2012, 872, 191-204.	0.4	10
246	Characteristics of ovarian cancer detection by a near-infrared fluorescent probe activated by human NAD(P)H: quinone oxidoreductase isozyme 1 (hNQO1). <i>Oncotarget</i> , 2017, 8, 61181-61192.	0.8	10
247	MR lymphangiography with intradermal gadofosveset and human serum albumin in mice and primates. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 691-697.	1.9	9
248	Surgical tissue handling methods to optimize <i>ex vivo</i> fluorescence with the activatable optical probe β -glutamyl hydroxymethyl rhodamine green. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 572-578.	0.4	9
249	Selection of antibody and light exposure regimens alters therapeutic effects of EGFR-targeted near-infrared photoimmunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 1877-1887.	2.0	9
250	Near-Infrared Photoimmunotherapy (NIR-PIT) in Urologic Cancers. <i>Cancers</i> , 2022, 14, 2996.	1.7	9
251	Intercellular adhesion molecule-1-targeted near-infrared photoimmunotherapy of triple-negative breast cancer. <i>Cancer Science</i> , 2022, 113, 3180-3192.	1.7	9
252	Dynamic Micro-MRI of Liver Micrometastasis with a Novel Liver Macromolecular MR Contrast Agent DAB-Am64-(1B4M-Gd)64. <i>Academic Radiology</i> , 2002, 9, S452-S454.	1.3	6

#	ARTICLE	IF	CITATIONS
253	Spectral near-infrared fluorescence imaging of curved surfaces using projection reconstruction algorithms. <i>Contrast Media and Molecular Imaging</i> , 2007, 2, 82-87.	0.4	6
254	Real-Time Fluorescence-Enhanced Imaging as an Aid to Surgery in Ovarian Cancer. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2007, 13, 1602-1609.	1.9	6
255	Opening up new VISTAs: V-domain immunoglobulin suppressor of T cell activation (VISTA) targeted near-infrared photoimmunotherapy (NIR-PIT) for enhancing host immunity against cancers. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2869-2879.	2.0	6
256	Near-infrared photoimmunotherapy induced tumor cell death enhances tumor dendritic cell migration. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 3099-3106.	2.0	6
257	Uptake of pentavalent technetium-99m dimercaptosuccinic acid in idiopathic synovial chondromatosis. <i>Annals of Nuclear Medicine</i> , 1995, 9, 153-155.	1.2	5
258	Inflammation-seeking scintigraphy with radiolabeled biotinylated polyclonal IgG followed by the injection of avidin chase. <i>Nuclear Medicine and Biology</i> , 1996, 23, 29-32.	0.3	5
259	Effect of Circulating Antigen on Immunoscintigraphy of Ovarian Cancer Patients Using Anti-CA125 Monoclonal Antibody. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 655-661.	1.7	5
260	Fluorescence lifetime molecular imaging can detect invisible peritoneal ovarian tumors in bloody ascites. <i>Cancer Science</i> , 2014, 105, 308-314.	1.7	5
261	Quantitative and specific molecular imaging of cancer with labeled engineered monoclonal antibody fragments. <i>Therapeutic Delivery</i> , 2011, 2, 345-358.	1.2	4
262	Monoclonal antibody-fluorescent probe conjugates for <i>in vivo</i> target-specific cancer imaging: toward clinical translation. <i>Therapeutic Delivery</i> , 2013, 4, 523-525.	1.2	4
263	Real-Time Fluorescence Imaging Using Indocyanine Green to Assess Therapeutic Effects of Near-Infrared Photoimmunotherapy in Tumor Model Mice. <i>Molecular Imaging</i> , 2020, 19, 153601212093496.	0.7	4
264	Wound healing after excision of subcutaneous tumors treated with near-infrared photoimmunotherapy. <i>Cancer Medicine</i> , 2020, 9, 5932-5939.	1.3	4
265	Effect of Short PEG on Near-Infrared BODIPY-Based Activatable Optical Probes. <i>ACS Omega</i> , 2020, 5, 15657-15665.	1.6	4
266	PD-L1 near Infrared Photoimmunotherapy of Ovarian Cancer Model. <i>Cancers</i> , 2022, 14, 619.	1.7	4
267	Paraneoplastic syndromes associated with ovarian neoplasms. <i>International Journal of Clinical Oncology</i> , 2000, 5, 79-84.	1.0	3
268	Endoscopic molecular imaging of cancer. <i>Future Oncology</i> , 2013, 9, 1501-1513.	1.1	3
269	Near-Infrared Photoimmunotherapy for Cancers of the Gastrointestinal Tract. <i>Digestion</i> , 2021, 102, 65-72.	1.2	3
270	Quantitative analysis of vascular changes during photoimmunotherapy using speckle variance optical coherence tomography (SV-OCT). <i>Biomedical Optics Express</i> , 2021, 12, 1804.	1.5	3

#	ARTICLE	IF	CITATIONS
271	Expanding the application of cancer near-infrared photoimmunotherapy. <i>EBioMedicine</i> , 2021, 68, 103416.	2.7	3
272	Endoscopic Applications of Near-Infrared Photoimmunotherapy (NIR-PIT) in Cancers of the Digestive and Respiratory Tracts. <i>Biomedicines</i> , 2022, 10, 846.	1.4	3
273	Tumor-targeted fluorescence labeling systems for cancer diagnosis and treatment. <i>Cancer Science</i> , 2022, 113, 1919-1929.	1.7	3
274	Activatable optical imaging probes with various fluorophore-quencher combinations. <i>Proceedings of SPIE</i> , 2009, , .	0.8	2
275	Future applications of and prospects for near-IR photoimmunotherapy: benefits and differences compared with photodynamic and photothermal therapy. <i>Immunotherapy</i> , 2021, 13, 1305-1307.	1.0	2
276	Current and new fluorescent probes for fluorescence-guided surgery. , 2020, , 75-114.		2
277	Near Infrared Photoimmunotherapy for Cancer. , 2019, , .		2
278	Pitfalls on sample preparation for ex vivo imaging of resected cancer tissue using enzyme-activatable fluorescent probes. <i>Oncotarget</i> , 2018, 9, 36039-36047.	0.8	2
279	Multi-excitation near infrared (NIR) spectral fluorescence imaging using organic fluorophores. <i>Proceedings of SPIE</i> , 2008, , .	0.8	1
280	Recipe for a new imaging biomarker: carefully combine target, reagent, and technology. <i>Kidney International</i> , 2012, 81, 129-131.	2.6	1
281	Response to Comment on "Rapid Cancer Detection by Topically Spraying a β -Glutamyltranspeptidase-Activated Fluorescent Probe". <i>Science Translational Medicine</i> , 2012, 4, .	5.8	1
282	Lymphangiogenesis and Imaging of the Lymphatics in Cancer. <i>Cancer Metastasis - Biology and Treatment</i> , 2009, , 159-184.	0.1	1
283	Comparison of the Effectiveness of IgG Antibody versus F(ab ²) Antibody Fragment in CTLA4-Targeted Near-Infrared Photoimmunotherapy. <i>Molecular Pharmaceutics</i> , 2022, 19, 3600-3611.	2.3	1
284	Fluorescence in vivo imaging of live tumor cells with pH-activatable targeted probes via receptor-mediated endocytosis. , 2009, , .		0
285	New technologies of cancer cell-specific molecular imaging and near infrared photoimmunotherapy. <i>Drug Delivery System</i> , 2014, 29, 274-284.	0.0	0
286	Near Infrared Photoimmunotherapy of Cancer. , 2021, , .		0
287	Activatable Fluorescence Probes for Targeted Molecular Imaging of Cancer. , 2008, , .		0
288	Near infrared photo-immunotherapy: A newly developed, target cell-specific cancer theranostic technology. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
289	Concepts in Diagnostic Probe Design. , 2017, , 177-200.		0
290	Eliciting Host Immunity Selectively against Cancer Cells Treated with Silica-Phthalocyanine-Based Near Infrared Photoimmunotherapy. , 2017, , .		0
291	MR Lymphangiography Using Nano-Sized Paramagnetic Contrast Agents with Dendrimer Cores. , 2008, , 9-23.		0