

Ken Ei Sada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7669610/publications.pdf>

Version: 2024-02-01

89
papers

1,715
citations

318942

23
h-index

371746

37
g-index

96
all docs

96
docs citations

96
times ranked

2574
citing authors

#	ARTICLE	IF	CITATIONS
1	Nation-wide survey of the treatment trend of microscopic polyangiitis and granulomatosis with polyangiitis in Japan using the Japanese Ministry of Health, Labour and Welfare Database. <i>Modern Rheumatology</i> , 2022, 32, 915-922.	0.9	7
2	The prevalence, burden of disease, and healthcare utilization of patients with eosinophilic granulomatosis with polyangiitis in Japan: a retrospective, descriptive cohort claims database study. <i>Modern Rheumatology</i> , 2022, 32, 380-386.	0.9	7
3	Suspected Transmission of Severe Fever with Thrombocytopenia Syndrome Virus from a Cat to a Veterinarian by a Single Contact: A Case Report. <i>Viruses</i> , 2022, 14, 223.	1.5	6
4	Tankyrase represses autoinflammation through the attenuation of TLR2 signaling. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	6
5	A case of recurrent IgG4-related disease successfully treated with belimumab after remission of systemic lupus erythematosus. <i>Rheumatology</i> , 2022, 61, e308-e310.	0.9	3
6	Small Intestinal Perforation Caused by Enteric-coated Low-dose Aspirin: A Case Report. <i>Internal Medicine</i> , 2022, , .	0.3	1
7	Bicarbonate concentration as a predictor of prognosis in moderately severe COVID-19 patients: A multicenter retrospective study. <i>PLoS ONE</i> , 2022, 17, e0270141.	1.1	2
8	Clinical impact of urinary CD11b and CD163 on the renal outcomes of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1452-1463.	0.4	5
9	Comparison of fracture risk between proton pump inhibitors and histamine-2 receptor antagonists in ANCA-associated vasculitis patients: a nested case-control study. <i>Rheumatology</i> , 2021, 60, 1717-1723.	0.9	4
10	Vascular endothelial growth factor (VEGF)-A and VEGF-A ₁₆₅ are associated with time to remission of granulomatosis with polyangiitis in a nationwide Japanese prospective cohort study. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 86-94.	0.8	1
11	Rationale of concomitant cyclophosphamide for remission-induction in patients with antineutrophil cytoplasmic antibody-associated vasculitis: A propensity score-matched analysis of two nationwide prospective cohort studies. <i>Modern Rheumatology</i> , 2021, 31, 205-213.	0.9	3
12	Usefulness of tissue inhibitor of metalloproteinase 1 as a predictor of sustained remission in patients with antineutrophil cytoplasmic antibody-associated vasculitis. <i>Arthritis Research and Therapy</i> , 2021, 23, 91.	1.6	5
13	Exploratory classification of clinical phenotypes in Japanese patients with antineutrophil cytoplasmic antibody-associated vasculitis using cluster analysis. <i>Scientific Reports</i> , 2021, 11, 5223.	1.6	5
14	Recurrent atelectasis and brain infarction in a patient with anti-neutrophil antibody negative eosinophilic granulomatosis with polyangiitis: a case report. <i>BMC Rheumatology</i> , 2021, 5, 28.	0.6	2
15	The development of quality indicators for systemic lupus erythematosus using electronic health data: A modified RAND appropriateness method. <i>Modern Rheumatology</i> , 2020, 30, 525-531.	0.9	6
16	Simultaneous development of IgA vasculitis and eosinophilic granulomatosis with polyangiitis. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 63-69.	0.3	0
17	Treatment-related damage in elderly-onset ANCA-associated vasculitis: safety outcome analysis of two nationwide prospective cohort studies. <i>Arthritis Research and Therapy</i> , 2020, 22, 236.	1.6	14
18	Association of TERT and DSP variants with microscopic polyangiitis and myeloperoxidase-ANCA positive vasculitis in a Japanese population: a genetic association study. <i>Arthritis Research and Therapy</i> , 2020, 22, 246.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Risk of higher dose methotrexate for renal impairment in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2020, 10, 18715.	1.6	10
20	Association of explanatory histological findings and urinary protein and serum creatinine levels at renal biopsy in lupus nephritis: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 208.	0.8	5
21	International Consensus on Antineutrophil Cytoplasm Antibodies Testing in Eosinophilic Granulomatosis with Polyangiitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 1360-1372.	2.5	36
22	JCS 2017 Guideline on Management of Vasculitis Syndrome—Digest Version. <i>Circulation Journal</i> , 2020, 84, 299-359.	0.7	59
23	Damage accrual related to pregnancies before and after diagnosis of systemic lupus erythematosus: a cross-sectional and nested case-control analysis from a lupus registry. <i>Lupus</i> , 2020, 29, 176-181.	0.8	3
24	Complement profile in microscopic polyangiitis and granulomatosis with polyangiitis: analysis using sera from a nationwide prospective cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 301-311.	0.6	4
25	Systematic review and meta-analysis for 2017 clinical practice guidelines of the Japan research committee of the ministry of health, labour, and welfare for intractable vasculitis for the management of ANCA-associated vasculitis. <i>Modern Rheumatology</i> , 2019, 29, 119-129.	0.9	18
26	Thrombocytosis as a prognostic factor in polymyalgia rheumatica: characteristics determined from cluster analysis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2019, 11, 1759720X1986482.	1.2	3
27	Risk factors for cytomegalovirus infection in patients with antineutrophil cytoplasmic antibody-associated vasculitis. <i>PLoS ONE</i> , 2019, 14, e0218705.	1.1	4
28	Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population. <i>Scientific Reports</i> , 2019, 9, 16366.	1.6	15
29	Chest High-Resolution CT Findings of Microscopic Polyangiitis: A Japanese First Nationwide Prospective Cohort Study. <i>American Journal of Roentgenology</i> , 2019, 213, 104-114.	1.0	48
30	Regulation of Cathepsin E gene expression by the transcription factor Kaiso in MRL/lpr mice derived CD4+ T cells. <i>Scientific Reports</i> , 2019, 9, 3054.	1.6	10
31	Association of <i>MUC5B</i> promoter polymorphism with interstitial lung disease in myeloperoxidase-antineutrophil cytoplasmic antibody-associated vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1144-1146.	0.5	23
32	Cluster Analysis Using Anti-Aminoacyl-tRNA Synthetases and SS-A/Ro52 antibodies in Patients With Polymyositis/Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 246-251.	0.5	9
33	Lymphoproliferative disease in a patient with Takayasu arteritis and ulcerative colitis. <i>Modern Rheumatology Case Reports</i> , 2019, 3, 34-37.	0.3	1
34	Histopathological classification of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis in a nationwide Japanese prospective 2-year follow-up cohort study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 387-394.	0.7	9
35	Risk Factors for Relapse of Antineutrophil Cytoplasmic Antibody-associated Vasculitis in Japan: A Nationwide, Prospective Cohort Study. <i>Journal of Rheumatology</i> , 2018, 45, 521-528.	1.0	17
36	Anti-SS-A/Ro antibody positivity as a risk factor for relapse in patients with polymyositis/dermatomyositis. <i>Modern Rheumatology</i> , 2018, 28, 141-146.	0.9	10

#	ARTICLE	IF	CITATIONS
37	Association of ETS1 polymorphism with granulomatosis with polyangiitis and proteinase 3-anti-neutrophil cytoplasmic antibody positive vasculitis in a Japanese population. <i>Journal of Human Genetics</i> , 2018, 63, 55-62.	1.1	14
38	An open-label pilot study on preventing glucocorticoid-induced diabetes mellitus with linagliptin. <i>Journal of Medical Case Reports</i> , 2018, 12, 288.	0.4	4
39	Antineutrophil cytoplasmic antibody-positive familial Mediterranean fever and hyperthyroidism. <i>Medicine (United States)</i> , 2018, 97, e13805.	0.4	1
40	Association Between Reappearance of Myeloperoxidase-Associated Antineutrophil Cytoplasmic Antibody and Relapse in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1626-1633.	2.9	34
41	The first year results of mizoribine/tacrolimus-based multitarget treatment for consecutive patients with lupus nephritis. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1371-1378.	0.7	5
42	Development of quality indicators for care of chronic kidney disease in the primary care setting using electronic health data: a RAND-modified Delphi method. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 247-256.	0.7	24
43	Downregulation of miR-200a-3p, Targeting CtBP2 Complex, Is Involved in the Hypoproduction of IL-2 in Systemic Lupus Erythematosus-Derived T Cells. <i>Journal of Immunology</i> , 2017, 198, 4268-4276.	0.4	37
44	Anti-high Mobility Group Box 1 Antibody Ameliorates Albuminuria in MRL/lpr Lupus-Prone Mice. <i>Molecular Therapy - Methods and Clinical Development</i> , 2017, 6, 31-39.	1.8	15
45	Prediction of response to remission induction therapy by gene expression profiling of peripheral blood in Japanese patients with microscopic polyangiitis. <i>Arthritis Research and Therapy</i> , 2017, 19, 117.	1.6	10
46	Potential Benefit Associated With Delaying Initiation of Hemodialysis in a Japanese Cohort. <i>Kidney International Reports</i> , 2017, 2, 594-602.	0.4	2
47	Clinical characteristics of and risk factors for serious infection in Japanese patients within six months of remission induction therapy for antineutrophil cytoplasmic antibody-associated vasculitis registered in a nationwide, prospective, inception cohort study. <i>Modern Rheumatology</i> , 2017, 27, 646-651.	0.9	25
48	Prognostic factors of methotrexate-associated lymphoproliferative disorders associated with rheumatoid arthritis and plausible application of biological agents. <i>Modern Rheumatology</i> , 2017, 27, 773-777.	0.9	23
49	Azathioprine Intolerance in Japanese Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Internal Medicine</i> , 2017, 56, 1645-1650.	0.3	2
50	Targeted proteomics reveals promising biomarkers of disease activity and organ involvement in antineutrophil cytoplasmic antibody-associated vasculitis. <i>Arthritis Research and Therapy</i> , 2017, 19, 218.	1.6	40
51	Central Diabetes Insipidus in Refractory Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Internal Medicine</i> , 2017, 56, 2943-2948.	0.3	6
52	A retrospective observational study of glucocorticoid-induced diabetes mellitus with IgA nephropathy treated with tonsillectomy plus methylprednisolone pulse therapy. <i>PLoS ONE</i> , 2017, 12, e0178018.	1.1	10
53	V. Management for Elderly Patients with ANCA-associated Vasculitis. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017, 106, 2143-2147.	0.0	0
54	Bilateral Abducens Nerve Palsy due to Idiopathic Intracranial Hypertension as an Initial Manifestation of Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2016, 55, 991-994.	0.3	8

#	ARTICLE	IF	CITATIONS
55	Development of intracerebral hemorrhage in the short-term clinical course of a patient with microscopic polyangiitis without neurological symptoms at diagnosis: an autopsy case. <i>CEN Case Reports</i> , 2016, 5, 173-178.	0.5	6
56	Comparison of severity classification in Japanese patients with antineutrophil cytoplasmic antibody-associated vasculitis in a nationwide, prospective, inception cohort study. <i>Modern Rheumatology</i> , 2016, 26, 730-737.	0.9	39
57	The efficacy of add-on tacrolimus for minor flare in patients with systemic lupus erythematosus: a retrospective study. <i>Lupus</i> , 2016, 25, 54-60.	0.8	13
58	Protective Role of HLA-DRB1*13:02 against Microscopic Polyangiitis and MPO-ANCA-Positive Vasculitides in a Japanese Population: A Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0154393.	1.1	35
59	Different responses to treatment across classified diseases and severities in Japanese patients with microscopic polyangiitis and granulomatosis with polyangiitis: a nationwide prospective inception cohort study. <i>Arthritis Research and Therapy</i> , 2015, 17, 305.	1.6	41
60	Risk factors for the development of glucocorticoid-induced diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 273-279.	1.1	49
61	Issues associated with the Ministry of Health, Labour and Welfare diagnostic criteria for antineutrophil cytoplasmic antibody-associated vasculitides: Reclassification of patients in the prospective cohort study of Remission Induction Therapy in Japanese patients with ANCA-associated vasculitides according to the MHLW criteria. <i>Modern Rheumatology</i> , 2015, 25, 657-659.	0.9	7
62	Mentoring the next generation of physician-scientists in Japan: a cross-sectional survey of mentees in six academic medical centers. <i>BMC Medical Education</i> , 2015, 15, 54.	1.0	20
63	Regulatory effects of fibroblast growth factor-8 and tumor necrosis factor- α on osteoblast marker expression induced by bone morphogenetic protein-2. <i>Peptides</i> , 2015, 73, 88-94.	1.2	11
64	Risk Score to Predict 1-Year Mortality after Haemodialysis Initiation in Patients with Stage 5 Chronic Kidney Disease under Predialysis Nephrology Care. <i>PLoS ONE</i> , 2015, 10, e0129180.	1.1	26
65	A national survey on current use of mycophenolate mofetil for childhood-onset systemic lupus erythematosus in Japan. <i>Modern Rheumatology</i> , 2015, 25, 858-64.	0.9	4
66	A nationwide survey on the epidemiology and clinical features of eosinophilic granulomatosis with polyangiitis (Churg-Strauss) in Japan. <i>Modern Rheumatology</i> , 2014, 24, 640-644.	0.9	90
67	Current Concept and Epidemiology of Systemic Vasculitides. <i>Allergology International</i> , 2014, 63, 505-513.	1.4	43
68	Sarcoid-like lung granulomas in a hemodialysis patient treated with a dipeptidyl peptidase-4 inhibitor. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 182-185.	1.4	7
69	Classification and characteristics of Japanese patients with antineutrophil cytoplasmic antibody-associated vasculitis in a nationwide, prospective, inception cohort study. <i>Arthritis Research and Therapy</i> , 2014, 16, R101.	1.6	159
70	Large Vessel Vasculitis with Myelodysplastic Syndrome. <i>Internal Medicine</i> , 2014, 53, 63-66.	0.3	10
71	Association of IRF5 polymorphism with MPO-ANCA-positive vasculitis in a Japanese population. <i>Genes and Immunity</i> , 2013, 14, 527-529.	2.2	10
72	Clinical studies of the Research Committee on Intractable Vasculitides, the Ministry of Health, Labour and Welfare of Japan. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 697-699.	0.7	1

#	ARTICLE	IF	CITATIONS
73	Estrogen facilitates osteoblast differentiation by upregulating bone morphogenetic protein-4 signaling. <i>Steroids</i> , 2013, 78, 513-520.	0.8	50
74	Current status of the treatment of microscopic polyangiitis and granulomatosis with polyangiitis in Japan. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 51-58.	0.7	39
75	Rapid Progression of Graves' Ophthalmopathy Despite the Administration of Thiamazole. <i>Internal Medicine</i> , 2013, 52, 2317-2320.	0.3	2
76	Risk Factors Associated with Relapse in Japanese Patients with Microscopic Polyangiitis. <i>Journal of Rheumatology</i> , 2012, 39, 545-551.	1.0	28
77	Mizoribine, tacrolimus, and corticosteroid combination therapy successfully induces remission in patients with lupus nephritis. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 760-766.	0.7	14
78	Evaluation of weekly-reduction regimen of glucocorticoids in combination with cyclophosphamide for anti-neutrophil cytoplasmic antibody (ANCA)-associated vasculitis in Japanese patients. <i>Rheumatology International</i> , 2012, 32, 2999-3005.	1.5	8
79	Acquired haemophilia in a patient with castleman's disease: a case report. <i>Haemophilia</i> , 2012, 18, e360-2.	1.0	1
80	Peroxisome proliferator-activated receptor activity is involved in the osteoblastic differentiation regulated by bone morphogenetic proteins and tumor necrosis factor- α . <i>Molecular and Cellular Endocrinology</i> , 2012, 348, 224-232.	1.6	24
81	Systemic Lupus Erythematosus Complicated with Acute Myocardial Infarction and Ischemic Colitis. <i>Internal Medicine</i> , 2011, 50, 2669-2673.	0.3	3
82	Estrogen and glucocorticoid regulate osteoblast differentiation through the interaction of bone morphogenetic protein-2 and tumor necrosis factor- α in C2C12 cells. <i>Molecular and Cellular Endocrinology</i> , 2010, 325, 118-127.	1.6	50
83	Simvastatin inhibits osteoclast differentiation induced by bone morphogenetic protein-2 and RANKL through regulating MAPK, AKT and Src signaling. <i>Regulatory Peptides</i> , 2010, 162, 99-108.	1.9	75
84	Insufficient control of morning home blood pressure in Japanese patients with hypertension associated with diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2010, 1, 266-272.	1.1	1
85	Usefulness of ISN/RPS Classification of Lupus Nephritis. <i>Journal of Korean Medical Science</i> , 2009, 24, S7.	1.1	35
86	Clinical Usefulness of a Prognostic Score in Histological Analysis of Renal Biopsy in Patients with Lupus Nephritis. <i>Journal of Rheumatology</i> , 2009, 36, 2218-2223.	1.0	30
87	Unique microstructures and podocytic infolding in glomerular basement membrane associated with collagen diseases: a report of three cases. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 450-454.	0.7	11
88	A novel variant apolipoprotein E Okayama in a patient with lipoprotein glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 751-756.	0.4	31
89	Altered levels of adipocytokines in association with insulin resistance in patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2006, 33, 1545-52.	1.0	110