

Ahmed Shaker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/766976/publications.pdf>

Version: 2024-02-01

88
papers

1,391
citations

430874

18
h-index

395702

33
g-index

89
all docs

89
docs citations

89
times ranked

584
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigating the performance of formamidinium tin-based perovskite solar cell by SCAPS device simulation. <i>Optical Materials</i> , 2020, 101, 109738.	3.6	277
2	A comparative study of different ETMs in perovskite solar cell with inorganic copper iodide as HTM. <i>Optik</i> , 2019, 178, 958-963.	2.9	93
3	Possible efficiency boosting of non-fullerene acceptor solar cell using device simulation. <i>Optical Materials</i> , 2019, 91, 239-245.	3.6	83
4	Influence of Drain Doping Engineering on the Ambipolar Conduction and High-Frequency Performance of TFETs. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 3541-3547.	3.0	63
5	Solar Cells and Arrays. , 2018, , 3-56.		63
6	A comprehensive simulation study of hybrid halide perovskite solar cell with copper oxide as HTM. <i>Semiconductor Science and Technology</i> , 2019, 34, 115009.	2.0	52
7	From Crystalline to Low-cost Silicon-based Solar Cells: a Review. <i>Silicon</i> , 2022, 14, 1895-1911.	3.3	52
8	Design of lead-free perovskite solar cell using Zn1-Mg O as ETL: SCAPS device simulation. <i>Optik</i> , 2021, 242, 167306.	2.9	52
9	On the Investigation of Interface Defects of Solar Cells: Lead-Based vs Lead-Free Perovskite. <i>IEEE Access</i> , 2021, 9, 130221-130232.	4.2	46
10	Self-Stabilizing Structured Ring Topology P2P Systems. , 0, , .		36
11	Numerical study of organic graded bulk heterojunction solar cell using SCAPS simulation. <i>Solar Energy</i> , 2020, 211, 375-382.	6.1	35
12	Analysis of Hybrid Hetero-Homo Junction Lead-Free Perovskite Solar Cells by SCAPS Simulator. <i>Energies</i> , 2021, 14, 5741.	3.1	33
13	Investigation of lead-free MASnI3-MASnI3Br2 tandem solar cell: Numerical simulation. <i>Optical Materials</i> , 2022, 123, 111893.	3.6	32
14	Physically Based Analytical Model of Heavily Doped Silicon Wafers Based Proposed Solar Cell Microstructure. <i>IEEE Access</i> , 2020, 8, 138898-138906.	4.2	31
15	Performance enhancement of a proposed solar cell microstructure based on heavily doped silicon wafers. <i>Semiconductor Science and Technology</i> , 2019, 34, 035012.	2.0	29
16	Novel design of plasmonic and dielectric antireflection coatings to enhance the efficiency of perovskite solar cells. <i>Solar Energy</i> , 2018, 174, 803-814.	6.1	26
17	Numerical analysis and design of high performance HTL-free antimony sulfide solar cells by SCAPS-1D. <i>Optical Materials</i> , 2022, 123, 111880.	3.6	23
18	Influence of gate overlap engineering on ambipolar and high frequency characteristics of tunnel-CNTFET. <i>Superlattices and Microstructures</i> , 2015, 86, 518-530.	3.1	20

#	ARTICLE	IF	CITATIONS
19	Design and simulation of proposed low cost solar cell structures based on heavily doped silicon wafers. , 2016, , .		20
20	Source-all-around tunnel field-effect transistor (SAA-TFET): proposal and design. Semiconductor Science and Technology, 2020, 35, 025007.	2.0	20
21	Gate dielectric constant engineering for suppression of ambipolar conduction in CNTFETs. Electronics Letters, 2015, 51, 503-504.	1.0	19
22	Impact of nonuniform gate oxide shape on TFET performance: A reliability issue. Physica E: Low-Dimensional Systems and Nanostructures, 2019, 106, 346-351.	2.7	19
23	A comprehensive investigation of TFETs with semiconducting silicide source: impact of gate drain underlap and interface traps. Semiconductor Science and Technology, 2019, 34, 045015.	2.0	14
24	Front dielectric and back plasmonic wire grating for efficient light trapping in perovskite solar cells. Optical Materials, 2018, 86, 311-317.	3.6	13
25	Investigation of Base High Doping Impact on the npn Solar Cell Microstructure Performance Using Physically Based Analytical Model. IEEE Access, 2021, 9, 16958-16966.	4.2	13
26	Bandwidth Broadening of Piezoelectric Energy Harvesters Using Arrays of a Proposed Piezoelectric Cantilever Structure. Micromachines, 2021, 12, 973.	2.9	13
27	Application of Modified MPPT Algorithms: A Comparative Study between Different Types of Solar Cells. Applied Solar Energy (English Translation of Geliotekhnika), 2020, 56, 309-323.	1.6	13
28	Comprehensive physically based modelling and simulation of power diodes with parameter extraction using MATLAB. IET Power Electronics, 2014, 7, 2464-2471.	2.1	12
29	Impact of high-doped pockets on the performance of tunneling CNTFET. Superlattices and Microstructures, 2020, 145, 106622.	3.1	12
30	Influence of base doping level on the npn microstructure solar cell performance: A TCAD study. Optical Materials, 2021, 121, 111501.	3.6	11
31	Numerical analysis of hole transport layer-free antimony selenide solar cells: Possible routes for efficiency promotion. Optical Materials, 2022, 129, 112473.	3.6	9
32	Performance Optimization of the InGaP/GaAs Dual-Junction Solar Cell Using SILVACO TCAD. International Journal of Photoenergy, 2021, 2021, 1-12.	2.5	8
33	Electrical modeling of tapered TSV including MOS-Field effect and substrate parasitics: Analysis and application. Microelectronics Journal, 2020, 100, 104797.	2.0	8
34	High-Efficiency Electron Transport Layer-Free Perovskite/GeTe Tandem Solar Cell: Numerical Simulation. Crystals, 2022, 12, 878.	2.2	8
35	Full electrothermal physically-based modeling of the power diode using PSPICE. Solid-State Electronics, 2016, 116, 70-79.	1.4	7
36	Numerical simulation of tunneling through arbitrary potential barriers applied on MIM and MIIM rectenna diodes. European Journal of Physics, 2018, 39, 045402.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Thirteen-Level Modified Packed U-Cell Multilevel Inverter for Renewable-Energy Applications. , 2020, , .		7
38	ISFET pH-Sensor Sensitivity Extraction Using Conventional MOSFET Simulation Tools. International Journal of Chemical Engineering and Applications (IJCEA), 2015, 6, 346-351.	0.3	7
39	Design considerations of high voltage RESURF nLDMOS: An analytical and numerical study. Ain Shams Engineering Journal, 2015, 6, 501-509.	6.1	6
40	Effect of asymmetrical double-pockets and gate-drain underlap on Schottky barrier tunneling FET: Ambipolar conduction vs. high frequency performance. Superlattices and Microstructures, 2016, 96, 179-190.	3.1	6
41	TCAD simulation of a proposed 3D CdZnTe detector. Journal of Engineering, 2017, 2017, 574-576.	1.1	6
42	A comprehensive semi-analytical model of the polysilicon emitter contact in bipolar transistors. Journal of Computational Electronics, 2018, 17, 246-255.	2.5	6
43	A modified PSPICE model for the power PIN diode. , 2010, , .		5
44	Electrical Characteristics of T-CNTFET: Partially-Gated Channel vs Doping Engineering. ECS Journal of Solid State Science and Technology, 2018, 7, M23-M28.	1.8	5
45	Current oscillations in Schottky-barrier CNTFET: towards resonant tunneling device operation. Semiconductor Science and Technology, 2018, 33, 035012.	2.0	5
46	Effect of base width variation on the performance of a proposed ultraviolet low cost high efficiency solar cell structure. , 2012, , .		4
47	Investigation of capacitance voltage characteristics of strained Si/SiGe n-channel MODFET varactor. Solid State Sciences, 2016, 56, 73-78.	3.2	4
48	Performance and electrical characteristics of hybrid carbon nanotube field effect transistors. Micro and Nano Letters, 2016, 11, 476-479.	1.3	4
49	Modified Hetero-Gate-Dielectric TFET for Improved Analog and Digital Performance. , 2018, , .		4
50	On the optimization of InGaP/GaAs/InGaAs triple-junction solar cell. IOP Conference Series: Materials Science and Engineering, 2018, 446, 012010.	0.6	4
51	A modified pseudo 2D physically-based model for double-gate TFETs: Role of precise calculations of drain and source depletion regions. Ain Shams Engineering Journal, 2022, 13, 101539.	6.1	4
52	Identification of power PIN diode design parameters: Circuit and device-based simulation approach. Ain Shams Engineering Journal, 2021, 12, 3141-3155.	6.1	4
53	Effect of Doping Profile and the Work Function Variation on Performance of Double-gate TFET. International Journal of Integrated Engineering, 2019, 11, .	0.4	4
54	Performance of standard and double-sided 3D-radiation detectors under the impact of a temperature pulse. Electronics Letters, 2015, 51, 1668-1670.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Four Voltmeter Vector Impedance Meter Based on Virtual Instrumentation. Mapan - Journal of Metrology Society of India, 2016, 31, 159-167.	1.5	3
56	Comments on "An Analytical Surface Potential Model Accounting for the Dual-Modulation Effects in Tunnel FETs". IEEE Transactions on Electron Devices, 2020, 67, 3014-3015.	3.0	3
57	Shifting LED emission from blue to the green gap spectral range using In _{0.12} Ga _{0.88} N relaxed templates. Superlattices and Microstructures, 2021, 160, 107065.	3.1	3
58	Modeling and simulation of a hybrid 3D silicon detector system using SILVACO and Simulink/MATLAB framework. , 2016, , .		2
59	Impact of TSV location in HVIC on CMOS operation: A mixed-mode TCAD simulation study. Microelectronics Journal, 2018, 75, 113-118.	2.0	2
60	Development of solar cell for large area position detection: proof of concept. Heliyon, 2021, 7, e07019.	3.2	2
61	Impact of source doping profile on the performance of CNT TFETs and MOSFETs: design aspects for fabrication tolerance. Semiconductor Science and Technology, 2021, 36, 075012.	2.0	2
62	Dielectric modulated CNT TFET based label-free biosensor: design and performance analysis. Semiconductor Science and Technology, 2021, 36, 095032.	2.0	2
63	Enhancement of Tunneling CNTFET Performance Using a High-k Dielectric Pocket. ECS Journal of Solid State Science and Technology, 2020, 9, 101002.	1.8	2
64	Thyristor Compact Modeling based on Gummel-Poon Model Including Parameter Extraction Procedure. International Journal of Computer Applications, 2013, 61, 12-20.	0.2	2
65	A Comparative Study Between Modified MPPT Algorithms Using Different Types of Solar Cells. , 2020, , .		2
66	Validation and Evaluation of a Behavioral Circuit Model of an Enhanced Electrostatic MEMS Converter. Micromachines, 2022, 13, 868.	2.9	2
67	Design and Simulation of 3-D CdTe Pillar Detectors. IEEE Transactions on Electron Devices, 2020, 67, 5564-5571.	3.0	1
68	Impact of gate-on-source misalignment on the analog and digital performance of tunnel FET. Pramana - Journal of Physics, 2021, 95, 1.	1.8	1
69	Tapered-Shape Channel Engineering for Suppression of Ambipolar Current in TFET. , 2020, , .		1
70	Tunneling FET Calibration Issues: Sentaurus vs. Silvaco TCAD. Journal of Physics: Conference Series, 2020, 1710, 012003.	0.4	1
71	Theoretical investigation of single- and dual-gate MITT nanometer transistors. , 0, , .		0
72	Theoretical investigation of single- and dual-gate metal insulator tunnel transistors. , 2003, , .		0

#	ARTICLE	IF	CITATIONS
73	Parasitic Suppression in 2D Smart Power ICs Using Deep Trench Isolation: A Simulation Study. The National Academy of Sciences, India, 2020, 43, 167-170.	1.3	0
74	Suppressing Ambipolar Conduction in Silicon DGFET: Comparing Gate-to-Drain Overlapping/ Underlapping Structure. , 2021, , .		0
75	An Improved Power Diode Model Based on Finite Difference Method. , 2009, , 973-981.		0
76	All dielectric and plasmonic cross-grating metasurface for efficient perovskite solar cells. , 2018, , .		0
77	Plasmonic nanosscatter antireflective coating for efficient CZTS solar cells. , 2018, , .		0
78	Using all dielectric and plasmonic cross grating metasurface for enhancing efficiency of CZTS solar cells. , 2018, , .		0
79	Design of optimum back contact plasmonic nanostructures for enhancing light coupling in CZTS solar cells. , 2018, , .		0
80	Enhancing light absorption inside CZTS solar cells using plasmonic and dielectric wire grating metasurface. , 2018, , .		0
81	Design methodology for selecting optimum plasmonic scattering nanostructures inside CZTS solar cells. , 2018, , .		0
82	Design of Extended Channel Ge-source TFET for Low Power Applications. International Journal of Integrated Engineering, 2020, 12, .	0.4	0
83	Numerical Corrections to Estimate Depletion Region Width in Pseudo-two-dimensional Model of Double-Gate Tunneling FET. , 2021, , .		0
84	Solar Cell Modification for Large Area Motion Detection: Proof of Concept. , 2020, , .		0
85	Gate-on-Source TFET Analytical Model: Role of Mobile Charges and Depletion Regions. , 2021, , .		0
86	Impact of gate-on-drain overlap on the electrical characteristics of TFETs: Role of oxide material and drain spacer. Pramana - Journal of Physics, 2022, 96, 1.	1.5	0
87	Enhancement of device characteristics of CNT-TFET: Role of electrostatic doping and work function engineering. Ain Shams Engineering Journal, 2022, , 101848.	6.1	0
88	Performance Investigation of a Proposed Flipped npn Microstructure Silicon Solar Cell Using TCAD Simulation. Crystals, 2022, 12, 959.	2.2	0