

Nicholas Chiorazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7671284/publications.pdf>

Version: 2024-02-01

184
papers

15,104
citations

47006

47
h-index

18130

120
g-index

185
all docs

185
docs citations

185
times ranked

8975
citing authors

#	ARTICLE	IF	CITATIONS
1	Ig V Gene Mutation Status and CD38 Expression As Novel Prognostic Indicators in Chronic Lymphocytic Leukemia. <i>Blood</i> , 1999, 94, 1840-1847.	1.4	2,291
2	Chronic Lymphocytic Leukemia. <i>New England Journal of Medicine</i> , 2005, 352, 804-815.	27.0	1,443
3	iwCLL guidelines for diagnosis, indications for treatment, response assessment, and supportive management of CLL. <i>Blood</i> , 2018, 131, 2745-2760.	1.4	1,069
4	Relation of Gene Expression Phenotype to Immunoglobulin Mutation Genotype in B Cell Chronic Lymphocytic Leukemia. <i>Journal of Experimental Medicine</i> , 2001, 194, 1639-1648.	8.5	978
5	Ig V gene mutation status and CD38 expression as novel prognostic indicators in chronic lymphocytic leukemia. <i>Blood</i> , 1999, 94, 1840-7.	1.4	806
6	Chronic lymphocytic leukemia B cells express restricted sets of mutated and unmutated antigen receptors.. <i>Journal of Clinical Investigation</i> , 1998, 102, 1515-1525.	8.2	759
7	In vivo measurements document the dynamic cellular kinetics of chronic lymphocytic leukemia B cells. <i>Journal of Clinical Investigation</i> , 2005, 115, 755-764.	8.2	515
8	Multiple Distinct Sets of Stereotyped Antigen Receptors Indicate a Role for Antigen in Promoting Chronic Lymphocytic Leukemia. <i>Journal of Experimental Medicine</i> , 2004, 200, 519-525.	8.5	370
9	Stereotyped B-cell receptors in one-third of chronic lymphocytic leukemia: a molecular classification with implications for targeted therapies. <i>Blood</i> , 2012, 119, 4467-4475.	1.4	350
10	B CELLCHRONICLYMPHOCYTICLEUKEMIA: Lessons Learned from Studies of the B Cell Antigen Receptor. <i>Annual Review of Immunology</i> , 2003, 21, 841-894.	21.8	319
11	B-cell chronic lymphocytic leukemia cells express a surface membrane phenotype of activated, antigen-experienced B lymphocytes. <i>Blood</i> , 2002, 99, 4087-4093.	1.4	294
12	Unmutated and mutated chronic lymphocytic leukemias derive from self-reactive B cell precursors despite expressing different antibody reactivity. <i>Journal of Clinical Investigation</i> , 2005, 115, 1636-1643.	8.2	287
13	B cell receptor signaling in chronic lymphocytic leukemia. <i>Trends in Immunology</i> , 2013, 34, 592-601.	6.8	282
14	Production of autoantibodies by CD5-expressing B lymphocytes from patients with chronic lymphocytic leukemia.. <i>Journal of Experimental Medicine</i> , 1989, 169, 255-268.	8.5	270
15	Cellular origin(s) of chronic lymphocytic leukemia: cautionary notes and additional considerations and possibilities. <i>Blood</i> , 2011, 117, 1781-1791.	1.4	230
16	Remarkably similar antigen receptors among a subset of patients with chronic lymphocytic leukemia. <i>Journal of Clinical Investigation</i> , 2004, 113, 1008-1016.	8.2	190
17	CD38 and chronic lymphocytic leukemia: a decade later. <i>Blood</i> , 2011, 118, 3470-3478.	1.4	181
18	Anti-CD20/CD3 T cellâ€‘dependent bispecific antibody for the treatment of B cell malignancies. <i>Science Translational Medicine</i> , 2015, 7, 287ra70.	12.4	178

#	ARTICLE	IF	CITATIONS
19	Chronic Lymphocytic Leukemia Cells Recognize Conserved Epitopes Associated with Apoptosis and Oxidation. <i>Molecular Medicine</i> , 2008, 14, 665-674.	4.4	174
20	BTK inhibition results in impaired CXCR4 chemokine receptor surface expression, signaling and function in chronic lymphocytic leukemia. <i>Leukemia</i> , 2016, 30, 833-843.	7.2	160
21	Many chronic lymphocytic leukemia antibodies recognize apoptotic cells with exposed nonmuscle myosin heavy chain IIA: implications for patient outcome and cell of origin. <i>Blood</i> , 2010, 115, 3907-3915.	1.4	158
22	B cell receptors in TCL1 transgenic mice resemble those of aggressive, treatment-resistant human chronic lymphocytic leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11713-11718.	7.1	154
23	Chronic lymphocytic leukemia antibodies with a common stereotypic rearrangement recognize nonmuscle myosin heavy chain IIA. <i>Blood</i> , 2008, 112, 5122-5129.	1.4	152
24	Intraclonal Complexity in Chronic Lymphocytic Leukemia: Fractions Enriched in Recently Born/Divided and Older/Quiescent Cells. <i>Molecular Medicine</i> , 2011, 17, 1374-1382.	4.4	140
25	In vivo intraclonal and interclonal kinetic heterogeneity in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2009, 114, 4832-4842.	1.4	132
26	Somatic diversification and selection of immunoglobulin heavy and light chain variable region genes in IgG+ CD5+ chronic lymphocytic leukemia B cells. <i>Journal of Experimental Medicine</i> , 1995, 181, 1507-1517.	8.5	130
27	Whole-exome sequencing in relapsing chronic lymphocytic leukemia: clinical impact of recurrent RPS15 mutations. <i>Blood</i> , 2016, 127, 1007-1016.	1.4	130
28	Identification of outcome-correlated cytokine clusters in chronic lymphocytic leukemia. <i>Blood</i> , 2011, 118, 5201-5210.	1.4	110
29	A different ontogenesis for chronic lymphocytic leukemia cases carrying stereotyped antigen receptors: molecular and computational evidence. <i>Leukemia</i> , 2010, 24, 125-132.	7.2	109
30	Common nonmutational <i>NOTCH1</i> activation in chronic lymphocytic leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2911-E2919.	7.1	108
31	Cell proliferation and death: Forgotten features of chronic lymphocytic leukemia B cells. <i>Best Practice and Research in Clinical Haematology</i> , 2007, 20, 399-413.	1.7	105
32	Direct in vivo evidence for increased proliferation of CLL cells in lymph nodes compared to bone marrow and peripheral blood. <i>Leukemia</i> , 2017, 31, 1340-1347.	7.2	103
33	Clinical effect of stereotyped B-cell receptor immunoglobulins in chronic lymphocytic leukaemia: a retrospective multicentre study. <i>Lancet Haematology</i> , 2014, 1, e74-e84.	4.6	93
34	Distinct homotypic B-cell receptor interactions shape the outcome of chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 15746.	12.8	93
35	Distinct patterns of novel gene mutations in poor-prognostic stereotyped subsets of chronic lymphocytic leukemia: the case of SF3B1 and subset #2. <i>Leukemia</i> , 2013, 27, 2196-2199.	7.2	90
36	Functional loss of $\beta_2\text{-microglobulin}$ leads to NF- κB deregulation in aggressive chronic lymphocytic leukemia. <i>Journal of Experimental Medicine</i> , 2015, 212, 833-843.	8.5	85

#	ARTICLE	IF	CITATIONS
37	Leukemia cell proliferation and death in chronic lymphocytic leukemia patients on therapy with the BTK inhibitor ibrutinib. <i>JCI Insight</i> , 2017, 2, e89904.	5.0	78
38	Higher-order connections between stereotyped subsets: implications for improved patient classification in CLL. <i>Blood</i> , 2021, 137, 1365-1376.	1.4	72
39	A role for the polymorphism at position 247 of the β 2-glycoprotein I gene in the generation of anti- β 2-glycoprotein I antibodies in the antiphospholipid syndrome. <i>Arthritis and Rheumatism</i> , 1999, 42, 1655-1661.	6.7	70
40	Not all IGHV3-21 chronic lymphocytic leukemias are equal: prognostic considerations. <i>Blood</i> , 2015, 125, 856-859.	1.4	70
41	Th17 and non-Th17 interleukin-17-expressing cells in chronic lymphocytic leukemia: delineation, distribution, and clinical relevance. <i>Haematologica</i> , 2012, 97, 599-607.	3.5	65
42	B-Cell Chronic Lymphocytic Leukemia, a Clonal Disease of B Lymphocytes with Receptors that Vary in Specificity for (Auto)antigens. <i>Annals of the New York Academy of Sciences</i> , 2005, 1062, 1-12.	3.8	58
43	Different spectra of recurrent gene mutations in subsets of chronic lymphocytic leukemia harboring stereotyped B-cell receptors. <i>Haematologica</i> , 2016, 101, 959-967.	3.5	57
44	<i>IGLV3-21</i> is an inherited risk factor for CLL through the acquisition of a single-point mutation enabling autonomous BCR signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 4320-4327.	7.1	55
45	IGHV-unmutated and IGHV-mutated chronic lymphocytic leukemia cells produce activation-induced deaminase protein with a full range of biologic functions. <i>Blood</i> , 2012, 120, 4802-4811.	1.4	52
46	IGF1R as druggable target mediating PI3K- γ inhibitor resistance in a murine model of chronic lymphocytic leukemia. <i>Blood</i> , 2019, 134, 534-547.	1.4	51
47	Chronic lymphocytic leukaemia: a disease of activated monoclonal B cells. <i>Best Practice and Research in Clinical Haematology</i> , 2010, 23, 33-45.	1.7	50
48	Novel Method for High-Throughput Full-Length IGHV-D-J Sequencing of the Immune Repertoire from Bulk B-Cells with Single-Cell Resolution. <i>Frontiers in Immunology</i> , 2017, 8, 1157.	4.8	50
49	Autoantigen can promote progression to a more aggressive TCL1 leukemia by selecting variants with enhanced B-cell receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1500-7.	7.1	49
50	Excessive antigen reactivity may underlie the clinical aggressiveness of chronic lymphocytic leukemia stereotyped subset #8. <i>Blood</i> , 2015, 125, 3580-3587.	1.4	49
51	Adenosine signaling mediates hypoxic responses in the chronic lymphocytic leukemia microenvironment. <i>Blood Advances</i> , 2016, 1, 47-61.	5.2	48
52	TLR-9 and IL-15 Synergy Promotes the In Vitro Clonal Expansion of Chronic Lymphocytic Leukemia B Cells. <i>Journal of Immunology</i> , 2015, 195, 901-923.	0.8	47
53	EGR2 mutations define a new clinically aggressive subgroup of chronic lymphocytic leukemia. <i>Leukemia</i> , 2017, 31, 1547-1554.	7.2	46
54	Chronic lymphocytic leukemia: A tale of one or two signals?. <i>Cell Research</i> , 2013, 23, 182-185.	12.0	43

#	ARTICLE	IF	CITATIONS
55	Evidence for progenitors of chronic lymphocytic leukemia B cells that undergo intraclonal differentiation and diversification. <i>Blood</i> , 1996, 87, 1586-1594.	1.4	41
56	IL-4 rescues surface IgM expression in chronic lymphocytic leukemia. <i>Blood</i> , 2016, 128, 553-562.	1.4	38
57	IGHV1-69 B Cell Chronic Lymphocytic Leukemia Antibodies Cross-React with HIV-1 and Hepatitis C Virus Antigens as Well as Intestinal Commensal Bacteria. <i>PLoS ONE</i> , 2014, 9, e90725.	2.5	37
58	Expression of CD5 and CD38 by human CD5 ⁺ B cells: Requirement for special stimuli. <i>European Journal of Immunology</i> , 1994, 24, 1426-1433.	2.9	36
59	Evidence for differential responsiveness of human CD5+ and CD5 ⁺ B cell subsets to T cell-independent mitogens. <i>European Journal of Immunology</i> , 1991, 21, 351-359.	2.9	35
60	A Selective Novel Peroxisome Proliferator-Activated Receptor (PPAR)- δ Antagonist Induces Apoptosis and Inhibits Proliferation of CLL Cells In Vitro and In Vivo. <i>Molecular Medicine</i> , 2015, 21, 410-419.	4.4	35
61	SLAMF6 as a Regulator of Exhausted CD8+ T Cells in Cancer. <i>Cancer Immunology Research</i> , 2019, 7, 1485-1496.	3.4	34
62	Combined BTK and PI3K γ Inhibition with Acalabrutinib and ACP-319 Improves Survival and Tumor Control in CLL Mouse Model. <i>Clinical Cancer Research</i> , 2017, 23, 5814-5823.	7.0	32
63	Implications of new prognostic markers in chronic lymphocytic leukemia. <i>Hematology American Society of Hematology Education Program</i> , 2012, 2012, 76-87.	2.5	31
64	Chronic lymphocytic leukemia cells diversify and differentiate in vivo via a nonclassical Th1-dependent, Bcl-6 ϵ -deficient process. <i>JCI Insight</i> , 2016, 1, .	5.0	29
65	Chronic Lymphocytic Leukemia. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2021, 11, a035220.	6.2	28
66	Leukemia-cell proliferation and disease progression in patients with early stage chronic lymphocytic leukemia. <i>Leukemia</i> , 2017, 31, 1348-1354.	7.2	27
67	Chronic Lymphocytic Leukemia with Mutated IGHV4-34 Receptors: Shared and Distinct Immunogenetic Features and Clinical Outcomes. <i>Clinical Cancer Research</i> , 2017, 23, 5292-5301.	7.0	27
68	Evolving View of the In-Vivo Kinetics of Chronic Lymphocytic Leukemia B Cells. <i>Hematology American Society of Hematology Education Program</i> , 2006, 2006, 273-278.	2.5	25
69	Myeloid-derived suppressor cell subtypes differentially influence T-cell function, T-helper subset differentiation, and clinical course in CLL. <i>Leukemia</i> , 2021, 35, 3163-3175.	7.2	25
70	The involvement of microRNA in the pathogenesis of Richter syndrome. <i>Haematologica</i> , 2019, 104, 1004-1015.	3.5	20
71	Recognition of Antigen-Specific B-Cell Receptors from Chronic Lymphocytic Leukemia Patients by Synthetic Antigen Surrogates. <i>Chemistry and Biology</i> , 2014, 21, 1670-1679.	6.0	19
72	Murine Genetically Engineered and Human Xenograft Models of Chronic Lymphocytic Leukemia. <i>Seminars in Hematology</i> , 2014, 51, 188-205.	3.4	19

#	ARTICLE	IF	CITATIONS
73	AID Overlapping and Pol ⁺ Hotspots Are Key Features of Evolutionary Variation Within the Human Antibody Heavy Chain (IGHV) Genes. <i>Frontiers in Immunology</i> , 2020, 11, 788.	4.8	19
74	Musashi 2 influences chronic lymphocytic leukemia cell survival and growth making it a potential therapeutic target. <i>Leukemia</i> , 2021, 35, 1037-1052.	7.2	19
75	Somatic CLL mutations occur at multiple distinct hematopoietic maturation stages: documentation and cautionary note regarding cell fraction purity. <i>Leukemia</i> , 2018, 32, 1040-1043.	7.2	19
76	A seven-gene expression panel distinguishing clonal expansions of pre-leukemic and chronic lymphocytic leukemia B cells from normal B lymphocytes. <i>Immunologic Research</i> , 2015, 63, 90-100.	2.9	18
77	No improvement in long-term survival over time for chronic lymphocytic leukemia patients in stereotyped subsets #1 and #2 treated with chemo(immuno)therapy. <i>Haematologica</i> , 2018, 103, e158-e161.	3.5	16
78	Mechanistic Insights into CpG DNA and IL-15 Synergy in Promoting B Cell Chronic Lymphocytic Leukemia Clonal Expansion. <i>Journal of Immunology</i> , 2018, 201, 1570-1585.	0.8	16
79	Celebrating 20 Years of IGHV Mutation Analysis in CLL. <i>HemaSphere</i> , 2020, 4, e334.	2.7	16
80	Identification and characterization of distinct IL-17F expression patterns and signaling pathways in chronic lymphocytic leukemia and normal B lymphocytes. <i>Immunologic Research</i> , 2015, 63, 216-227.	2.9	15
81	AID in Chronic Lymphocytic Leukemia: Induction and Action During Disease Progression. <i>Frontiers in Oncology</i> , 2021, 11, 634383.	2.8	15
82	Chronic Lymphocytic Leukemia Monitoring with a Lamprey Idiotope-Specific Antibody. <i>Cancer Immunology Research</i> , 2013, 1, 223-228.	3.4	14
83	Binding of CLL Subset 4 B Cell Receptor Immunoglobulins to Viable Human Memory B Lymphocytes Requires a Distinctive IGKV Somatic Mutation. <i>Molecular Medicine</i> , 2017, 23, 1-12.	4.4	14
84	CXCL13 plasma levels function as a biomarker for disease activity in patients with chronic lymphocytic leukemia. <i>Leukemia</i> , 2021, 35, 1610-1620.	7.2	14
85	B-Cell Chronic Lymphocytic Leukemia (B-CLL) Cells Express Antibodies Reactive with Antigenic Epitopes Expressed on the Surface of Common Bacteria.. <i>Blood</i> , 2006, 108, 25-25.	1.4	13
86	Rewiring of sIgM-Mediated Intracellular Signaling through the CD180 Toll-like Receptor. <i>Molecular Medicine</i> , 2015, 21, 46-57.	4.4	12
87	Targeting Stereotyped B Cell Receptors from Chronic Lymphocytic Leukemia Patients with Synthetic Antigen Surrogates. <i>Journal of Biological Chemistry</i> , 2016, 291, 7558-7570.	3.4	12
88	Post-Transformation IGHV-IGHD-IGHJ Mutations in Chronic Lymphocytic Leukemia B Cells: Implications for Mutational Mechanisms and Impact on Clinical Course. <i>Frontiers in Oncology</i> , 2021, 11, 640731.	2.8	12
89	A combination of an anti-SLAMF6 antibody and ibrutinib efficiently abrogates expansion of chronic lymphocytic leukemia cells. <i>Oncotarget</i> , 2016, 7, 26346-26360.	1.8	12
90	Chronic lymphocytic leukemia immunoglobulins display bacterial reactivity that converges and diverges from auto-/poly-reactivity and IGHV mutation status. <i>Clinical Immunology</i> , 2016, 172, 44-51.	3.2	11

#	ARTICLE	IF	CITATIONS
91	An IgG1-like bispecific antibody targeting CD52 and CD20 for the treatment of B-cell malignancies. <i>Methods</i> , 2019, 154, 70-76.	3.8	11
92	A Detailed Analysis of Parameters Supporting the Engraftment and Growth of Chronic Lymphocytic Leukemia Cells in Immune-Deficient Mice. <i>Frontiers in Immunology</i> , 2021, 12, 627020.	4.8	11
93	Clinical and Laboratory Parameters That Define Clinically Relevant B-CLL Subgroups. , 2005, 294, 109-133.		11
94	Polyreactive Monoclonal Antibodies Synthesized by Some B-CLL Cells Recognize Specific Antigens on Viable and Apoptotic T Cells.. <i>Blood</i> , 2006, 108, 2813-2813.	1.4	11
95	A p53 Axis Regulates B Cell Receptor-Triggered, Innate Immune System-Driven B Cell Clonal Expansion. <i>Journal of Immunology</i> , 2012, 188, 6093-6108.	0.8	10
96	AID overexpression leads to aggressive murine CLL and nonimmunoglobulin mutations that mirror human neoplasms. <i>Blood</i> , 2021, 138, 246-258.	1.4	10
97	B cell receptor isotypes differentially associate with cell signaling, kinetics, and outcome in chronic lymphocytic leukemia. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	10
98	Effects of prostaglandin E ₂ on p53 mRNA transcription and p53 mutagenesis during T _H cell-independent human B cell clonal expansion. <i>FASEB Journal</i> , 2014, 28, 627-643.	0.5	9
99	Automated shape-based clustering of 3D immunoglobulin protein structures in chronic lymphocytic leukemia. <i>BMC Bioinformatics</i> , 2018, 19, 414.	2.6	9
100	Mechanism for IL-15-Driven B Cell Chronic Lymphocytic Leukemia Cycling: Roles for AKT and STAT5 in Modulating Cyclin D2 and DNA Damage Response Proteins. <i>Journal of Immunology</i> , 2019, 202, 2924-2944.	0.8	9
101	Longitudinal Analyses of CXCR4 ^{dim} CD5 ^{br} CD19 ⁺ Fractions of Chronic Lymphocytic Leukemia Clones Reveal Features Consistent with a Source of Clonal Heterogeneity. <i>Blood</i> , 2011, 118, 804-804.	1.4	9
102	On Statistical Modeling of Sequencing Noise in High Depth Data to Assess Tumor Evolution. <i>Journal of Statistical Physics</i> , 2018, 172, 143-155.	1.2	8
103	Validating The Prognostic Significance Of FCRL2 In Predicting IGHV Mutation Status, Clinical Disease Progression, and Survival In CLL. <i>Blood</i> , 2013, 122, 4140-4140.	1.4	8
104	Fc γ RIIb expression in early stage chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2017, 58, 2642-2648.	1.3	7
105	In Vivo modeling of Resistance to PI3K γ Inhibitor Treatment Using E μ TCL1-Tg Tumor Transfer Model. <i>Blood</i> , 2016, 128, 190-190.	1.4	7
106	Fc receptor-like 2 (FCRL2) is a novel marker of low-risk CLL and refines prognostication based on IGHV mutation status. <i>Blood Cancer Journal</i> , 2019, 9, 47.	6.2	6
107	Measurement of Leukemic B-Cell Growth Kinetics in Patients with Chronic Lymphocytic Leukemia. <i>Methods in Molecular Biology</i> , 2019, 1881, 129-151.	0.9	6
108	Chronic lymphocytic leukemia-like monoclonal B-cell lymphocytosis exhibits an increased inflammatory signature that is reduced in early-stage chronic lymphocytic leukemia. <i>Experimental Hematology</i> , 2021, 95, 68-80.	0.4	6

#	ARTICLE	IF	CITATIONS
109	Potential Relevance of B-cell Maturation Pathways in Defining the Cell(s) of Origin for Chronic Lymphocytic Leukemia. <i>Hematology/Oncology Clinics of North America</i> , 2021, 35, 665-685.	2.2	6
110	Cytoplasmic myosin-exposed apoptotic cells appear with caspase-3 activation and enhance CLL cell viability. <i>Leukemia</i> , 2016, 30, 74-85.	7.2	5
111	Inhibition of reactive oxygen species limits expansion of chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2017, 31, 2273-2276.	7.2	5
112	CLL intraclonal fractions exhibit established and recently acquired patterns of DNA methylation. <i>Blood Advances</i> , 2020, 4, 893-905.	5.2	5
113	Multiplex accurate sensitive quantitation (MASQ) with application to minimal residual disease in acute myeloid leukemia. <i>Nucleic Acids Research</i> , 2020, 48, e40-e40.	14.5	4
114	Dual Inhibition of PI3K- $\hat{\gamma}$ and PI3K- $\hat{\beta}$ By Duvelisib Eliminates CLL B Cells, Impairs CLL-Supporting Cells, and Overcomes Ibrutinib Resistance in a Patient-Derived Xenograft Model. <i>Blood</i> , 2018, 132, 4420-4420.	1.4	4
115	CLL B Cells Develop Resistance to Ibrutinib By Reinvigorating the IL-4R - IL-4 Axis Blocked By Bruton's Tyrosine Kinase Inhibitors Including Acalabrutinib and Zanubrutinib. <i>Blood</i> , 2019, 134, 477-477.	1.4	4
116	Engraftment of CLL-Derived T Cells in NSG Mice Is Feasible, Can Support CLL Cell Proliferation, and Eliminates the Need for Third Party Antigen Presenting Cells. <i>Blood</i> , 2011, 118, 975-975.	1.4	4
117	The Number of Overlapping AID Hotspots in Germline IGHV Genes Is Inversely Correlated with Mutation Frequency in Chronic Lymphocytic Leukemia. <i>PLoS ONE</i> , 2017, 12, e0167602.	2.5	4
118	B-Cell Chronic Lymphocytic Leukemia (B-CLL) Cells Unresponsive to CD180 Ligation Fail to Respond to Anti-IgM Stimulation as Well. <i>Blood</i> , 2010, 116, 3582-3582.	1.4	4
119	Ultra-Deep Sequencing of De Novo IGHV Mutations in Activated CLL Cells: Evidence for Activation-Induced Deaminase Function.. <i>Blood</i> , 2012, 120, 2545-2545.	1.4	4
120	Multi-Parameter Phenotypic Analysis of Members of Chronic Lymphocytic Leukemia Clones Identifies Distinct Proliferative and Resting/Re-Entry Compartments with Discrete Gene Expression Profiles.. <i>Blood</i> , 2009, 114, 668-668.	1.4	3
121	Evidence for Allelic Exclusion of p53 within Single Sorted Human B Cells. <i>Blood</i> , 2011, 118, 1122-1122.	1.4	3
122	Ibrutinib Inhibits Concomitant TLR and BCR- Driven Proliferation of Chronic Lymphocytic Leukemia Cells and Overrides the Supportive Survival-Promoting Effects of Microenvironmental Signals. <i>Blood</i> , 2014, 124, 3310-3310.	1.4	3
123	Expression and function of cathelicidin hCAP18/LL-37 in chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 105, e465-469.	3.5	3
124	Efficacy and Safety of Hydroxychloroquine Sulphate In Chronic Lymphocytic Leukemia: Clinical Trial Experience In Untreated Patients. <i>Blood</i> , 2010, 116, 1392-1392.	1.4	3
125	Generation of stable human autoantibody-secreting B cell hybridomas. <i>Molecular Biology Reports</i> , 1992, 16, 65-73.	2.3	2
126	Expression Levels of a Single Gene, Lymphoid Enhancer Binding Factor 1, Discriminates CLL B-Cells from Other B-Cell Malignancies.. <i>Blood</i> , 2007, 110, 1113-1113.	1.4	2

#	ARTICLE	IF	CITATIONS
127	Identification of Distinct Cytokine and Chemokine Clusters That Correlate with Outcome In B-Cell Chronic Lymphocytic Leukemia: Implications for Disease Pathogenesis. <i>Blood</i> , 2010, 116, 1368-1368.	1.4	2
128	Murine TCL1 CLL Cells with B-Cell Receptors Specific for the Autoantigen Phosphatidylcholine Have a Selective Advantage During Adoptive Transfer. <i>Blood</i> , 2010, 116, 373-373.	1.4	2
129	In Vivo Evidence That Ibrutinib Dereglates Chemokine Receptor CXCR4 Surface Membrane Expression and Signaling, Along with Inhibiting B Cell Antigen Receptor Signaling, As Causes for Defective Homing and Impaired Retention of CLL Cells in Tissues. <i>Blood</i> , 2014, 124, 1948-1948.	1.4	2
130	Association of CXCR4 with IgM and IgD BCR Isotypes: Role in B Cell Malignancies. <i>Blood</i> , 2018, 132, 1852-1852.	1.4	2
131	Activated CLL cells regulate IL-17-producing Th17 cells in miR155-dependent and outcome-specific manners. <i>JCI Insight</i> , 2022, 7, .	5.0	2
132	Impact of the Types and Relative Quantities of IGHV Gene Mutations in Predicting Prognosis of Patients With Chronic Lymphocytic Leukemia. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	2
133	A spoonful of sugar helps lymphoma cells go up. <i>Blood</i> , 2015, 125, 3215-3216.	1.4	1
134	FcγRIIb-BCR coligation inhibits BCR signaling in chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 106, 306-309.	3.5	1
135	Expression of Angiogenin in Normal B Lymphocytes and B-CLL Cells. <i>Blood</i> , 2005, 106, 1188-1188.	1.4	1
136	FCRL2 Expression Is Predictive of IgVH Mutation Status and Clinical Progression in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2007, 110, 488-488.	1.4	1
137	DNA Hypomethylation Leads to Aberrant Expression of PD-1 in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2012, 120, 3504-3504.	1.4	1
138	CLL Sera Drive Maturation of Normal Monocytes to M2-like Macrophages By Direct and Indirect Mechanisms. <i>Blood</i> , 2014, 124, 1970-1970.	1.4	1
139	Reappraising Immunoglobulin Repertoire Restrictions in Chronic Lymphocytic Leukemia: Focus on Major Stereotyped Subsets and Closely Related Satellites. <i>Blood</i> , 2016, 128, 4376-4376.	1.4	1
140	The BCRs Expressed by Leukemia Cells from TCL1 Transgenic Mice Resemble Those of Unmutated B-CLL. <i>Blood</i> , 2005, 106, 49-49.	1.4	1
141	Definition of a Prognostic Scoring System for Predicting Clinical Outcome in B-Cell Chronic Lymphocytic Leukemia. <i>Blood</i> , 2006, 108, 2328-2328.	1.4	1
142	Efficiency of BCR: Anti-BCR Interaction Dictates Cellular Outcomes of Signaling in Chronic Lymphocytic Leukemia Cells. <i>Blood</i> , 2008, 112, 3122-3122.	1.4	1
143	Different Expression of FcγRIIb in Chronic Lymphocytic Leukemia and Human Normal B Lymphocytes. <i>Blood</i> , 2008, 112, 3134-3134.	1.4	1
144	TLR-9 and B-Cell Antigen Receptor Triggering of Primary B Cells From Mantle Cell Lymphoma Induce Cell Proliferation and Telomerase Activity. <i>Blood</i> , 2011, 118, 3690-3690.	1.4	1

#	ARTICLE	IF	CITATIONS
145	Lenalidomide Promotes The Expansion Of CD8 T Cells With An Effector Memory Phenotype In a Murine Xenograft Model Of Chronic Lymphocytic Leukemia. <i>Blood</i> , 2013, 122, 119-119.	1.4	1
146	Possible Role of Cytokines in the Pathogenesis of Non-Organ Specific Autoimmunity. <i>International Journal of Immunopathology and Pharmacology</i> , 1992, 5, 149-154.	2.1	0
147	Aberrant somatic hypermutation and lymphomagenesis. <i>Blood</i> , 2003, 102, 1564-1565.	1.4	0
148	PATTERNS OF DUVELISIB-INDUCED LYMPHOCYTOSIS IN PATIENTS WITH R/R CLL OR SLL INCLUDING THOSE WITH HIGH-RISK FACTORS TREATED IN THE DUO TRIAL. <i>Hematological Oncology</i> , 2019, 37, 216-217.	1.7	0
149	Ig V gene mutation status correlates well with clinical course and outcome regardless of surface membrane isotype expressed by B-CLL cells. <i>Journal of Clinical Oncology</i> , 2004, 22, 6562-6562.	1.6	0
150	IGHV Gene Replacement in B-Cell Chronic Lymphocytic Leukemia (B-CLL) Occurs at a Frequency Similar to That in Normal B Cells and May Augment Clonal Expansion by Permitting Autogenic/Microbial Clonal Stimulation.. <i>Blood</i> , 2006, 108, 2086-2086.	1.4	0
151	Remarkable Differences in Cellular Activation State and Migratory and Proliferative Potential among Clonal Cells Derived from Different Tissues of Chronic Lymphocytic Leukemia Patients.. <i>Blood</i> , 2006, 108, 2817-2817.	1.4	0
152	Genome Analysis of CLL by Representational Oligonucleotide Microarray Analysis (ROMA).. <i>Blood</i> , 2006, 108, 2085-2085.	1.4	0
153	B-CLL Antibodies Encoded by Stereotypic VH1-69, D3-16, and JH3 Rearrangements Immunoprecipitate Non-Muscle Myosin Heavy Chain IIA.. <i>Blood</i> , 2007, 110, 739-739.	1.4	0
154	High-Resolution Array-Based Comparative Genome Hybridization (CGH) Identifies Novel and Recurrent Regions in CLL.. <i>Blood</i> , 2008, 112, 2058-2058.	1.4	0
155	Frequently Occurring B-CLL Antibodies Recognize Apoptotic Cells That Expose Non-Muscle Myosin Heavy Chain IIA. <i>Blood</i> , 2008, 112, 3123-3123.	1.4	0
156	Improved Prognosis of Chronic Lymphocytic Leukemia (CLL) Patients with Increased IgVH Mutations May Reflect Greater Alteration of the B-Cell Receptor (BCR) Binding Site. <i>Blood</i> , 2008, 112, 3152-3152.	1.4	0
157	Elevated Binding of Chronic Lymphocytic Leukemia Antibody to a Subset of Apoptotic Cells with Exposed Non-Muscle Myosin Heavy Chain IIA Correlates with Poor Patient Outcome.. <i>Blood</i> , 2009, 114, 799-799.	1.4	0
158	Provision of Human Multimeric sCD40L to Immune Deficient NSG Mice Permits Efficient and Effective Adoptive Transfer and Proliferation of CLL Cells In Vivo. <i>Blood</i> , 2010, 116, 2430-2430.	1.4	0
159	Detection of Activation-Induced Cytidine Deaminase RNA In CLL Cells Correlates with Shorter Patient Survival and High Numbers of CD38+ Cells. <i>Blood</i> , 2010, 116, 2415-2415.	1.4	0
160	Chronic Lymphocytic Leukemia B Cells Variably Express Functional Activation-Induced Cytosine Deaminase Protein. <i>Blood</i> , 2010, 116, 378-378.	1.4	0
161	Some CLL Cells Bind Myosin-Exposed Apoptotic Cells. Exposure of Cytoplasmic Myosin Results From Transfer of Caspase-3 Dependent Cleavage Products to the Outer Cell Membrane. <i>Blood</i> , 2010, 116, 3900-3900.	1.4	0
162	Differential Expression Genes of CLL Subgroups Defined by Ki67 Expression Level Which Correlated with Clinical Outcome. <i>Blood</i> , 2010, 116, 2435-2435.	1.4	0

#	ARTICLE	IF	CITATIONS
163	Targeted Oligonucleotide Array Assessment of Genomic Copy Number Alterations for Risk Stratification in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2011, 118, 1773-1773.	1.4	0
164	Btk Inhibitor, PCI-32765, Delays CLL Progression in a TCL1 Adoptive Transfer Model by Impairing Migration and Cell Proliferation. <i>Blood</i> , 2011, 118, 982-982.	1.4	0
165	CLL Cell Viability Promoted by Myosin Heavy Chain IIA Exposed Apoptotic Cells is BTK-dependent. <i>Blood</i> , 2012, 120, 1767-1767.	1.4	0
166	Direct in Vivo Evidence of Increased Chronic Lymphocytic Leukemia Cell Proliferation in Lymph Nodes Compared to Bone Marrow and Peripheral Blood. <i>Blood</i> , 2012, 120, 184-184.	1.4	0
167	Apparent Involvement Of The Interferon, RNA Processing, and Wnt Signaling Pathways In Monoclonal B Lymphocytosis. <i>Blood</i> , 2013, 122, 4157-4157.	1.4	0
168	Chronic Lymphocytic Leukemia Patients Exhibit Expanded Functional Granulocyte-like Myeloid Derived Suppressor Cells. <i>Blood</i> , 2014, 124, 3279-3279.	1.4	0
169	TLR-9 and IL-15-Driven Clonal Expansion of B-CLL Cells. <i>Blood</i> , 2014, 124, 1937-1937.	1.4	0
170	Overexpression of Activation-Induced Deaminase in TCL1 Mice Leads to the Development of IGHV -Mutated and -Unmutated CLL Clones That Resemble Unique Subsets of Human CLL. <i>Blood</i> , 2015, 126, 1710-1710.	1.4	0
171	The RNA Binding Protein Musashi 2 Is up-Regulated in the Proliferative B-Cell Fraction of Chronic Lymphocytic Leukemia Clones. <i>Blood</i> , 2015, 126, 4149-4149.	1.4	0
172	EGR2 Mutations in Chronic Lymphocytic Leukemia: A New Bad Player. <i>Blood</i> , 2015, 126, 4126-4126.	1.4	0
173	CLL with Mutated IGHV4-34 Antigen Receptors Is Clinically Heterogeneous: Antigen Receptor Stereotypy Makes the Difference. <i>Blood</i> , 2015, 126, 5263-5263.	1.4	0
174	Musashi 2 Is Overexpressed in Poor Outcome CLL Patients and Their Proliferative Fraction and Silencing This Gene Induces Apoptosis and Increases Cell Adhesion and Movement. <i>Blood</i> , 2018, 132, 1837-1837.	1.4	0
175	Activated CLL B Cells Variably Modulate microRNA-155 Levels in Na ⁺ ve CD4+ T Cells, and the Direction and Magnitude of microRNA-155 Change Correlates with Th17 Levels and Clinical Course. <i>Blood</i> , 2018, 132, 4402-4402.	1.4	0
176	CLL Intraclonal Fractions Defined By Time Since Cell Birth/Division Promote a Leukemia-Supportive, Immune-Tolerant Microenvironment By Distinct Mechanisms. <i>Blood</i> , 2018, 132, 1836-1836.	1.4	0
177	Serum IgM/Fc μ r Interactions Inhibit BCR Signaling and Influence the Clinical Course of CLL. <i>Blood</i> , 2018, 132, 4409-4409.	1.4	0
178	Chronic Lymphocytic Leukemia B Cells Display IgM and IgD Isotype-Restricted Features That Affect Association with Co-Receptors, BCR Signaling, and Leukemic B-Cell Growth In Vivo. <i>Blood</i> , 2018, 132, 3124-3124.	1.4	0
179	Gene Expression and Cytokine Analyses Identify Markers of Progression from CLL-like Monoclonal B-Cell Lymphocytosis to Chronic Lymphocytic Leukemia. <i>Blood</i> , 2019, 134, 3027-3027.	1.4	0
180	Deciphering the CXCL9-CXCL10-CXCL11/CXCR3 Axis in CLL-like Monoclonal B-Cell Lymphocytosis and Chronic Lymphocytic Leukemia: A New Target for Immune Activation?. <i>Blood</i> , 2019, 134, 3029-3029.	1.4	0

#	ARTICLE	IF	CITATIONS
181	Serum Proteomic Analyses Suggest That the HMGB1 and Other Inflammatory Pathways Are Operational in MBL and Are Less in Overt CLL. <i>Blood</i> , 2021, 138, 2625-2625.	1.4	0
182	Efficacy of Ibrutinib Monotherapy in Pre-Clinical Mouse Models of Richter Transformation: Ibrutinib Effectively Reduces the Incidence of Richter Transformation but Fails in Treating Transformed Lymphoma, Especially in Primary Lymphoid Tissue. <i>Blood</i> , 2021, 138, 3708-3708.	1.4	0
183	Analyses of the Kinetics and Phenotype of Multiple Intraclonal CXCR4/CD5 B Cell Subsets Suggest Differences in Life Cycle Transitioning in CLL. <i>Blood</i> , 2021, 138, 2622-2622.	1.4	0
184	Ig V gene mutation status correlates well with clinical course and outcome regardless of surface membrane isotype expressed by B-CLL cells. <i>Journal of Clinical Oncology</i> , 2004, 22, 6562-6562.	1.6	0