Carolyn L Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/767144/publications.pdf

Version: 2024-02-01

73 papers

6,035 citations

33 h-index 72 g-index

74 all docs

74 docs citations

times ranked

74

5609 citing authors

#	Article	IF	CITATIONS
1	Coactivator and Corepressor Regulation of the Agonist/Antagonist Activity of the Mixed Antiestrogen, 4-Hydroxytamoxifen. Molecular Endocrinology, 1997, 11, 657-666.	3.7	585
2	The 26S Proteasome Is Required for Estrogen Receptor-α and Coactivator Turnover and for Efficient Estrogen Receptor-α Transactivation. Molecular Cell, 2000, 5, 939-948.	9.7	526
3	The Angelman Syndrome-Associated Protein, E6-AP, Is a Coactivator for the Nuclear Hormone Receptor Superfamily. Molecular and Cellular Biology, 1999, 19, 1182-1189.	2.3	394
4	FRAP reveals that mobility of oestrogen receptor- $\hat{l}\pm$ is ligand- and proteasome-dependent. Nature Cell Biology, 2001, 3, 15-23.	10.3	373
5	The Cl-/H+ antiporter ClC-7 is the primary chloride permeation pathway in lysosomes. Nature, 2008, 453, 788-792.	27.8	336
6	Cross-Talk between Peptide Growth Factor and Estrogen Receptor Signaling Pathways. Biology of Reproduction, 1998, 58, 627-632.	2.7	284
7	A Role for Corticosteroid-Binding Globulin in Delivery of Cortisol to Activated Neutrophils*. Journal of Clinical Endocrinology and Metabolism, 1990, 71, 34-39.	3.6	240
8	Novel Cell Types, Neurosecretory Cells, and Body Plan of the Early-Diverging Metazoan Trichoplax adhaerens. Current Biology, 2014, 24, 1565-1572.	3.9	209
9	The development and postnatal organization of primary afferent projections to the rat thoracic spinal cord. Journal of Comparative Neurology, 1983, 220, 29-43.	1.6	194
10	Role of SRC-1 in the Promotion of Prostate Cancer Cell Growth and Tumor Progression. Cancer Research, 2005, 65, 7959-7967.	0.9	186
11	Androgens Modulate Expression of Transcription Intermediary Factor 2, an Androgen Receptor Coactivator whose Expression Level Correlates with Early Biochemical Recurrence in Prostate Cancer. Cancer Research, 2006, 66, 10594-10602.	0.9	162
12	Distinct effects of bFGF and PDGF on oligodendrocyte progenitor cells. Glia, 1993, 7, 245-254.	4.9	145
13	Ligand-Mediated Assembly and Real-Time Cellular Dynamics of Estrogen Receptor α-Coactivator Complexes in Living Cells. Molecular and Cellular Biology, 2001, 21, 4404-4412.	2.3	141
14	Ligand-Independent Interactions of p160/Steroid Receptor Coactivators and CREB-Binding Protein (CBP) with Estrogen Receptor-α: Regulation by Phosphorylation Sites in the A/B Region Depends on Other Receptor Domains. Molecular Endocrinology, 2003, 17, 1296-1314.	3.7	133
15	Coupling of receptor conformation and ligand orientation determine graded activity. Nature Chemical Biology, 2010, 6, 837-843.	8.0	121
16	The Human Sex Hormone-Binding Globulin Gene Contains Exons for Androgen-Binding Protein and Two Other Testicular Messenger RNAs. Molecular Endocrinology, 1989, 3, 1869-1876.	3.7	120
17	Neuropeptidergic integration of behavior in <i>Trichoplax adhaerens</i> , an animal without synapses. Journal of Experimental Biology, 2017, 220, 3381-3390.	1.7	98
18	Identification of target genes in breast cancer cells directly regulated by the SRC-3/AIB1 coactivator. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 1339-1344.	7.1	92

#	Article	IF	Citations
19	Dopaminergic Regulation of Progesterone Receptors: Brain D5 Dopamine Receptors Mediate Induction of Lordosis by D1-Like Agonists in Rats. Journal of Neuroscience, 1996, 16, 4823-4834.	3.6	88
20	Coordinated Feeding Behavior in Trichoplax, an Animal without Synapses. PLoS ONE, 2015, 10, e0136098.	2.5	87
21	The Silencing Mediator of Retinoic Acid and Thyroid Hormone Receptor (SMRT) Corepressor Is Required for Full Estrogen Receptor α Transcriptional Activity. Molecular and Cellular Biology, 2007, 27, 5933-5948.	2.3	85
22	Genetic Ablation of the Steroid Receptor Coactivator-Ubiquitin Ligase, E6-AP, Results in Tissue-Selective Steroid Hormone Resistance and Defects in Reproduction. Molecular and Cellular Biology, 2002, 22, 525-535.	2.3	73
23	Rapid Estrogen-Induced Phosphorylation of the SRC-3 Coactivator Occurs in an Extranuclear Complex Containing Estrogen Receptor. Molecular and Cellular Biology, 2005, 25, 8273-8284.	2.3	71
24	Cellular and genetic characterization of human adult bone marrow-derived neural stem-like cells: a potential antiglioma cellular vector. Cancer Research, 2003, 63, 8877-89.	0.9	69
25	Mechanistic Differences in the Activation of Estrogen Receptor- \hat{l} ± (ER \hat{l} ±)- and ER \hat{l} 2-dependent Gene Expression by cAMP Signaling Pathway(s). Journal of Biological Chemistry, 2003, 278, 12834-12845.	3.4	60
26	Efficacy of Selective Estrogen Receptor Modulators in Nude Mice Bearing Human Transitional Cell Carcinoma. Urology, 2007, 69, 1221-1226.	1.0	56
27	Coherent directed movement toward food modeled in <i>Trichoplax</i> , a ciliated animal lacking a nervous system. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 8901-8908.	7.1	46
28	Effects of Androgen and Estrogen Receptor Signaling Pathways on Bladder Cancer Initiation and Progression. Bladder Cancer, 2016, 2, 127-137.	0.4	44
29	Adherens Junctions Modulate Diffusion between Epithelial Cells in <i>Trichoplax adhaerens</i> Biological Bulletin, 2016, 231, 216-224.	1.8	44
30	Rat Corticosteroid Binding Globulin: Primary Structure and Messenger Ribonucleic Acid Levels in the Liver under Different Physiological Conditions. Molecular Endocrinology, 1989, 3, 420-426.	3.7	43
31	Raloxifene Inhibits Growth of RT4 Urothelial Carcinoma Cells via Estrogen Receptor-Dependent Induction of Apoptosis and Inhibition of Proliferation. Hormones and Cancer, 2013, 4, 24-35.	4.9	41
32	Chemoprevention of BBN-Induced Bladder Carcinogenesis by the Selective Estrogen Receptor Modulator Tamoxifen. Translational Oncology, 2013, 6, 244-255.	3.7	40
33	A Leu → His substitution at residue 93 in human corticosteroid binding globulin results in reduced affinity for cortisol. Journal of Steroid Biochemistry and Molecular Biology, 1992, 42, 671-676.	2.5	39
34	Cells containing aragonite crystals mediate responses to gravity in Trichoplax adhaerens (Placozoa), an animal lacking neurons and synapses. PLoS ONE, 2018, 13, e0190905.	2.5	39
35	Effects of the Quest to Lava Mountain Computer Game on Dietary and Physical Activity Behaviors of Elementary School Children: A Pilot Group-Randomized Controlled Trial. Journal of the Academy of Nutrition and Dietetics, 2015, 115, 1260-1271.	0.8	37
36	Specificity of sensory projections to the spinal cord during development in bullfrogs. Journal of Comparative Neurology, 1988, 269, 96-108.	1.6	36

3

#	Article	IF	CITATIONS
37	HER2 Signaling Drives DNA Anabolism and Proliferation through SRC-3 Phosphorylation and E2F1-Regulated Genes. Cancer Research, 2016, 76, 1463-1475.	0.9	35
38	Interaction between corticosteroid binding globulin and activated leukocytes in vitro. Biochemical and Biophysical Research Communications, 1990, 172, 172-177.	2.1	31
39	Cooperative Activation of Cyclin D1 and Progesterone Receptor Gene Expression by the SRC-3 Coactivator and SMRT Corepressor. Molecular Endocrinology, 2010, 24, 1187-1202.	3.7	30
40	Evolutionary insights into T-type Ca2+ channel structure, function, and ion selectivity from the <i>Trichoplax adhaerens</i> homologue. Journal of General Physiology, 2017, 149, 483-510.	1.9	30
41	Rabbit Corticosteroid-Binding Globulin: Primary Structure and Biosynthesis during Pregnancy. Molecular Endocrinology, 1990, 4, 1166-1172.	3.7	29
42	The ventral epithelium of <i>Trichoplax adhaerens</i> deploys in distinct patterns cells that secrete digestive enzymes, mucus or diverse neuropeptides. Biology Open, 2019, 8, .	1.2	29
43	Peripheral Specification of Sensory Connections in the Spinal Cord. Brain, Behavior and Evolution, 1988, 31, 227-242.	1.7	28
44	CK1Î′ modulates the transcriptional activity of ERα via AlB1 in an estrogen-dependent manner and regulates ERα–AlB1 interactions. Nucleic Acids Research, 2009, 37, 3110-3123.	14.5	27
45	Chromosomal nonhistone proteins of rat hepatomas and normal rat liver. Biochemical and Biophysical Research Communications, 1974, 60, 1468-1474.	2.1	24
46	Dissection of cytochrome P-450 isozymes (RLM) from fractions of untreated rat liver microsomal proteins. Biochemical and Biophysical Research Communications, 1982, 107, 1517-1523.	2.1	24
47	SRA coactivation of estrogen receptor-α is phosphorylation-independent, and enhances 4-hydroxytamoxifen agonist activity. Biochemical and Biophysical Research Communications, 2004, 323, 332-338.	2.1	24
48	Sensory neurons supplying touch domes near the body midlines project bilaterally in the thoracic spinal cord of rats. Journal of Comparative Neurology, 1986, 245, 541-552.	1.6	23
49	Tensile forces attenuate estrogen-stimulated collagen synthesis in the ACL. Biochemical and Biophysical Research Communications, 2004, 317, 1221-1225.	2.1	23
50	The Pure Estrogen Receptor Antagonist ICI 182,780 Promotes a Novel Interaction of Estrogen Receptor-α with the 3′,5′-Cyclic Adenosine Monophosphate Response Element-Binding Protein-Binding Protein/p300 Coactivators. Molecular Endocrinology, 2006, 20, 2695-2710.	3.7	23
51	Cooperative Activation of Gene Expression by Agonists and Antagonists Mediated by Estrogen Receptor Heteroligand Dimer Complexes. Molecular Pharmacology, 2013, 83, 1066-1077.	2.3	23
52	A Na+ leak channel cloned from Trichoplax adhaerens extends extracellular pH and Ca2+ sensing for the DEG/ENaC family close to the base of Metazoa. Journal of Biological Chemistry, 2019, 294, 16320-16336.	3.4	23
53	SKF-82958 Is a Subtype-selective Estrogen Receptor- \hat{l} ± (ER \hat{l} ±) Agonist That Induces Functional Interactions between ER \hat{l} ± and AP-1. Journal of Biological Chemistry, 2002, 277, 1669-1679.	3.4	22
54	Activation of p53 Transcriptional Activity by SMRT: a Histone Deacetylase 3-Independent Function of a Transcriptional Corepressor. Molecular and Cellular Biology, 2014, 34, 1246-1261.	2.3	22

#	Article	IF	CITATIONS
55	Synthesis of Novel Estrogen Receptor Antagonists Using Metal-Catalyzed Coupling Reactions and Characterization of Their Biological Activity. Journal of Medicinal Chemistry, 2013, 56, 2779-2790.	6.4	20
56	Insights into the evolution of digestive systems from studies of Trichoplax adhaerens. Cell and Tissue Research, 2019, 377, 353-367.	2.9	20
57	Estradiol downregulation of the tumor suppressor gene <i>BTG2</i> requires estrogen receptorâ€Î± and the REA corepressor. International Journal of Cancer, 2009, 124, 1841-1851.	5.1	19
58	Evolutionary identification of a subtype specific functional site in the ligand binding domain of steroid receptors. Proteins: Structure, Function and Bioinformatics, 2006, 64, 1046-1057.	2.6	18
59	Elevated nuclear expression of the SMRT corepressor in breast cancer is associated with earlier tumor recurrence. Breast Cancer Research and Treatment, 2012, 136, 253-265.	2.5	18
60	Reduced calciumâ€dependent mitochondrial damage underlies the reduced vulnerability of excitotoxicityâ€tolerant hippocampal neurons. Journal of Neurochemistry, 2008, 104, 1686-1699.	3.9	16
61	HydroLinkTM gel electrophoresis (HLGE). II. Applications of a new polymer matrix to dsDNA analysis. Journal of Proteomics, 1989, 19, 51-64.	2.4	14
62	HydroLinkTM gel electrophoresis (HLGE). III. High DNA loading capacity and recovery of dsDNA. Journal of Proteomics, 1989, 19, 65-73.	2.4	14
63	Differential skeletal responses of hindlimb unloaded rats on a vitamin D-deficient diet to 1,25-dihydroxyvitamin D3 and its analog, seocalcitol (EB1089). Bone, 2004, 35, 134-143.	2.9	14
64	Corticosteroid binding globulin, testosterone-estradiol binding globulin, and androgen binding protein belong to protein families distinct from steroid receptors. The Journal of Steroid Biochemistry, 1988, 30, 131-139.	1.1	12
65	DNA sequencing in HydroLink matrices: Extension of reading ability to > 600 nucleotides. Electrophoresis, 1990, 11, 595-600.	2.4	11
66	Synthetic 19-nortestosterone derivatives as estrogen receptor alpha subtype-selective ligands induce similar receptor conformational changes and steroid receptor coactivator recruitment than natural estrogens. Journal of Steroid Biochemistry and Molecular Biology, 2006, 99, 108-114.	2.5	11
67	Distinctive functions of p160 steroid receptor coactivators in proliferation of an estrogen-independent, tamoxifen-resistant breast cancer cell line. Endocrine-Related Cancer, 2010, 18, 113-127.	3.1	10
68	Placozoan fiber cells: mediators of innate immunity and participants in wound healing. Scientific Reports, 2021, 11, 23343.	3.3	9
69	Marinobufagenin interferes with the function of the mineralocorticoid receptor. Biochemical and Biophysical Research Communications, 2007, 356, 930-934.	2.1	8
70	Early Metazoan Origin and Multiple Losses of a Novel Clade of RIM Presynaptic Calcium Channel Scaffolding Protein Homologs. Genome Biology and Evolution, 2020, 12, 1217-1239.	2.5	7
71	Divergent Ca2+/calmodulin feedback regulation of CaV1 and CaV2 voltage-gated calcium channels evolved in the common ancestor of Placozoa and Bilateria. Journal of Biological Chemistry, 2022, 298, 101741.	3.4	4
72	Microscopy Studies of Placozoans. Methods in Molecular Biology, 2021, 2219, 99-118.	0.9	3

#	Article	IF	CITATIONS
73	The critical period for peripheral specification of dorsal root ganglion neurons is related to the period of sensory neurogenesis. Developmental Biology, 1990, 142, 476-480.	2.0	O