## MarÃ-a Luz Pérez-Parallé

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7671676/publications.pdf

Version: 2024-02-01

23 papers 585

687363 13 h-index 23 g-index

23 all docs 23 docs citations

23 times ranked 727 citing authors

#	Article	IF	CITATIONS
1	Sustainable largeâ€scale production of European flat oyster (⟨i⟩Ostrea edulis⟨/i⟩) seed for ecological restoration and aquaculture: a review. Reviews in Aquaculture, 2021, 13, 1423-1468.	9.0	32
2	Transcriptional Response in the Digestive Gland of the King Scallop (Pecten maximus) After the Injection of Domoic Acid. Toxins, 2021, 13, 339.	3.4	9
3	Expression Analyses of Genes Related to Multixenobiotic Resistance in Mytilus galloprovincialis after Exposure to Okadaic Acid-Producing Dinophysis acuminata. Toxins, 2021, 13, 614.	3.4	8
4	Effects of food ration, water flow rate and bacteriological levels of broodstock on the reproductive conditioning of the European flat oyster (Ostrea edulis, Linnaeus 1758). Aquaculture Reports, 2020, 18, 100412.	1.7	6
5	Toxins, 2019, 11, 97.	3.4	20
6	Validation of Reference Genes in MusselMytilus galloprovincialisTissues under the Presence of Okadaic Acid. Journal of Shellfish Research, 2018, 37, 93-101.	0.9	8
7	Conditioning of the European flat oyster ( <i>Ostrea edulis,</i> Linnaeus 1758): effect of food ration. Aquaculture Research, 2017, 48, 4363-4370.	1.8	7
8	Effects of temperature and photoperiod on the conditioning of the flat oyster ( <i>Ostrea edulis</i> ) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf 5
9	Transcriptional response after exposure to domoic acid-producing Pseudo-nitzschia in the digestive gland of the mussel Mytilus galloprovincialis. Toxicon, 2017, 140, 60-71.	1.6	31
10	Combined Effects of Temperature and Photoperiod on the Conditioning of the Flat Oyster ( <i>Ostrea) Tj ETQq0</i>	0 0 rgBT /	Ovgrlock 10 T
11	Hox, Parahox, Ehgbox, and NK Genes in Bivalve Molluscs: Evolutionary Implications. Journal of Shellfish Research, 2016, 35, 179-190.	0.9	6
12	A novel class of Pecten maximus POU gene, PmaPOU-IV: Characterization and expression in adult tissues. Journal of Experimental Marine Biology and Ecology, 2014, 453, 154-161.	1.5	5
13	Effects of chemical cues on larval settlement of the flat oyster (Ostrea edulis L.): A hatchery approach. Aquaculture, 2013, 376-379, 85-89.	3.5	29
14	Selection of reference genes for quantitative RT-PCR studies on the gonad of the bivalve mollusc Pecten maximus L Aquaculture, 2012, 370-371, 158-165.	3.5	21
15	Conservation of Gbx genes from EHG homeobox in bivalve molluscs. Molecular Phylogenetics and Evolution, 2012, 63, 213-217.	2.7	9
16	New Pd(II) and Pt(II) complexes with N,S-chelated pyrazolonate ligands: Molecular and supramolecular structure and preliminary study of their in vitro antitumoral activity. Journal of Inorganic Biochemistry, 2008, 102, 33-45.	3.5	86
17	Settlement Behavior of Black Scallop Larvae (Chlamys varia, L.) in Response to GABA, Epinephrine and IBMX. Journal of Shellfish Research, 2008, 27, 261-264.	0.9	24
18	Eight-hour PCR-based procedure for the detection of Salmonellain raw oysters. FEMS Microbiology Letters, 2005, 243, 279-283.	1.8	15

#	Article	IF	CITATIONS
19	Effects of GABA and epinephrine on the settlement and metamorphosis of the larvae of four species of bivalve molluscs. Journal of Experimental Marine Biology and Ecology, 2005, 316, 149-156.	1.5	106
20	The HOX Gene Cluster in the Bivalve Mollusc Mytilus galloprovincialis. Biochemical Genetics, 2005, 43, 417-424.	1.7	13
21	Synthesis and Cytotoxicity of 2-(2′-Pyridyl)benzimidazole Complexes of Palladium(II) and Platinum(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2258-2264.	1.2	26
22	Seasonal changes in lipid classes and fatty acid composition in the digestive gland of Pecten maximus. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2003, 134, 367-380.	1.6	62
23	HMG-D and Histone H1 Interplay during Chromatin Assembly and Early Embryogenesis. Journal of Biological Chemistry, 2001, 276, 37569-37576.	3.4	40