
Pinar Talay Pinar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7672940/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Simultaneous voltammetric determination of vanillin and caffeine in food products using an anodically pretreated boron-doped diamond electrode: Its comparison with HPLC-DAD. Talanta, 2017, 170, 384-391. | 5.5 | 79 |
| 2 | Voltammetric Method for the Simultaneous Determination of Melatonin and Pyridoxine in Dietary Supplements Using a Cathodically Pretreated Boronâ€doped Diamond Electrode. Electroanalysis, 2017, 29, 1691-1699. | 2.9 | 36 |
| 3 | Adsorptive stripping voltammetric determination of higenamine on a boron-doped diamond electrode improved by the use of an anionic surfactant. Sensors and Actuators B: Chemical, 2020, 303, 127174. | 7.8 | 32 |
| 4 | Voltammetric sensing of dinitrophenolic herbicide dinoterb on cathodically pretreated boron-doped diamond electrode in the presence of cationic surfactant. Microchemical Journal, 2020, 155, 104772. | 4.5 | 24 |
| 5 | Electroanalytical investigation and determination of hepatitis C antiviral drug ledipasvir at a non-modified boron-doped diamond electrode. Diamond and Related Materials, 2020, 108, 107962. | 3.9 | 20 |
| 6 | Electrochemical Determination of Fluoroquinolone Antibiotic Norfloxacin in the Presence of Anionic Surfactant Using the Anodically Pretreated Boronâ€Doped Diamond Electrode. ChemistrySelect, 2020, 5, 12862-12868. | 1.5 | 13 |
| 7 | Electrochemical and analytical performance of cathodically pretreated boron-doped diamond electrode for the determination of oxazolidinone antibiotic linezolid in cationic surfactant media. Journal of Electroanalytical Chemistry, 2020, 878, 114681. | 3.8 | 12 |
| 8 | Analytical Determination of the Oxazolidinone Antibiotic Linezolid at a Pencil Graphite and Carbon Paste Electrodes. ChemistrySelect, 2019, 4, 9966-9971. | 1.5 | 9 |
| 9 | First report for the electrochemical investigation of a new HIV integrase inhibitor dolutegravir: Its voltammetric determination in tablet dosage forms and human urine using a boron-doped diamond electrode. Diamond and Related Materials, 2021, 114, 108332. | 3.9 | 9 |
| 10 | First Electroanalytical Methodology for the Determination of Hordenine in Dietary Supplements using a Boronâ€doped Diamond Electrode. Electroanalysis, 2019, 31, 2283-2289. | 2.9 | 8 |
| 11 | Simple and sensitive electrochemical determination of higenamine in dietary supplements using a disposable pencil graphite electrode. Monatshefte FÃ1⁄4r Chemie, 2020, 151, 301-307. | 1.8 | 4 |