

Menno Pruijm

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7672959/menno-pruijm-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

2,944
citations

32
h-index

51
g-index

140
ext. papers

3,638
ext. citations

5
avg, IF

4.7
L-index

#	Paper	IF	Citations
121	Prevalence and Factors Associated with Opioid Prescription in Swiss Chronic Hemodialysis Patients. <i>Kidney and Dialysis</i> , 2022 , 2, 6-15		
120	Letter Regarding "Granulomatous Inflammation and Hypercalcemia in Patients With Severe Systemic Oxalosis".. <i>Kidney International Reports</i> , 2022 , 7, 930-931	4.1	
119	Twenty-Four Hour Blood Pressure Response to Empagliflozin and Its Determinants in Normotensive Non-diabetic Subjects.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 854230	5.4	0
118	Metformin versus SGLT-2 inhibitors: how low can we go?. <i>Kidney International</i> , 2022 , 101, 874-877	9.9	
117	Empagliflozin Changes Urine Supersaturation by Decreasing pH and Increasing Citrate.. <i>Journal of the American Society of Nephrology: JASN</i> , 2022 ,	12.7	0
116	Inferior vena cava thrombosis as a possible cause of nephrotic-range proteinuria: two case reports. <i>Journal of Medical Case Reports</i> , 2021 , 15, 569	1.2	
115	A stone in the bone. <i>JIMD Reports</i> , 2021 , 62, 6-8	1.9	1
114	Changes of lipoprotein(a) levels with endogenous steroid hormones. <i>European Journal of Clinical Investigation</i> , 2021 , e13699	4.6	
113	Interprofessional Medication Adherence Program for Patients With Diabetic Kidney Disease: Protocol for a Randomized Controlled and Qualitative Study (PANDIA-IRIS). <i>JMIR Research Protocols</i> , 2021 , 10, e25966	2	0
112	Heritability and association with distinct genetic loci of erythropoietin levels in the general population. <i>Haematologica</i> , 2021 , 106, 2499-2501	6.6	0
111	Sex- and age-specific reference intervals for diagnostic ratios reflecting relative activity of steroidogenic enzymes and pathways in adults. <i>PLoS ONE</i> , 2021 , 16, e0253975	3.7	
110	Uromodulin, Salt, and 24-Hour Blood Pressure in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 787-789	6.9	5
109	Cortical perfusion as assessed with contrast-enhanced ultrasound is lower in patients with chronic kidney disease than in healthy subjects but increases under low salt conditions. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	3
108	Subsegmentation of the Kidney in Experimental MR Images Using Morphology-Based Regions-of-Interest or Multiple-Layer Concentric Objects. <i>Methods in Molecular Biology</i> , 2021 , 2216, 549-564	1.4	0
107	Gene regulation contributes to explain the impact of early life socioeconomic disadvantage on adult inflammatory levels in two cohort studies. <i>Scientific Reports</i> , 2021 , 11, 3100	4.9	6
106	Gut barrier and microbiota changes with glycine and branched-chain amino acid supplementation in chronic haemodialysis patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	1
105	Investigating the Relations Between Caffeine-Derived Metabolites and Plasma Lipids in 2 Population-Based Studies. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 3071-3085	6.4	0

104	Glycine increases fat-free mass in malnourished haemodialysis patients: a randomized double-blind crossover trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	1
103	Water-Soluble Vitamin Levels and Supplementation in Chronic Online Hemodiafiltration Patients. <i>Kidney International Reports</i> , 2020 , 5, 2160-2167	4.1	4
102	Acute and Chronic Effects of SGLT2 Inhibitor Empagliflozin on Renal Oxygenation and Blood Pressure Control in Nondiabetic Normotensive Subjects: A Randomized, Placebo-Controlled Trial. <i>Journal of the American Heart Association</i> , 2020 , 9, e016173	6	22
101	Cardiovascular End Points and Mortality Are Not Closer Associated With Central Than Peripheral Pulsatile Blood Pressure Components. <i>Hypertension</i> , 2020 , 76, 350-358	8.5	14
100	Incidence of glomerulonephritis in the western part of Switzerland over the last decade. <i>Swiss Medical Weekly</i> , 2020 , 150, w20353	3.1	0
99	Dialysis initiation improves calcification propensity. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 495-502	3	6
98	Short-term changes in dietary sodium intake influence sweat sodium concentration and muscle sodium content in healthy individuals. <i>Journal of Hypertension</i> , 2020 , 38, 159-166	1.9	11
97	Renal BOLD MRI in patients with chronic kidney disease: comparison of the semi-automated twelve layer concentric objects (TLCO) and manual ROI methods. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020 , 33, 113-120	2.8	4
96	Consensus-based technical recommendations for clinical translation of renal BOLD MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020 , 33, 199-215	2.8	21
95	Parathyroid Hormone and Plasma Phosphate Are Predictors of Soluble Klotho Levels in Adults of European Descent. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	1
94	Sodium Intake Is Associated With Renal Resistive Index in an Adult Population-Based Study. <i>Hypertension</i> , 2020 , 76, 1898-1905	8.5	1
93	Reference values and sex differences in absolute and relative kidney size. A Swiss autopsy study. <i>BMC Nephrology</i> , 2020 , 21, 289	2.7	4
92	How reliable is renal ultrasound to measure renal length and volume in patients with chronic kidney disease compared with magnetic resonance imaging?. <i>Acta Radiologica</i> , 2020 , 61, 117-127	2	6
91	Renal handling of zinc in chronic kidney disease patients and the role of circulating zinc levels in renal function decline. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1163-1170	4.3	17
90	Ambulatory Blood Pressure in Relation to Plasma and Urinary Manganese. <i>Hypertension</i> , 2020 , 75, 1133-1139	3.9	2
89	Renal Resistive Index Is Associated With Inactive Matrix Gla (ECarboxyglutamate) Protein in an Adult Population-Based Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e013558	6	4
88	Tumor necrosis factor stimulates fibroblast growth factor 23 levels in chronic kidney disease and non-renal inflammation. <i>Kidney International</i> , 2019 , 96, 890-905	9.9	32
87	Urinary Sex Steroid and Glucocorticoid Hormones Are Associated With Muscle Mass and Strength in Healthy Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2195-2215	5.6	6

86	Acute hyperglycemia increases renal tissue oxygenation as measured by BOLD-MRI in healthy overweight volunteers. <i>Diabetes Research and Clinical Practice</i> , 2019 , 150, 138-143	7.4	9
85	Reference intervals for the urinary steroid metabolome: The impact of sex, age, day and night time on human adult steroidogenesis. <i>PLoS ONE</i> , 2019 , 14, e0214549	3.7	21
84	Image acquisition for intravoxel incoherent motion imaging of kidneys should be triggered at the instant of maximum blood velocity: evidence obtained with simulations and in vivo experiments. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 583-593	4.4	2
83	Exploring a new method for quantitative sodium MRI in the human upper leg with a surface coil and symmetrically arranged reference phantoms. <i>Quantitative Imaging in Medicine and Surgery</i> , 2019 , 9, 985-999	3.6	1
82	Is blood pressure measured correctly in dialysis centres? Physicians' and patients' views. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1612-1615	4.3	4
81	Use of day and night urinary iodine excretion to estimate the prevalence of inadequate iodine intakes via the estimated average requirement cut-point method. <i>Swiss Medical Weekly</i> , 2019 , 149, w20090	3.1	0
80	Urinary Cadmium Excretion Is Associated With Increased Synthesis of Cortico- and Sex Steroids in a Population Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 748-758	5.6	14
79	Association of 24-Hour Blood Pressure With Urinary Sodium Excretion in Healthy Adults. <i>American Journal of Hypertension</i> , 2018 , 31, 784-791	2.3	9
78	Impact of salt reduction in meals consumed during hemodialysis sessions on interdialytic weight gain and hemodynamic stability. <i>Hemodialysis International</i> , 2018 , 22, 501-506	1.7	5
77	Reduced cortical oxygenation predicts a progressive decline of renal function in patients with chronic kidney disease. <i>Kidney International</i> , 2018 , 93, 932-940	9.9	75
76	Associations of Urinary Caffeine and Caffeine Metabolites With Arterial Stiffness in a Large Population-Based Study. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 586-596	6.4	10
75	Genome-Wide Meta-Analysis Unravels Interactions between Magnesium Homeostasis and Metabolic Phenotypes. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 335-348	12.7	19
74	Should renal color Doppler ultrasonography be a routine test in newly diagnosed hypertensive patient?. <i>Journal of Hypertension</i> , 2018 , 36, 16-22	1.9	4
73	FO044UROMODULIN REFLECTS NEPHRON MASS IN THE GENERAL POPULATION AND KIDNEY DONORS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i36-i36	4.3	
72	Uromodulin and Nephron Mass. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1556-1557	6.9	28
71	Magnetic resonance imaging biomarkers for chronic kidney disease: a position paper from the European Cooperation in Science and Technology Action PARENCHIMA. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, ii4-ii14	4.3	52
70	Functional magnetic resonance imaging of the kidneys: where do we stand? The perspective of the European COST Action PARENCHIMA. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, ii1-ii3	4.3	18
69	Renal blood oxygenation level-dependent magnetic resonance imaging to measure renal tissue oxygenation: a statement paper and systematic review. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, ii22-ii28	4.3	59

68	Epidemiological and histological findings implicate matrix Gla protein in diastolic left ventricular dysfunction. <i>PLoS ONE</i> , 2018 , 13, e0193967	3.7	7
67	Copeptin and insulin resistance: effect modification by age and 11 ßHSD2 activity in a population-based study. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 799-808	5.2	7
66	FO001SODIUM AND CHLORIDE CONCENTRATION OF SWEAT CORRELATE WITH DIETARY SALT INTAKE IN HEALTHY SUBJECTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i1-i1	4.3	
65	Urinary steroid profiling in women hints at a diagnostic signature of the polycystic ovary syndrome: A pilot study considering neglected steroid metabolites. <i>PLoS ONE</i> , 2018 , 13, e0203903	3.7	21
64	SP461THE EFFECTIVENESS AND SAFETY OF REGIONAL CITRATE ANTICOAGULATION IN HIGH CUT OFF HEMODIALYSIS AMONG PATIENTS WITH MYELOMA CAST NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i502-i503	4.3	
63	Effects of the SGLT-2 Inhibitor Empagliflozin on Renal Tissue Oxygenation in Non-Diabetic Subjects: A Randomized, Double-Blind, Placebo-Controlled Study Protocol. <i>Advances in Therapy</i> , 2018 , 35, 875-885	4.1	9
62	Pharmacokinetics of Pomalidomide in a Patient Receiving Hemodialysis Using a High-Cutoff Filter. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 553-554	7.4	4
61	Serum calcification propensity is associated with renal tissue oxygenation and resistive index in patients with arterial hypertension or chronic kidney disease. <i>Journal of Hypertension</i> , 2017 , 35, 2044-2052	1.9	20
60	MP334REDUCED RENAL TISSUE OXYGENATION WITH AGING IN MEN, BUT NOT IN WOMEN. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, iii548-iii549	4.3	3
59	Reduction of cortical oxygenation in chronic kidney disease: evidence obtained with a new analysis method of blood oxygenation level-dependent magnetic resonance imaging. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 2097-2105	4.3	40
58	A population-based approach to assess the heritability and distribution of renal handling of electrolytes. <i>Kidney International</i> , 2017 , 92, 1536-1543	9.9	15
57	Seasonality of sodium and potassium consumption in Switzerland. Data from three cross-sectional, population-based studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 792-798	4.5	5
56	A new prescription model for regional citrate anticoagulation in therapeutic plasma exchanges. <i>BMC Nephrology</i> , 2017 , 18, 81	2.7	6
55	Changing trends in end-stage renal disease patients with diabetes. <i>Swiss Medical Weekly</i> , 2017 , 147, w14458	4.5	10
54	The Associations of Blood Kidney Injury Molecule-1 and Neutrophil Gelatinase-Associated Lipocalin with Progression from CKD to ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 2141-2149	6.9	29
53	Renal tissue oxygenation in children with chronic kidney disease due to vesicoureteral reflux. <i>Pediatric Nephrology</i> , 2016 , 31, 2103-11	3.2	4
52	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , 2016 , 65, 803-17	0.9	96
51	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016 , 7, 10023	17.4	295

50	Sociodemographic, behavioral and genetic determinants of allostatic load in a Swiss population-based study. <i>Psychoneuroendocrinology</i> , 2016 , 67, 76-85	5	34
49	Associations of Urinary Uromodulin with Clinical Characteristics and Markers of Tubular Function in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 70-80	6.9	55
48	CYP17A1 Enzyme Activity Is Linked to Ambulatory Blood Pressure in a Family-Based Population Study. <i>American Journal of Hypertension</i> , 2016 , 29, 484-93	2.3	10
47	Blood Oxygenation Level-Dependent MRI to Assess Renal Oxygenation in Renal Diseases: Progresses and Challenges. <i>Frontiers in Physiology</i> , 2016 , 7, 667	4.6	41
46	Premature Destruction of Microbubbles during Voiding Urosonography in Children and Possible Underlying Mechanisms: Post Hoc Analysis from the Prospective Study. <i>BioMed Research International</i> , 2016 , 2016, 1764692	3	7
45	MP641 IMPACT OF REDUCING SALT CONTENT OF MEALS CONSUMED DURING HEMODIALYSIS SESSIONS ON HEMODYNAMIC STABILITY AND INTERDIALYTIC WEIGHT GAIN. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i554-i554	4.3	
44	Fibroblast growth factor 23 and markers of mineral metabolism in individuals with preserved renal function. <i>Kidney International</i> , 2016 , 90, 648-57	9.9	47
43	Relation of 24-hour urinary caffeine and caffeine metabolite excretions with self-reported consumption of coffee and other caffeinated beverages in the general population. <i>Nutrition and Metabolism</i> , 2016 , 13, 81	4.6	12
42	Genome-wide association study of caffeine metabolites provides new insights to caffeine metabolism and dietary caffeine-consumption behavior. <i>Human Molecular Genetics</i> , 2016 , 25, 5472-5482	5.6	64
41	New anthropometry-based age- and sex-specific reference values for urinary 24-hour creatinine excretion based on the adult Swiss population. <i>BMC Medicine</i> , 2015 , 13, 40	11.4	37
40	Obstructive Sleep Apnea Severity and Overnight Body Fluid Shift before and after Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1002-10	6.9	38
39	Inactive Matrix Gla-Protein Is Associated With Arterial Stiffness in an Adult Population-Based Study. <i>Hypertension</i> , 2015 , 66, 85-92	8.5	65
38	Copeptin is associated with kidney length, renal function, and prevalence of simple cysts in a population-based study. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 1415-25	12.7	41
37	Chronic NSAID use and long-term decline of renal function in a prospective rheumatoid arthritis cohort study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 718-23	2.4	47
36	Comparative Effect of a Renin Inhibitor and a Thiazide Diuretic on Renal Tissue Oxygenation in Hypertensive Patients. <i>Kidney and Blood Pressure Research</i> , 2015 , 40, 542-54	3.1	8
35	Heritability of ambulatory and office blood pressure in the Swiss population. <i>Journal of Hypertension</i> , 2015 , 33, 2061-7	1.9	9
34	Prevalence and Diagnostic Approach to Sleep Apnea in Hemodialysis Patients: A Population Study. <i>BioMed Research International</i> , 2015 , 2015, 103686	3	15
33	Drug adherence in chronic kidney diseases and dialysis. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 39-44	4.3	67

32	A new technique with high reproducibility to estimate renal oxygenation using BOLD-MRI in chronic kidney disease. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 253-61	3.3	32
31	Associations of ambulatory blood pressure with urinary caffeine and caffeine metabolite excretions. <i>Hypertension</i> , 2015 , 65, 691-6	8.5	27
30	Epidemiology of masked and white-coat hypertension: the family-based SKIPOGH study. <i>PLoS ONE</i> , 2014 , 9, e92522	3.7	35
29	Determinants of renal tissue oxygenation as measured with BOLD-MRI in chronic kidney disease and hypertension in humans. <i>PLoS ONE</i> , 2014 , 9, e95895	3.7	65
28	Reference values and factors associated with renal resistive index in a family-based population study. <i>Hypertension</i> , 2014 , 63, 136-42	8.5	72
27	Blockade of the renin-angiotensin system in hypertensive patients with atherosclerotic renal artery stenosis. <i>Current Hypertension Reports</i> , 2013 , 15, 497-505	4.7	
26	Heritability, determinants and reference values of renal length: a family-based population study. <i>European Radiology</i> , 2013 , 23, 2899-905	8	41
25	Common noncoding UMOD gene variants induce salt-sensitive hypertension and kidney damage by increasing uromodulin expression. <i>Nature Medicine</i> , 2013 , 19, 1655-60	50.5	242
24	Stimulated sweating as a therapy to reduce interdialytic weight gain and improve potassium balance in chronic hemodialysis patients: a pilot study. <i>Hemodialysis International</i> , 2013 , 17, 240-8	1.7	5
23	Blockade of the renin-angiotensin system and renal tissue oxygenation as measured with BOLD-MRI in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2013 , 99, 136-44	7.4	34
22	Renal tissue oxygenation in essential hypertension and chronic kidney disease. <i>International Journal of Hypertension</i> , 2013 , 2013, 696598	2.4	27
21	Step count is associated with lower nighttime systolic blood pressure and increased dipping. <i>American Journal of Hypertension</i> , 2013 , 26, 527-34	2.3	17
20	Determinants and burden of chronic kidney disease in the population-based CoLaus study: a cross-sectional analysis. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 2329-39	4.3	36
19	Clinical benefits of an adherence monitoring program in the management of secondary hyperparathyroidism with cinacalcet: results of a prospective randomized controlled study. <i>BioMed Research International</i> , 2013 , 2013, 104892	3	18
18	Inflammatory markers and blood pressure: sex differences and the effect of fat mass in the CoLaus Study. <i>Journal of Human Hypertension</i> , 2013 , 27, 169-75	2.6	27
17	Effect of dark chocolate on renal tissue oxygenation as measured by BOLD-MRI in healthy volunteers. <i>Clinical Nephrology</i> , 2013 , 80, 211-7	2.1	13
16	High prevalence of anti-apolipoprotein/A-1 autoantibodies in maintenance hemodialysis and association with dialysis vintage. <i>Therapeutic Apheresis and Dialysis</i> , 2012 , 16, 588-94	1.9	18
15	Incidence, complications and risk factors for severe falls in patients on maintenance haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 352-7	4.3	32

14	Caffeine intake and CYP1A2 variants associated with high caffeine intake protect non-smokers from hypertension. <i>Human Molecular Genetics</i> , 2012 , 21, 3283-92	5.6	45
13	Not all inflammatory markers are linked to kidney function: results from a population-based study. <i>American Journal of Nephrology</i> , 2012 , 35, 288-94	4.6	29
12	Long-term use and tolerability of irbesartan for control of hypertension. <i>Integrated Blood Pressure Control</i> , 2011 , 4, 17-26	3.5	14
11	Effect of sodium loading/depletion on renal oxygenation in young normotensive and hypertensive men. <i>Hypertension</i> , 2010 , 55, 1116-22	8.5	64
10	Glomerular hyperfiltration and increased proximal sodium reabsorption in subjects with type 2 diabetes or impaired fasting glucose in a population of the African region. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 2225-31	4.3	42
9	Treating high blood pressure: is reaching the target more important than the means? No, the means are important. <i>European Journal of Internal Medicine</i> , 2010 , 21, 478-83	3.9	
8	A new technique for simultaneous validation of two manual nonmercury auscultatory sphygmomanometers (A&D UM-101 and Accoson Greenlight 300) based on the International protocol. <i>Blood Pressure Monitoring</i> , 2010 , 15, 322-5	1.3	14
7	Marked association between obesity and glomerular hyperfiltration: a cross-sectional study in an African population. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 303-12	7.4	94
6	Treatment of essential hypertension with calcium channel blockers: what is the place of lercanidipine?. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2009 , 5, 981-7	5.5	13
5	Prevalence of microalbuminuria in the general population of Seychelles and strong association with diabetes and hypertension independent of renal markers. <i>Journal of Hypertension</i> , 2008 , 26, 871-7	1.9	19
4	Preemptive versus Non-preemptive simultaneous pancreas-kidney transplantation: a single-center, long-term, follow-up study. <i>Transplantation</i> , 2006 , 81, 1119-24	1.8	25
3	Pneumonia involving <i>Aspergillus</i> and <i>Rhizopus</i> spp. after a near-drowning incident with subsequent <i>Nocardia cyriacigeorgici</i> and <i>N. farcinica</i> coinfection as a late complication. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2005 , 24, 61-4	5.3	27
2	Combination of a normal D-dimer concentration and a non-high pretest clinical probability score is a safe strategy to exclude deep venous thrombosis. <i>Circulation</i> , 2003 , 107, 593-7	16.7	136
1	Associations of Relative corticosterone deficiency with genetic variation in CYP17A1 and metabolic syndrome features		1