

Sophie F Derchain

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7674296/sophie-f-derchain-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

2,236
citations

23
h-index

37
g-index

194
ext. papers

2,656
ext. citations

2.6
avg, IF

4.77
L-index

#	Paper	IF	Citations
160	Cervical Cancer Screening with HPV Testing: Updates on the Recommendation.. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2022 , 44,	1.1	1
159	Evaluation of PD-L1 and tumor infiltrating lymphocytes in paired pretreatment biopsies and post neoadjuvant chemotherapy surgical specimens of breast carcinoma. <i>Scientific Reports</i> , 2021 , 11, 22478	4.9	1
158	Vaginal stenosis in women with cervical or endometrial cancer after pelvic radiotherapy: a cross-sectional study of vaginal measurements, risk for sexual dysfunction and quality of life. <i>International Urogynecology Journal</i> , 2021 , 1	2	2
157	Association between breast cancer risk and levonorgestrel-releasing intrauterine system. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 1750	3.8	
156	Longitudinal, Long-Term Comparison of Single- versus Multipoint Upper Limb Circumference Periodical Measurements as a Tool to Predict Persistent Lymphedema in Women Treated Surgically for Breast Cancer: An Optimized Strategy to Early Diagnose Lymphedema and Avoid Permanent Sequelae in Breast Cancer Survivors. <i>Annals of Surgical Oncology</i> , 2021 , 28, 8665-8676	3.1	3
155	Maintenance of Muscle Mass and Cardiorespiratory Fitness to Cancer Patients During COVID-19 Era and After SARS-CoV-2 Vaccine. <i>Frontiers in Physiology</i> , 2021 , 12, 655955	4.6	2
154	Physical and functional well-being and symptoms of ovarian cancer in women undergoing first-line of chemotherapy: a one-year follow-up. <i>Supportive Care in Cancer</i> , 2021 , 29, 7421-7430	3.9	
153	Aerobic Fitness is a Predictor of Body Composition in Women With Breast Cancer at Diagnosis. <i>Clinical Breast Cancer</i> , 2021 , 21, e245-e251	3	0
152	GSTP1 and ABCB1 Polymorphisms Predicting Toxicities and Clinical Management on Carboplatin and Paclitaxel-Based Chemotherapy in Ovarian Cancer. <i>Clinical and Translational Science</i> , 2021 , 14, 720-728	4.9	6
151	Pelvic floor muscle assessment by digital palpation and translabial ultrasound of women with cervical or endometrial cancer after pelvic radiotherapy: a cross-sectional study. <i>International Urogynecology Journal</i> , 2021 , 32, 1237-1245	2	1
150	Elimination of cervical cancer in low- and middle-income countries: Inequality of access and fragile healthcare systems. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 152, 7-11	4	5
149	Multiplatform Investigation of Plasma and Tissue Lipid Signatures of Breast Cancer Using Mass Spectrometry Tools. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
148	Diagnostic Value of the Neutrophil/Lymphocyte Ratio, Platelet/Lymphocyte Ratio, and Thrombocytosis in the Preoperative Investigation of Ovarian Masses. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020 , 42, 397-403	1.1	1
147	Levonorgestrel-releasing intrauterine system and breast cancer risk: A systematic review and meta-analysis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 970-982	3.8	27
146	Influence of Gender and Undergraduate Course on the Knowledge about HPV and HPV Vaccine, and Vaccination Rate among Students of a Public University. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020 , 42, 96-105	1.1	2
145	Preoperative Differentiation of Benign and Malignant Non-epithelial Ovarian Tumors: Clinical Features and Tumor Markers. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020 , 42, 555-561	1.1	3
144	Aerobic Exercise-Induced Changes in Cardiorespiratory Fitness in Breast Cancer Patients Receiving Chemotherapy: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2020 , 12,	6.6	10

143	Improving the performance of IOTA simple rules: sonographic assessment of adnexal masses with resource-effective use of a magnetic resonance scoring (ADNEX MR scoring system). <i>Abdominal Radiology</i> , 2020 , 45, 3218-3229	3	13
142	Exploring Collagen Parameters in Pure Special Types of Invasive Breast Cancer. <i>Scientific Reports</i> , 2019 , 9, 7715	4.9	12
141	Copy number alterations associated with clinical features in an underrepresented population with breast cancer. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e00750	2.3	4
140	Clinical Features and Management of Women with Borderline Ovarian Tumors in a Single Center in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019 , 41, 176-182	1.1	4
139	Role of discoidin domain receptor 2 (DDR2) and microRNA-182 in survival of women with high-grade serous ovarian cancer. <i>Tumor Biology</i> , 2019 , 41, 1010428318823988	2.9	8
138	Indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase expression in HPV infection, SILs, and cervical cancer. <i>Cancer Cytopathology</i> , 2019 , 127, 586-597	3.9	10
137	Perinodal fibrosis developed after ultrasonography-guided core-needle biopsy of a contrast-enhanced ultrasound-detected sentinel axillary node interferes with subsequent surgical sentinel node dissection. <i>Journal of Clinical Ultrasound</i> , 2019 , 47, 445-452	1	3
136	Interest In and Practices Related to Gynecologic Oncology among Members of the Brazilian Federation of Associations of Gynecology and Obstetrics. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019 , 41, 394-399	1.1	
135	Diagnostic accuracy of shear wave elastography - Virtual touch imaging quantification in the evaluation of breast masses: Impact on ultrasonography@specificity and its ultimate clinical benefit. <i>European Journal of Radiology</i> , 2019 , 113, 74-80	4.7	6
134	Association of Menopausal Status, Expression of Progesterone Receptor and Ki67 to the Clinical Response to Neoadjuvant Chemotherapy in Luminal Breast Cancer. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019 , 41, 710-717	1.1	2
133	Immunohistochemistry expression of targeted therapies biomarkers in ovarian clear cell and endometrioid carcinomas (type I) and endometriosis. <i>Human Pathology</i> , 2019 , 85, 72-81	3.7	11
132	BRCA1, Ki67, and E-catenin Immunoexpression Is Not Related to Differentiation, Platinum Response, or Prognosis in Women With Low- and High-Grade Serous Ovarian Carcinoma. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 437-447	3.5	9
131	Collagen analysis by second-harmonic generation microscopy predicts outcome of luminal breast cancer. <i>Tumor Biology</i> , 2018 , 40, 1010428318770953	2.9	23
130	Exosome-mediated breast cancer chemoresistance via miR-155 transfer. <i>Scientific Reports</i> , 2018 , 8, 829	4.9	152
129	Prevalence, Prevention, and Severity of Prescribing Errors in Different Years of Residency Training at an Oncology Ward. <i>American Journal of Medical Quality</i> , 2018 , 33, 109	1.1	0
128	Vascular Alterations in Axillary and Brachial Vessels in Patients with Axillary Web Syndrome After Breast Cancer Surgery. <i>Lymphatic Research and Biology</i> , 2018 , 16, 287-293	2.3	5
127	Prescribing errors intercepted by pharmacist intervention in care of patients hospitalised with breast and gynaecological cancer at a Brazilian teaching hospital. <i>European Journal of Cancer Care</i> , 2018 , 27, e12767	2.4	8
126	Molecular Signatures of High-Grade Cervical Lesions. <i>Frontiers in Oncology</i> , 2018 , 8, 99	5.3	7

125	A Metabolomic Approach to Predict Breast Cancer Behavior and Chemotherapy Response. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	19
124	WT1, p53 and p16 expression in the diagnosis of low- and high-grade serous ovarian carcinomas and their relation to prognosis. <i>Oncotarget</i> , 2018 , 9, 15818-15827	3.3	14
123	Long term effects of manual lymphatic drainage and active exercises on physical morbidities, lymphoscintigraphy parameters and lymphedema formation in patients operated due to breast cancer: A clinical trial. <i>PLoS ONE</i> , 2018 , 13, e0189176	3.7	20
122	Endometriosis-Associated Ovarian Cancer: Population Characteristics and Prognosis. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 1251-1257	3.5	15
121	Accuracy of the ADNEX MR scoring system based on a simplified MRI protocol for the assessment of adnexal masses. <i>Diagnostic and Interventional Radiology</i> , 2018 , 24, 63-71	3.2	24
120	Performance of the IOTA ADNEX model in preoperative discrimination of adnexal masses in a gynecological oncology center. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 778-783	5.8	26
119	Variations in the sonographic measurement techniques of BI-RADS 3 breast masses. <i>Journal of Clinical Ultrasound</i> , 2017 , 45, 252-260	1	
118	Expression of unusual immunohistochemical markers in mucinous breast carcinoma. <i>Acta Histochemica</i> , 2017 , 119, 327-336	2	4
117	Bacterial vaginosis and inflammatory response showed association with severity of cervical neoplasia in HPV-positive women. <i>Diagnostic Cytopathology</i> , 2017 , 45, 474-476	1.4	5
116	CAISMOV24, a new human low-grade serous ovarian carcinoma cell line. <i>BMC Cancer</i> , 2017 , 17, 756	4.8	4
115	Preoperative measurement of serum C-reactive protein: is it useful in the differential diagnosis of adnexal masses?. <i>International Journal of Biological Markers</i> , 2017 , 32, e83-e89	2.8	4
114	VEGF gene polymorphisms and outcome of epithelial ovarian cancer patients. <i>Future Oncology</i> , 2017 , 13, 409-414	3.6	5
113	Natural Killer Cells Response to IL-2 Stimulation Is Distinct between Ascites with the Presence or Absence of Malignant Cells in Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	13
112	Molecular Subtypes of Breast Cancer Are Not Associated with the Clinical Under- or Overstaging of Breast Cancer. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016 , 38, 239-45	1.1	
111	Cyclooxygenase-2 (COX2) and p53 protein expression are interdependent in breast cancer but not associated with clinico-pathological surrogate subtypes, tumor aggressiveness and patient survival. <i>Acta Histochemica</i> , 2016 , 118, 176-82	2	6
110	Comparing the Copenhagen Index (CPH-I) and Risk of Ovarian Malignancy Algorithm (ROMA): Two equivalent ways to differentiate malignant from benign ovarian tumors before surgery?. <i>Gynecologic Oncology</i> , 2016 , 140, 481-5	4.9	18
109	Performance of the Risk of Malignancy Index for Discriminating Malignant Tumors in Women With Adnexal Masses. <i>Journal of Ultrasound in Medicine</i> , 2016 , 35, 143-52	2.9	8
108	Prognostic significance of PD-L1 and PD-L2 in breast cancer. <i>Human Pathology</i> , 2016 , 47, 78-84	3.7	154

107	Bacterial vaginosis and inflammatory response showed association with severity of cervical neoplasia in HPV-positive women. <i>Diagnostic Cytopathology</i> , 2016 , 44, 80-6	1.4	23
106	Cysts within Otherwise Probably Benign Solid Breast Masses and the Risk of Malignancy. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016 , 38, 170-6	1.1	1
105	Association between polymorphisms in xenobiotic detoxification-related genes with prognosis of epithelial ovarian cancer. <i>Medical Oncology</i> , 2016 , 33, 112	3.7	3
104	Usefulness of vaginal cytology tests in women with previous hysterectomy for benign diseases: assessment of 53,891 tests. <i>Gynecologic Oncology</i> , 2015 , 137, 270-3	4.9	4
103	Vascular endothelial growth factor (VEGF) polymorphism and increased risk of epithelial ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015 , 141, 69-73	4.9	13
102	MMP-9/RECK Imbalance: A Mechanism Associated with High-Grade Cervical Lesions and Genital Infection by Human Papillomavirus and Chlamydia trachomatis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1539-47	4	21
101	Increased metabolic activity detected by FLIM in human breast cancer cells with desmoplastic reaction: a pilot study 2015 ,		1
100	A portrait of single and multiple HPV type infections in Brazilian women of different age strata with squamous or glandular cervical lesions. <i>BMC Infectious Diseases</i> , 2014 , 14, 214	4	16
99	Up-regulation of DNAM-1 and NKp30, associated with improvement of NK cells activation after long-term culture of mononuclear cells from patients with ovarian neoplasia. <i>Human Immunology</i> , 2014 , 75, 777-84	2.3	8
98	Analysis of the contribution of immunologically-detectable HER2, steroid receptors and of the "triple-negative" tumor status to disease-free and overall survival of women with epithelial ovarian cancer. <i>Acta Histochemica</i> , 2014 , 116, 440-7	2	20
97	Microinvasive adenocarcinoma of the cervix in a young woman vaccinated against human papillomavirus: the screening must be continued. <i>Journal of Lower Genital Tract Disease</i> , 2014 , 18, E50-4 ^{3.6}		2
96	Aluminum concentrations in central and peripheral areas of malignant breast lesions do not differ from those in normal breast tissues. <i>BMC Cancer</i> , 2013 , 13, 104	4.8	8
95	Tissue aluminum concentration does not affect the genomic stability of ERBB2, C-MYC, and CCND1 genes in breast cancer. <i>Biological Trace Element Research</i> , 2013 , 154, 345-51	4.5	5
94	Simple rules for ultrasonographic subcategorization of BI-RADS [®] -US 4 breast masses. <i>European Journal of Radiology</i> , 2013 , 82, 1231-5	4.7	15
93	Retrieval of HPV oncogenes E6 and E7 mRNA from cervical specimens using a manual open technology protocol. <i>SpringerPlus</i> , 2013 , 2, 473		3
92	Symptoms, CA125 and HE4 for the preoperative prediction of ovarian malignancy in Brazilian women with ovarian masses. <i>BMC Cancer</i> , 2013 , 13, 423	4.8	16
91	HER2 expression in Brazilian patients with estrogen and progesterone receptor-negative breast carcinoma. <i>Acta Histochemica</i> , 2013 , 115, 120-7	2	3
90	Competing-risks regression models in analysis of biomarkers as predictors of high-risk human papillomavirus (HPV) infection outcomes and incident CIN in the LAMS cohort. <i>International Journal of Gynecological Pathology</i> , 2013 , 32, 406-15	3.2	1

89	Staging recurrent ovarian cancer with (18)FDG PET/CT. <i>Oncology Letters</i> , 2013 , 5, 593-597	2.6	23
88	HE4 can help discriminate women with malignant ovarian ?tumors only if CA125 levels are elevated. <i>International Journal of Biological Markers</i> , 2013 , 28, e377-86	2.8	1
87	Immediate breast reconstruction with a Latissimus dorsi flap has no detrimental effects on shoulder motion or postsurgical complications up to 1 year after surgery. <i>Plastic and Reconstructive Surgery</i> , 2013 , 131, 673e-680e	2.7	23
86	Survival of women with ovarian carcinomas and borderline tumors is not affected by estrogen and progesterone receptor status. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 167-76	4	6
85	Ultrasound criteria and CA 125 as predictive variables of ovarian cancer in women with adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 360-6	5.8	42
84	Polymorphisms of glutathione S-transferase Mu 1 (GSTM1), Theta 1 (GSTT1), and Pi 1 (GSTP1) genes and epithelial ovarian cancer risk. <i>Disease Markers</i> , 2012 , 33, 155-9	3.2	19
83	Association of HPV infection and Chlamydia trachomatis seropositivity in cases of cervical neoplasia in Midwest Brazil. <i>Journal of Medical Virology</i> , 2012 , 84, 1143-50	19.7	16
82	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 460, 577-85	5.1	33
81	Expression of cyclooxygenase-2 (COX-2) and p53 in neighboring invasive and in situ components of breast tumors. <i>Acta Histochemica</i> , 2012 , 114, 226-31	2	5
80	Metastatic mucinous carcinomas in the ovary: a practical approach to diagnosis related to gross aspects and to immunohistochemical evaluation. <i>International Journal of Gynecological Pathology</i> , 2012 , 31, 313-8	3.2	20
79	Diagnostic and therapeutic challenges in the management of glandular abnormalities of the cervix. <i>Expert Review of Obstetrics and Gynecology</i> , 2012 , 7, 49-58		3
78	Complex breast masses: assessment of malignant potential based on cyst diameter. <i>Journal of Ultrasound in Medicine</i> , 2012 , 31, 581-7	2.9	4
77	Image compression impact on quantitative angiogenesis analysis of ovarian epithelial neoplasms. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2012 , 20, 91-5	1.9	4
76	Hormonal contraceptives and the length of their use are not independent risk factors for high-risk HPV infections or high-grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 71, 93-103	2.5	20
75	Value of HPV-DNA test in women with cytological diagnosis of atypical glandular cells (AGC). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 159, 160-4	2.4	17
74	Reduced prevalence of the C825T polymorphism of the G-protein beta subunit gene in women with breast cancer. <i>International Journal of Biological Markers</i> , 2011 , 26, 234-40	2.8	0
73	Prevalence of human papillomavirus infection and associated risk factors in young women in Brazil, Canada, and the United States: a multicenter cross-sectional study. <i>International Journal of Gynecological Pathology</i> , 2011 , 30, 173-84	3.2	28
72	Association between HPV types and species groups and cervical neoplasia from a high-risk area for cervical cancer, Goibia, Brazil. <i>International Journal of Gynecological Pathology</i> , 2011 , 30, 288-94	3.2	7

71	Ex vivo expansion of CD56+ NK and NKT-like lymphocytes from peripheral blood mononuclear cells of patients with ovarian neoplasia. <i>Scandinavian Journal of Immunology</i> , 2011 , 74, 244-252	3.4	8
70	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Screening studies. <i>International Journal of STD and AIDS</i> , 2011 , 22, 315-23	1.4	4
69	Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. <i>International Journal of STD and AIDS</i> , 2011 , 22, 263-72	1.4	7
68	Up-regulation of lipocalin 2 is associated with high-risk human papillomavirus and grade of cervical lesion at baseline but does not predict outcomes of infections or incident cervical intraepithelial neoplasia. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 50-9	1.9	9
67	Up-regulation of 14-3-3sigma (Stratifin) is associated with high-grade CIN and high-risk human papillomavirus (HPV) at baseline but does not predict outcomes of HR-HPV infections or incident CIN in the LAMS study. <i>American Journal of Clinical Pathology</i> , 2010 , 133, 232-40	1.9	4
66	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010 , 17, 195-203	1.4	9
65	Low expression of human histocompatibility soluble leukocyte antigen-G (HLA-G5) in invasive cervical cancer with and without metastasis, associated with papilloma virus (HPV). <i>Journal of Histochemistry and Cytochemistry</i> , 2010 , 58, 405-11	3.4	28
64	p300 expression is related to high-risk human papillomavirus infections and severity of cervical intraepithelial neoplasia but not to viral or disease outcomes in a longitudinal setting. <i>International Journal of Gynecological Pathology</i> , 2010 , 29, 135-45	3.2	6
63	Validation of the Portuguese version of functional assessment of cancer therapy-fatigue (FACT-F) in Brazilian cancer patients. <i>Supportive Care in Cancer</i> , 2010 , 18, 481-90	3.9	29
62	Cytomorphological criteria, subclassifications of endocervical glandular cell abnormalities, and histopathological outcome: a frequency study. <i>Diagnostic Cytopathology</i> , 2010 , 38, 806-10	1.4	4
61	Avaliaço psicolgica dos cuidadores de mulheres com cncer pelo General Comfort Questionnaire. <i>Paideia</i> , 2010 , 20, 229-237	0.4	12
60	Up-regulation of plasminogen activator inhibitor-2 is associated with high-risk HPV and grade of cervical lesion at baseline but does not predict outcomes of high-risk HPV infections or incident CIN. <i>American Journal of Clinical Pathology</i> , 2009 , 132, 883-92	1.9	4
59	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 455, 505-15	5.1	23
58	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 514-20	3.8	11
57	Human papillomavirus-specific genotypes in cervical lesions of women referred for smears with atypical glandular cells or adenocarcinoma in situ. <i>International Journal of Gynecological Pathology</i> , 2009 , 28, 272-8	3.2	13
56	Increased risk of oncogenic human papillomavirus infections and incident high-grade cervical intraepithelial neoplasia among smokers: experience from the Latin American screening study. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 241-8	2.4	22
55	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009 , 24, 238-244	2.8	
54	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. <i>Sao Paulo Medical Journal</i> , 2009 , 127, 122-7	1.6	5

53	Persistent high-risk human papillomavirus infections and other end-point markers of progressive cervical disease among women prospectively followed up in the New Independent States of the Former Soviet Union and the Latin American Screening study cohorts. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 934-42	3.5	17
52	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009 , 24, 238-44	2.8	1
51	Expression of p16 and cervical infection with high-risk human papillomavirus are not related to p53 activity in cervical intraepithelial neoplasia. <i>International Journal of Gynecological Cancer</i> , 2008 , 18, 1060-4	3.5	5
50	Endocervical glandular cell abnormalities in conventional cervical smears: evaluation of the performance of cytomorphological criteria and HPV testing in predicting neoplasia. <i>Cytopathology</i> , 2008 , 19, 34-43	1.3	14
49	Recovery of DNA for the detection and genotyping of human papillomavirus from clinical cervical specimens stored for up to 2 years in a universal collection medium with denaturing reagent. <i>Journal of Virological Methods</i> , 2008 , 147, 333-7	2.6	6
48	Atypical glandular cells and adenocarcinoma in situ according to the Bethesda 2001 classification: cytohistological correlation and clinical implications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 139, 79-85	2.4	28
47	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. <i>International Journal of STD and AIDS</i> , 2008 , 19, 251-8	1.4	9
46	Value of conventional pap smear, liquid-based cytology, visual inspection and human papillomavirus testing as optional screening tools among latin american women or =35 years of age: experience from the Latin American Screening Study. <i>Acta Cytologica</i> , 2008 , 52, 641-53	3	14
45	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008 , 15, 97-104	1.4	6
44	Bayesian Estimation of Performance Measures of Cervical Cancer Screening Tests in the Presence of Covariates and Absence of a Gold Standard. <i>Cancer Informatics</i> , 2008 , 6, 117693510800600	2.4	9
43	Increased detection of clue cells in smears from cervical intraepithelial lesions with reduced expression of COX-2. <i>Diagnostic Cytopathology</i> , 2008 , 36, 705-9	1.4	8
42	Implications of a postoperative rehabilitation program on quality of life in women with primary breast cancer treated with sentinel lymph node biopsy or complete axillary lymph node dissection. <i>Annals of Surgical Oncology</i> , 2008 , 15, 3342-9	3.1	10
41	The impact of a community intervention to improve cervical cancer screening uptake in the Amazon region of Brazil. <i>Sao Paulo Medical Journal</i> , 2007 , 125, 42-5	1.6	5
40	Associaçã entre idade ao início da atividade sexual e subsequente infecçã por papilomavíus humano: resultados de um programa de rastreamento brasileiro. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2007 , 29,	1.1	5
39	Interlaboratory quality control in gynecologic cytopathology using the novel CONQUISTADOR software. Interobserver reproducibility in the Latin American screening study. <i>Acta Cytologica</i> , 2007 , 51, 872-81	3	2
38	Cell proliferation activity unrelated to COX-2 expression in ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2007 , 17, 607-14	3.5	13
37	Human papillomavirus (HPV) infections as risk factors for cytological and histological abnormalities in baseline PAP smear-negative women followed-up for 2 years in the LAMS study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 239-46	2.4	12
36	Expression of cyclooxygenase-2 (COX-2) and Ki67 as related to disease severity and HPV detection in squamous lesions of the cervix. <i>Gynecologic Oncology</i> , 2006 , 102, 537-41	4.9	31

35	Cervical cancer in the developing world. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2006 , 20, 339-54	4.6	18
34	Variants of human papillomavirus types 16 and 18: histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in cervical smear. <i>International Journal of Gynecological Pathology</i> , 2006 , 25, 393-7	3.2	14
33	Evaluation of the complexity of postoperative care following breast and gynecologic cancer surgery. <i>Cancer Nursing</i> , 2006 , 29, 499-505	2.6	
32	Prediction of high-grade cervical disease with human papillomavirus detection in women with glandular and squamous cytologic abnormalities. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1055-62	3.5	11
31	Human papillomavirus testing as an optional screening tool in low-resource settings of Latin America: experience from the Latin American Screening study. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 955-62	3.5	29
30	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006 , 85, 444-50	3.8	9
29	Conventional Pap smear and liquid-based cytology as screening tools in low-resource settings in Latin America: experience of the Latin American screening study. <i>Acta Cytologica</i> , 2005 , 49, 500-6	3	27
28	Atypical glandular cells: criteria to discriminate benign from neoplastic lesions and squamous from glandular neoplasia. <i>Cytopathology</i> , 2005 , 16, 295-302	1.3	9
27	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005 , 126, 197-201	2.6	10
26	Human Papillomavirus Detection by Hybrid Capture II and Residual or Recurrent High-Grade Squamous Cervical Intraepithelial Neoplasia after Large Loop Excision of the Transformation Zone (LLETZ). <i>Tumori</i> , 2005 , 91, 188-192	1.7	7
25	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America. This report refers to partial results from the LAMS (Latin American Screening) study. <i>Journal of Medical Screening</i> , 2005 , 12, 142-9	1.4	107
24	Neoplasia intra-epitelial cervical: diagnóstico e tratamento. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2005 , 27,	1.1	3
23	Depressão e ansiedade nos cuidadores de mulheres em fase terminal de câncer de mama e ginecológico. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2005 , 27, 737-743	1.1	4
22	Avaliação de métodos alternativos à citologia no rastreamento de lesões cervicais: detecção de DNA-HPV e inspeção visual. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2004 , 26, 269-275	1.1	1
21	Movimento do ombro após cirurgia por carcinoma invasor da mama: estudo randomizado prospectivo controlado de exercícios livres versus limitados a 90° no pós-operatório. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2004 , 26, 125-130	1.1	11
20	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , 2004 , 94, 181-6	4.9	36
19	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. <i>Gynecologic Oncology</i> , 2004 , 95, 618-23	4.9	50
18	Detection of high-risk human papillomavirus (HPV) DNA by Hybrid Capture II in women referred due to atypical glandular cells in the primary screening. <i>Diagnostic Cytopathology</i> , 2004 , 31, 19-22	1.4	19

17	Factors associated with HPV persistence after treatment for high-grade cervical intra-epithelial neoplasia with large loop excision of the transformation zone (LLETZ). <i>Journal of Clinical Virology</i> , 2004 , 31, 270-4	14.5	55
16	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. <i>Sao Paulo Medical Journal</i> , 2003 , 121, 238-43	1.6	16
15	Deteco do DNA do papilomavrus humano aps exciso da zona de transformao com ala diatmica para tratamento de neoplasia intra-epitelial cervical. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2003 , 25, 09	1.1	
14	Atipia de clulas glandulares em esfregaos do colo do tero: avaliao dos mtodos propeduticos. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2003 , 25, 193	1.1	5
13	Carga viral do papilomavirus humano na predio da gravidade de leses cervicais em mulheres com atipias celulares na colpocitologia oncolgica. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2003 , 25, 365-370	1.1	
12	Expression of p53, c-erbB-2, Ki-67, and CD34 in granulosa cell tumor of the ovary. <i>International Journal of Gynecological Cancer</i> , 2003 , 13, 450-7	3.5	12
11	Risk-of-malignancy index in preoperative evaluation of clinically restricted ovarian cancer. <i>Sao Paulo Medical Journal</i> , 2002 , 120, 72-6	1.6	29
10	Carcinoma Microinvasor no Cone P Bipsia Dirigida Compatvel com NIC 3. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2002 , 24, 37-43	1.1	
9	Avaliao do Parceiro Sexual e Risco de Recidivas em Mulheres Tratadas por Leses Genitais Induzidas por Papilomavrus Humano (HPV). <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2002 , 24, 315-320	1.1	3
8	P53 and Bcl-2 as prognostic predictors in epithelial ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2002 , 12, 720-7	3.5	28
7	Accuracy of intraoperative frozen section diagnosis of ovarian tumors. <i>Gynecologic Oncology</i> , 2001 , 81, 230-2	4.9	74
6	Value of morphological criteria in diagnosing cervical HPV lesions confirmed by in situ hybridization and hybrid capture assay. <i>Pathology Research and Practice</i> , 2001 , 197, 677-82	3.4	15
5	Ovarian Germ Cell Cancer: Clinicopathologic Analysis and Outcome of 31 Cases. <i>Tumori</i> , 2000 , 86, 450-454	1.7	3
4	High risk HPV and p53 protein expression in cervical intraepithelial neoplasia. <i>International Journal of Gynecology and Obstetrics</i> , 2000 , 71, 45-8	4	12
3	Leses induzidas por papilomavrus humano em parceiros de mulheres com neoplasia intra-epitelial do trato genital inferior. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 1999 , 21, 431-437	1.1	1
2	Cigarette smoking and high-risk HPV DNA as predisposing factors for high-grade cervical intraepithelial neoplasia (CIN) in young Brazilian women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998 , 77, 678-82	3.8	20
1	Mullerian adenosarcoma of the uterus in adolescents. <i>International Journal of Gynecology and Obstetrics</i> , 1992 , 38, 119-23	4	12