

# Mujgan Cengiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7674559/publications.pdf>

Version: 2024-02-01

40  
papers

776  
citations

623699

14  
h-index

526264

27  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1271  
citing authors

#	ARTICLE	IF	CITATIONS
1	Downregulation of MMP-2 and MMP-9 genes in obesity patients and their relation with obesity-related phenotypes. <i>Biyokimya Dergisi</i> , 2022, 47, 425-433.	0.5	4
2	The effects of 5-HTTLPR/rs25531 serotonin transporter gene polymorphisms on antisocial personality disorder among criminals in a sample of the Turkish population. <i>Molecular Biology Reports</i> , 2021, 48, 77-84.	2.3	7
3	AGT rs699 and AGTR1 rs5186 gene variants are associated with cardiovascular-related phenotypes in atherosclerotic peripheral arterial obstructive disease. <i>Irish Journal of Medical Science</i> , 2020, 189, 885-894.	1.5	12
4	Orexin/hypocretin receptor, <i>Orx<sub>1</sub></i> , gene variants are associated with major depressive disorder. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019, 23, 114-121.	2.4	12
5	Catechol-O-Methyltransferase Val158Met and brain-derived neurotrophic factor Val66Met gene polymorphisms in paraphilic sexual offenders. <i>Indian Journal of Psychiatry</i> , 2019, 61, 253.	0.7	2
6	Genetic variants rs1994016 and rs3825807 in ADAMTS7 affect its mRNA expression in atherosclerotic occlusive peripheral arterial disease. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	12
7	Increased Expression of Interleukin-18 mRNA is Associated with Carotid Artery Stenosis. <i>Balkan Medical Journal</i> , 2018, 35, 250-255.	0.8	4
8	Upregulation of OLR1 and IL17A genes and their association with blood glucose and lipid levels in femoropopliteal artery disease. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 1160-1168.	1.8	15
9	The Roles of the Long Non-Coding RNA Transcripts in Cardiovascular Diseases. <i>Bezmi-âlem Science</i> , 2017, 5, 74-79.	0.2	0
10	Association between <i>MTHFR</i> C677T polymorphism and folate, vitamin B12, homocysteine, and DNA fragmentation in patients with ovarian cancer. <i>Turkish Journal of Biochemistry</i> , 2016, 41, 459-465.	0.5	1
11	The roles of the GPX1 Pro198Leu and OGG1 Ser326Cys variants in coronary artery disease / GPX1 geni Pro198Leu ve OGG1 geni Ser326Cys varyantlar±n± koroner arter hastal±ndaki rolleri. <i>Turkish Journal of Biochemistry</i> , 2016, 41, 44-50.	0.5	0
12	Increased IL18 mRNA levels in peripheral artery disease and its association with triglyceride and LDL cholesterol levels: a pilot study. <i>Heart and Vessels</i> , 2016, 31, 976-984.	1.2	13
13	Polymorphisms in the long non-coding RNA CDKN2B-AS1 may contribute to higher systolic blood pressure levels in hypertensive patients. <i>Clinical Biochemistry</i> , 2016, 49, 821-827.	1.9	41
14	Forensic Soil Analysis of Gardens from Pakistan and Turkey for Genetic Analysis and Elemental Composition using ICP-MS. <i>Forensic Research &amp; Criminology International Journal</i> , 2016, 3, .	0.1	3
15	Evaluation of effects of melatonin and caffeic acid phenethyl ester on acute potassium dichromate toxicity and genotoxicity in rats. <i>Indian Journal of Pharmacology</i> , 2016, 48, 407.	0.7	10
16	Resveratrol can prevent CCl <sub>4</sub> -induced liver injury by inhibiting Notch signaling pathway. <i>Histology and Histopathology</i> , 2016, 31, 769-84.	0.7	23
17	Evaluation of association between common genetic variants on chromosome 9p21 and coronary artery disease in Turkish population. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 196-203.	0.9	19
18	Pro198Leu polymorphism in the oxidative stress gene, glutathione peroxidase-1, is associated with a gender-specific risk for panic disorder. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 201-207.	2.4	6

#	ARTICLE	IF	CITATIONS
19	Genetic Polymorphism of the Serotonin Transporter Gene, <i>SLC6A4</i> rs16965628, Is Associated with Obsessive Compulsive Disorder. <i>Genetic Testing and Molecular Biomarkers</i> , 2015, 19, 228-234.	0.7	14
20	The Severity of Internal Carotid Artery Stenosis is Associated with the Cyclin-Dependent Kinase Inhibitor 2A Gene Expression. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 659-671.	2.0	5
21	T102C polymorphism of serotonin-2A receptor gene in Turkish schizophrenia patients: Association with cognitive impairment and soft neurological signs. <i>Indian Journal of Psychiatry</i> , 2014, 56, 359-64.	0.7	0
22	T102C polymorphism of serotonin-2A receptor gene in Turkish schizophrenia patients: Association with cognitive impairment and soft neurological signs. <i>Indian Journal of Psychiatry</i> , 2014, 56, 359.	0.7	6
23	Deficiency of selenium and zinc as a causative factor for idiopathic intractable epilepsy. <i>Epilepsy Research</i> , 2013, 104, 35-39.	1.6	63
24	Chromosome 9p21 rs10757278 polymorphism is associated with the risk of metabolic syndrome. <i>Molecular and Cellular Biochemistry</i> , 2013, 379, 77-85.	3.1	12
25	Serum Paraoxonase Levels and PON1(192) Polymorphism in Type 2 Diabetes Mellitus Patients. <i>Gazi Medical Journal</i> , 2013, 24, .	0.0	5
26	Serotonin-2a receptor and catechol-O-methyltransferase polymorphisms in panic disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 5-10.	4.8	12
27	Genetic polymorphism of <i>angiotensin converting enzyme</i> ( <i>ACE</i> ), but not <i>angiotensin II type I receptor</i> ( <i>ATr1</i> ), has a gender-specific role in panic disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 130-137.	1.8	9
28	Doxorubicin Induced Nephrotoxicity: Protective Effect of Nicotinamide. <i>International Journal of Cell Biology</i> , 2011, 2011, 1-9.	2.5	109
29	Effect of blood stained soils and time period on DNA and allele drop out using Promega 16 Powerplex <sup>®</sup> kit. <i>Forensic Science International: Genetics Supplement Series</i> , 2009, 2, 161-162.	0.3	4
30	Factor V Leiden, Prothrombin G20210A, and Protein C Mutation Frequency in Turkish Venous Thrombosis Patients. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2008, 14, 415-420.	1.7	16
31	Gentamicin-Induced Nephrotoxicity in Rats Ameliorated and Healing Effects of Resveratrol. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 79-83.	1.4	76
32	The investigation of GSTT1, GSTM1 and SOD polymorphism in bladder cancer patients. <i>International Urology and Nephrology</i> , 2007, 39, 1043-1048.	1.4	28
33	The Role of N-Acetylcysteine Treatment on Anti-Oxidative Status in Patients with Type II Diabetes Mellitus. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2006, 17, 245-254.	1.3	15
34	The Effects of Vigabatrin on Rat Liver Antioxidant Status. <i>Drug Metabolism and Drug Interactions</i> , 2005, 21, 109-115.	0.3	4
35	Plasma carnitine levels in children with down syndrome. <i>American Journal of Human Biology</i> , 2001, 13, 721-725.	1.6	6
36	Changes in the Antioxidant System in Epileptic Children Receiving Antiepileptic Drugs: Two-Year Prospective Studies. <i>Journal of Child Neurology</i> , 2001, 16, 603-606.	1.4	47

#	ARTICLE	IF	CITATIONS
37	Erythrocyte Glutathione, Glutathione Peroxidase, Superoxide Dismutase and Serum Lipid Peroxidation in Epileptic Children With Valproate and Carbamazepine Monotherapy. Journal of Basic and Clinical Physiology and Pharmacology, 2000, 11, 73-81.	1.3	57
38	THE EFFECTS OF CARBAMAZEPINE AND VALPROIC ACID ON THE ERYTHROCYTE GLUTATHIONE, GLUTATHIONE PEROXIDASE, SUPEROXIDE DISMUTASE AND SERUM LIPID PEROXIDATION IN EPILEPTIC CHILDREN. Pharmacological Research, 2000, 41, 423-425.	7.1	81
39	N-acetyl-β-glucosaminidase and β-galactosidase activity in children receiving antiepileptic drugs. Pediatric Neurology, 1999, 20, 24-26.	2.1	19
40	Glutathione and Related Enzymes in Rat Liver Treated with Methyl Nitrosourea. Journal of Basic and Clinical Physiology and Pharmacology, 1996, 7, 341-346.	1.3	4