

# Peter J O'brien

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7676680/publications.pdf>

Version: 2024-02-01

68  
papers

5,997  
citations

117625  
34  
h-index

118850  
62  
g-index

101  
all docs

101  
docs citations

101  
times ranked

8775  
citing authors

#	ARTICLE	IF	CITATIONS
1	Methotrexate induced mitochondrial injury and cytochrome c release in rat liver hepatocytes. Drug and Chemical Toxicology, 2018, 41, 51-61.	2.3	54
2	Risk factors for colorectal cancer in man induce aberrant crypt foci in rats: Preliminary findings. Nutrition and Cancer, 2016, 68, 94-104.	2.0	8
3	Design of Hybrid MnO <sub>2</sub> -Polymer-Lipid Nanoparticles with Tunable Oxygen Generation Rates and Tumor Accumulation for Cancer Treatment. Advanced Functional Materials, 2015, 25, 1858-1872.	14.9	182
4	Hybrid Nanoparticles: Design of Hybrid MnO <sub>2</sub> -Polymer-Lipid Nanoparticles with Tunable Oxygen Generation Rates and Tumor Accumulation for Cancer Treatment (Adv. Funct. Mater. 12/2015). Advanced Functional Materials, 2015, 25, 1857-1587.	14.9	8
5	Protective effects of ferulic acid and related polyphenols against glyoxal- or methylglyoxal-induced cytotoxicity and oxidative stress in isolated rat hepatocytes. Chemico-Biological Interactions, 2015, 234, 96-104.	4.0	57
6	Evaluation of Azathioprine-Induced Cytotoxicity in an <i>In Vitro</i> Rat Hepatocyte System. BioMed Research International, 2014, 2014, 1-7.	1.9	16
7	Glyoxal and methylglyoxal: Autoxidation from dihydroxyacetone and polyphenol cytoprotective antioxidant mechanisms. Chemico-Biological Interactions, 2013, 202, 267-274.	4.0	13
8	Acrolein and chloroacetaldehyde: An examination of the cell and cell-free biomarkers of toxicity. Chemico-Biological Interactions, 2013, 202, 259-266.	4.0	35
9	A-CD Estrogens. I. Substituent Effects, Hormone Potency, and Receptor Subtype Selectivity in a New Family of Flexible Estrogenic Compounds. Journal of Medicinal Chemistry, 2011, 54, 433-448.	6.4	22
10	Rescuing hepatocytes from iron-catalyzed oxidative stress using vitamins B1 and B6. Toxicology in Vitro, 2011, 25, 1114-1122.	2.4	19
11	Metabolic mechanisms of methanol/formaldehyde in isolated rat hepatocytes: Carbonyl-metabolizing enzymes versus oxidative stress. Chemico-Biological Interactions, 2011, 191, 308-314.	4.0	38
12	Differences in glyoxal and methylglyoxal metabolism determine cellular susceptibility to protein carbonylation and cytotoxicity. Chemico-Biological Interactions, 2011, 191, 322-329.	4.0	38
13	Cytotoxic effects of polychlorinated biphenyl hydroquinone metabolites in rat hepatocytes. Journal of Applied Toxicology, 2010, 30, 163-171.	2.8	10
14	Cytoprotection by almond skin extracts or catechins of hepatocyte cytotoxicity induced by hydroperoxide (oxidative stress model) versus glyoxal or methylglyoxal (carbonylation model). Chemico-Biological Interactions, 2010, 185, 101-109.	4.0	26
15	Hepatocyte or serum albumin protein carbonylation by oxidized fructose metabolites: Glyceraldehyde or glycolaldehyde as endogenous toxins?. Chemico-Biological Interactions, 2010, 188, 31-37.	4.0	14
16	Hepatocyte cytotoxicity induced by hydroperoxide (oxidative stress model) or glyoxal (carbonylation) TJ ETQq0 0 0 rgBT /Overlock 10 Tf 324-331.	4.0	21
17	Cytoprotective mechanisms of carbonyl scavenging drugs in isolated rat hepatocytes. Chemico-Biological Interactions, 2009, 178, 317-323.	4.0	39
18	Amodiaquine-induced oxidative stress in a hepatocyte inflammation model. Toxicology, 2009, 256, 101-109.	4.2	31

#	ARTICLE	IF	CITATIONS
19	Preventing cell death induced by carbonyl stress, oxidative stress or mitochondrial toxins with vitamin B anti-AGE agents. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 379-385.	3.3	30
20	Tetramethylphenylenediamine-induced hepatocyte cytotoxicity caused by lysosomal labilisation and redox cycling with oxygen activation. <i>Chemico-Biological Interactions</i> , 2008, 172, 39-47.	4.0	6
21	Accelerated Cytotoxic Mechanism Screening of Hydralazine Using an in Vitro Hepatocyte Inflammatory Cell Peroxidase Model. <i>Chemical Research in Toxicology</i> , 2008, 21, 904-910.	3.3	13
22	Copper-catalyzed ascorbate oxidation results in glyoxal/AGE formation and cytotoxicity. <i>Molecular Nutrition and Food Research</i> , 2007, 51, 445-455.	3.3	17
23	Prevention of hydrogen sulfide (H <sub>2</sub> S)-induced mouse lethality and cytotoxicity by hydroxocobalamin (vitamin B12a). <i>Toxicology</i> , 2007, 242, 16-22.	4.2	71
24	Hepatocyte susceptibility to glyoxal is dependent on cell thiamin content. <i>Chemico-Biological Interactions</i> , 2007, 165, 146-154.	4.0	29
25	Structure-activity relationships for halobenzene induced cytotoxicity in rat and human hepatocytes. <i>Chemico-Biological Interactions</i> , 2007, 165, 165-174.	4.0	41
26	Molecular cytotoxic mechanisms of catecholic polychlorinated biphenyl metabolites in isolated rat hepatocytes. <i>Chemico-Biological Interactions</i> , 2007, 167, 184-192.	4.0	20
27	Mitochondrial function and toxicity: Role of the B vitamin family on mitochondrial energy metabolism. <i>Chemico-Biological Interactions</i> , 2006, 163, 94-112.	4.0	347
28	Glyoxal markedly compromises hepatocyte resistance to hydrogen peroxide. <i>Biochemical Pharmacology</i> , 2006, 71, 1610-1618.	4.4	28
29	Application of quantitative structure-toxicity relationships for acute NSAID cytotoxicity in rat hepatocytes. <i>Chemico-Biological Interactions</i> , 2005, 151, 177-191.	4.0	43
30	The biosynthesis of ascorbate protects isolated rat hepatocytes from cumene hydroperoxide-mediated oxidative stress. <i>Free Radical Biology and Medicine</i> , 2005, 38, 867-873.	2.9	12
31	Peroxidases: a role in the metabolism and side effects of drugs. <i>Drug Discovery Today</i> , 2005, 10, 617-625.	6.4	68
32	Drug-induced mitochondrial toxicity. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2005, 1, 655-669.	3.3	149
33	Aldehyde Sources, Metabolism, Molecular Toxicity Mechanisms, and Possible Effects on Human Health. <i>Critical Reviews in Toxicology</i> , 2005, 35, 609-662.	3.9	590
34	The effects of partial thiamin deficiency and oxidative stress (i.e., glyoxal and methylglyoxal) on the levels of 1±-oxoaldehyde plasma protein adducts in Fischer 344 rats. <i>FEBS Letters</i> , 2005, 579, 5596-5602.	2.8	24
35	Application of Quantitative Structure-Toxicity Relationships for the Comparison of the Cytotoxicity of 14 p-Benzoquinone Congeners in Primary Cultured Rat Hepatocytes Versus PC12 Cells. <i>Toxicological Sciences</i> , 2004, 81, 148-159.	3.1	71
36	Potential toxicity of flavonoids and other dietary phenolics: significance for their chemopreventive and anticancer properties. <i>Free Radical Biology and Medicine</i> , 2004, 37, 287-303.	2.9	876

#	ARTICLE	IF	CITATIONS
37	The cytotoxic mechanism of glyoxal involves oxidative stress. <i>Biochemical Pharmacology</i> , 2004, 68, 1433-1442.	4.4	146
38	Quantitative structure toxicity relationships for catechols in isolated rat hepatocytes. <i>Chemico-Biological Interactions</i> , 2004, 147, 297-307.	4.0	39
39	Human and animal hepatocytes in vitro with extrapolation in vivo. <i>Chemico-Biological Interactions</i> , 2004, 150, 97-114.	4.0	77
40	H <sub>2</sub> S cytotoxicity mechanism involves reactive oxygen species formation and mitochondrial depolarisation. <i>Toxicology</i> , 2004, 203, 69-76.	4.2	182
41	Metabolism, not autooxidation, plays a role in alpha-oxoaldehyde- and reducing sugar-induced erythrocyte GSH depletion: relevance for diabetes mellitus. <i>Molecular and Cellular Biochemistry</i> , 2003, 252, 331-338.	3.1	47
42	Effects of phosphodiesterase 3,4,5 inhibitors on hepatocyte cAMP levels, glycogenolysis, gluconeogenesis and susceptibility to a mitochondrial toxin. <i>Molecular and Cellular Biochemistry</i> , 2003, 252, 205-211.	3.1	80
43	Dietary flavonoid iron complexes as cytoprotective superoxide radical scavengers. <i>Free Radical Biology and Medicine</i> , 2003, 34, 243-253.	2.9	205
44	Modulating carbonyl cytotoxicity in intact rat hepatocytes by inhibiting carbonyl-metabolizing enzymes. I. Aliphatic alkenals. <i>Chemico-Biological Interactions</i> , 2003, 143-144, 107-117.	4.0	23
45	Quantitative structure toxicity relationships for phenols in isolated rat hepatocytes. <i>Chemico-Biological Interactions</i> , 2003, 145, 213-223.	4.0	89
46	Metabolism of caffeic acid by isolated rat hepatocytes and subcellular fractions. <i>Toxicology Letters</i> , 2002, 133, 141-151.	0.8	62
47	Endogenous and endobiotic induced reactive oxygen species formation by isolated hepatocytes. <i>Free Radical Biology and Medicine</i> , 2002, 32, 2-10.	2.9	100
48	Prooxidant activity and cellular effects of the phenoxyl radicals of dietary flavonoids and other polyphenolics. <i>Toxicology</i> , 2002, 177, 91-104.	4.2	467
49	Catechin Metabolism: Glutathione Conjugate Formation Catalyzed by Tyrosinase, Peroxidase, and Cytochrome P450. <i>Chemical Research in Toxicology</i> , 2001, 14, 841-848.	3.3	87
50	Fanconi anemia group C protein prevents apoptosis in hematopoietic cells through redox regulation of GSTP1. <i>Nature Medicine</i> , 2001, 7, 814-820.	30.7	235
51	Cytochrome P450 2E1 metabolically activates propargyl alcohol: propionaldehyde-induced hepatocyte cytotoxicity. <i>Chemico-Biological Interactions</i> , 2001, 130-132, 931-942.	4.0	20
52	The formaldehyde metabolic detoxification enzyme systems and molecular cytotoxic mechanism in isolated rat hepatocytes. <i>Chemico-Biological Interactions</i> , 2001, 130-132, 285-296.	4.0	169
53	Peroxidative metabolism of apigenin and naringenin versus luteolin and quercetin: glutathione oxidation and conjugation. <i>Free Radical Biology and Medicine</i> , 2001, 30, 370-382.	2.9	186
54	A comparison of hepatocyte cytotoxic mechanisms for Cu <sup>2+</sup> and Cd <sup>2+</sup> . <i>Toxicology</i> , 2000, 143, 263-273.	4.2	246

#	ARTICLE	IF	CITATIONS
55	Contrasting role of Na <sup>+</sup> ions in modulating Cu <sup>2+</sup> or Cd <sup>2+</sup> induced hepatocyte toxicity. Chemico-Biological Interactions, 2000, 126, 159-169.	4.0	36
56	Peroxidases. Chemico-Biological Interactions, 2000, 129, 113-139.	4.0	228
57	Superoxide radical scavenging and attenuation of hypoxia-reoxygenation injury by neurotransmitter ferric complexes in isolated rat hepatocytes. Neuroscience Letters, 2000, 296, 37-40.	2.1	21
58	Catecholic iron complexes as cytoprotective superoxide scavengers against hypoxia:reoxygenation injury in isolated hepatocytes. Biochemical Pharmacology, 1998, 56, 825-830.	4.4	33
59	The Involvement of Cytochrome P450 Peroxidase in the Metabolic Bioactivation of Cumene Hydroperoxide by Isolated Rat Hepatocytes. Chemical Research in Toxicology, 1996, 9, 924-931.	3.3	16
60	The Involvement of Cytochrome P450E1 in 2-Bromoethanol-Induced Hepatocyte Cytotoxicity. Basic and Clinical Pharmacology and Toxicology, 1996, 78, 241-248.	0.0	7
61	1-Bromoalkanes as new potent nontoxic glutathione depletors in isolated rat hepatocytes. Biochemical and Biophysical Research Communications, 1991, 179, 436-441.	2.1	105
62	The Adriamycin (doxorubicin)-induced inactivation of cytochrome c oxidase depends on the presence of iron or copper. Xenobiotica, 1989, 19, 231-241.	1.1	15
63	Current in vitro Models to Study Drug-Induced Liver Injury. , 0, , 1-55.		3
64	Human and Animal-Based Differences in Hepatic Xenobiotic Metabolism and Toxicity. , 0, , 537-561.		0
65	Tetrahydropapaveroline, an Endogenous Dicatechol Isoquinoline Neurotoxin. , 0, , 733-746.		0
66	Appendix: Questions for Discussion. , 0, , 907-913.		0
67	Genotoxicity of Endogenous Estrogens. , 0, , 859-879.		0
68	Glyceraldehyde-Related Reaction Products. , 0, , 213-225.		0