

François Boyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7677146/publications.pdf>

Version: 2024-02-01

60
papers

1,515
citations

331670

21
h-index

345221

36
g-index

73
all docs

73
docs citations

73
times ranked

2064
citing authors

#	ARTICLE	IF	CITATIONS
1	Adjunct therapies after botulinum toxin injections in spastic adults: Systematic review and SOFMER recommendations. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101544.	2.3	5
2	Impact of resistance training on the 6-minute walk test in individuals with chronic obstructive pulmonary disease: A systematic review and meta-analysis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101582.	2.3	10
3	Mobility and quality of life among adults with 5q-spinal muscular atrophy: the influence of individual history. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101552.	2.3	1
4	Evidence-based position paper on Physical and Rehabilitation Medicine practice for people with amyotrophic lateral sclerosis. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2022, 58, .	2.2	1
5	Characteristics of COVID-19 Inpatients in Rehabilitation Units during the First Pandemic Wave: A Cohort Study from a Large Hospital in Champagne Region. <i>Biology</i> , 2022, 11, 937.	2.8	6
6	Additional, Mechanized Upper Limb Self-Rehabilitation in Patients With Subacute Stroke: The REM-AVC Randomized Trial. <i>Stroke</i> , 2021, 52, 1938-1947.	2.0	20
7	Management of antithrombotics for intramuscular injection of botulinum toxin for spasticity. A survey of real-life practice in France. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101467.	2.3	0
8	Long-term benefit of enzyme replacement therapy with alglucosidase alfa in adults with Pompe disease: Prospective analysis from the French Pompe Registry. <i>Journal of Inherited Metabolic Disease</i> , 2020, 43, 1219-1231.	3.6	21
9	AbobotulinumtoxinA injections in shoulder muscles to improve adult upper limb spasticity: Results from a phase 4 real-world study and a phase 3 open-label trial. <i>Journal of Rehabilitation Medicine</i> , 2020, 52, jrm00068.	1.1	4
10	Can whole body vibration exercises promote improvement on quality of life and on chronic pain level of metabolic syndrome patients? A pseudorandomized crossover study. <i>Journal of Applied Physiology</i> , 2020, 128, 934-940.	2.5	6
11	Guidance for the care of neuromuscular patients during the COVID-19 pandemic outbreak from the French Rare Health Care for Neuromuscular Diseases Network. <i>Revue Neurologique</i> , 2020, 176, 507-515.	1.5	71
12	Can a new ergonomical ankle-foot orthosis (AFO) device improve patients' daily life? A preliminary study. <i>Theoretical Issues in Ergonomics Science</i> , 2019, 20, 763-772.	1.8	2
13	French clinical guidelines for peripheral motor nerve blocks in a PRM setting. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 252-264.	2.3	21
14	Guided Self-rehabilitation Contract vs conventional therapy in chronic stroke-induced hemiparesis: NEURORESTORE, a multicenter randomized controlled trial. <i>BMC Neurology</i> , 2019, 19, 39.	1.8	19
15	Acute and Cumulative Effects With Whole-Body Vibration Exercises Using 2 Biomechanical Conditions on the Flexibility and Rating of Perceived Exertion in Individuals With Metabolic Syndrome: A Randomized Clinical Trial Pilot Study. <i>Dose-Response</i> , 2019, 17, 155932581988649.	1.6	9
16	Adjunct therapies to improve outcomes after botulinum toxin injection in children: A systematic review. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 283-290.	2.3	19
17	The approach of physiatrists to low back pain across Europe. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2019, 32, 131-139.	1.1	2
18	Effects of repeated abobotulinumtoxinA injections in upper limb spasticity. <i>Muscle and Nerve</i> , 2018, 57, 245-254.	2.2	51

#	ARTICLE	IF	CITATIONS
19	Effect of whole body cryotherapy interventions on health-related quality of life in fibromyalgia patients: A randomized controlled trial. <i>Complementary Therapies in Medicine</i> , 2018, 36, 6-8.	2.7	31
20	Effects of a 6-month self-rehabilitation programme in addition to botulinum toxin injections and conventional physiotherapy on limitations of patients with spastic hemiparesis following stroke (ADJU-TOX): protocol study for a randomised controlled, investigator blinded study. <i>BMJ Open</i> , 2018, 8, e020915.	1.9	12
21	Should whole body cryotherapy sessions be differentiated between women and men? A preliminary study on the role of the body thermal resistance. <i>Medical Hypotheses</i> , 2018, 120, 60-64.	1.5	19
22	Late-onset Pompe disease in France: molecular features and epidemiology from a nationwide study. <i>Journal of Inherited Metabolic Disease</i> , 2018, 41, 937-946.	3.6	27
23	White Book on Physical and Rehabilitation Medicine in Europe. Introductions, Executive Summary, and Methodology. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2018, 54, 125-155.	2.2	57
24	White Book on Physical and Rehabilitation Medicine (PRM) in Europe. Chapter 8. The PRM specialty in the healthcare system and society. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2018, 54, 261-278.	2.2	9
25	Infrared thermography for assessing skin temperature differences between Partial Body Cryotherapy and Whole Body Cryotherapy devices at $\sim 140^{\circ}\text{C}$. <i>Infrared Physics and Technology</i> , 2018, 93, 158-161.	2.9	14
26	What are the appropriate methods for analyzing patient-reported outcomes in randomized trials when data are missing?. <i>Statistical Methods in Medical Research</i> , 2017, 26, 2897-2908.	1.5	8
27	Exploring quality of life in people with slowly-progressive neuromuscular disease. <i>Disability and Rehabilitation</i> , 2017, 39, 1262-1270.	1.8	14
28	The quality of life in genetic neuromuscular disease questionnaire: Rasch validation of the French version. <i>Muscle and Nerve</i> , 2017, 56, 1085-1091.	2.2	14
29	Efficacy and Safety of AbobotulinumtoxinA (Dysport) for the Treatment of Hemiparesis in Adults With Upper Limb Spasticity Previously Treated With Botulinum Toxin: Subanalysis From a Phase 3 Randomized Controlled Trial. <i>PM and R</i> , 2017, 9, 1181-1190.	1.6	17
30	Comparison of FAP scores with the use of safety footwear and regular walking shoes. <i>Theoretical Issues in Ergonomics Science</i> , 2017, 18, 631-642.	1.8	3
31	Pulmonary rehabilitation practice guidelines and chronic pulmonary diseases. <i>Annals of Physical and Rehabilitation Medicine</i> , 2017, 60, e104.	2.3	0
32	Effect of enzyme replacement therapy with alglucosidase alfa (Myozyme®) in 12 patients with advanced late-onset Pompe disease. <i>Molecular Genetics and Metabolism</i> , 2017, 122, 80-85.	1.1	21
33	Non Random Distribution of DMD Deletion Breakpoints and Implication of Double Strand Breaks Repair and Replication Error Repair Mechanisms. <i>Journal of Neuromuscular Diseases</i> , 2016, 3, 227-245.	2.6	11
34	Theoretical modeling of time-dependent skin temperature and heat losses during whole-body cryotherapy: A pilot study. <i>Medical Hypotheses</i> , 2016, 96, 11-15.	1.5	17
35	Gender as a Modifying Factor Influencing Myotonic Dystrophy Type 1 Phenotype Severity and Mortality: A Nationwide Multiple Databases Cross-Sectional Observational Study. <i>PLoS ONE</i> , 2016, 11, e0148264.	2.5	113
36	Construction of a Quality of Life Questionnaire for slowly progressive neuromuscular disease. <i>Quality of Life Research</i> , 2015, 24, 2615-2623.	3.1	19

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of abobotulinumtoxinA for hemiparesis in adults with upper limb spasticity after stroke or traumatic brain injury: a double-blind randomised controlled trial. <i>Lancet Neurology</i> , The, 2015, 14, 992-1001.	10.2	174
38	Origin of mechanical modifications in poly (ether ether ketone)/carbon nanotube composite. <i>Journal of Applied Physics</i> , 2014, 115, .	2.5	5
39	Effort training in Parkinson's disease: A systematic review. <i>Annals of Physical and Rehabilitation Medicine</i> , 2014, 57, 79-104.	2.3	42
40	Aerobic capacities and exercise tolerance in neuromuscular diseases: A descriptive study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2013, 56, 420-433.	2.3	13
41	Social support and six-month outcome among elderly patients hospitalised via emergency department: The SAFES Cohort Study. <i>European Geriatric Medicine</i> , 2013, 4, 161-166.	2.8	4
42	Executive functions of children with developmental dyspraxia: Assessment combining neuropsychological and ecological tests. <i>Annals of Physical and Rehabilitation Medicine</i> , 2013, 56, 268-287.	2.3	18
43	Predictive factors of long-term mortality of persons with tetraplegic spinal cord injury: an 11-year French prospective study. <i>Spinal Cord</i> , 2011, 49, 728-735.	1.9	13
44	Predictors of institution admission in the year following acute hospitalisation of elderly people. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 399-403.	3.3	28
45	Methodological issues regarding power of classical test theory (CTT) and item response theory (IRT)-based approaches for the comparison of patient-reported outcomes in two groups of patients - a simulation study. <i>BMC Medical Research Methodology</i> , 2010, 10, 24.	3.1	46
46	Quality of life in dementia: Psychometric properties of a French language version of the Dementia Quality of Life questionnaire (DQoL). <i>European Geriatric Medicine</i> , 2010, 1, 334-347.	2.8	7
47	Post-polio syndrome and rehabilitation. <i>Annals of Physical and Rehabilitation Medicine</i> , 2010, 53, 42-50.	2.3	50
48	Post-polio syndrome: Pathophysiological hypotheses, diagnosis criteria, medication therapeutics. <i>Annals of Physical and Rehabilitation Medicine</i> , 2010, 53, 34-41.	2.3	33
49	Predictors of rapid cognitive decline among demented subjects aged 75 or more: (â€˜Sujet AgÃ©) Tj ETQq1 1 0.784314 rgBT /Overlook 709-715.	2.7	20
50	Evaluation of a Graphic Interface to Control A Robotic Grasping Arm: A Multicenter Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1740-1748.	0.9	33
51	Potentially Inappropriate Use of Psychotropic Medications in Hospitalized Elderly Patients in France. <i>Drugs and Aging</i> , 2008, 25, 933-946.	2.7	47
52	Vestibular rehabilitation therapy. <i>Neurophysiologie Clinique</i> , 2008, 38, 479-487.	2.2	27
53	Evaluation of a Stair-Climbing Power Wheelchair in 25 People With Tetraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1958-1964.	0.9	30
54	Health related quality of life in people with hereditary neuromuscular diseases: An investigation of test-retest agreement with comparison between two generic questionnaires, the Nottingham health profile and the short form-36 items. <i>Neuromuscular Disorders</i> , 2006, 16, 99-106.	0.6	32

#	ARTICLE	IF	CITATIONS
55	Health Status in Patients with Alzheimer's Disease: An Investigation of Inter-rater Agreement. Quality of Life Research, 2006, 15, 811-819.	3.1	29
56	FACTORS RELATING TO CARER BURDEN FOR FAMILIES OF PERSONS WITH MUSCULAR DYSTROPHY. Journal of Rehabilitation Medicine, 2006, 38, 309-315.	1.1	51
57	Tonic dystonia: an uncommon complication of reflex sympathetic dystrophy syndrome. A review of five cases. Joint Bone Spine, 2005, 72, 260-262.	1.6	15
58	Hereditary neuromuscular disease and multicomposite subjective health status: feasibility, internal consistency and test-retest reliability in the French version of the Nottingham Health Profile, the ISPN. Clinical Rehabilitation, 2005, 19, 644-653.	2.2	11
59	Agreement between dementia patient report and proxy reports using the Nottingham Health Profile. International Journal of Geriatric Psychiatry, 2004, 19, 1026-1034.	2.7	76
60	La sédimentation sableuse sur la cote atlantique entre la Loire et le Bassin d'Arcachon. Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie, 1955, 43, 406-425.	1.3	1