

# Sylwia WoÅ>ko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7677543/publications.pdf>

Version: 2024-02-01

23  
papers

355  
citations

840585

11  
h-index

839398

18  
g-index

23  
all docs

23  
docs citations

23  
times ranked

509  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Interaction of Selective A1 and A2A Adenosine Receptor Antagonists with Magnesium and Zinc Ions in Mice: Behavioural, Biochemical and Molecular Studies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1840.	1.8	5
2	Influence of <i>Smallanthus sonchifolius</i> (Yacon) on the Activity of Antidepressant Drugs in Mice. <i>Life</i> , 2021, 11, 1117.	1.1	1
3	Ligands of the CB2 cannabinoid receptors augment activity of the conventional antidepressant drugs in the behavioural tests in mice. <i>Behavioural Brain Research</i> , 2020, 378, 112297.	1.2	10
4	Influence of the CB1 and CB2 cannabinoid receptor ligands on the activity of atypical antidepressant drugs in the behavioural tests in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 188, 172833.	1.3	11
5	Influence of the endocannabinoid system on the antidepressant activity of bupropion and moclobemide in the behavioural tests in mice. <i>Pharmacological Reports</i> , 2020, 72, 1562-1572.	1.5	8
6	Influence of the CB1 cannabinoid receptors on the activity of the monoaminergic system in the behavioural tests in mice. <i>Brain Research Bulletin</i> , 2019, 150, 179-185.	1.4	9
7	Agomelatine and tianeptine antidepressant activity in mice behavioral despair tests is enhanced by DMPX, a selective adenosine A2A receptor antagonist, but not DPCPX, a selective adenosine A1 receptor antagonist. <i>Pharmacological Reports</i> , 2019, 71, 676-681.	1.5	16
8	Antidepressant-Like Activity of Typical Antidepressant Drugs in the Forced Swim Test and Tail Suspension Test in Mice Is Augmented by DMPX, an Adenosine A2A Receptor Antagonist. <i>Neurotoxicity Research</i> , 2019, 35, 344-352.	1.3	32
9	CB1 cannabinoid receptor ligands augment the antidepressant-like activity of biometals (magnesium) <i>Tj ETQq1 1 0,784314 rgBT /Ove</i>	1.2	8
10	Cannabinoids in depressive disorders. <i>Life Sciences</i> , 2018, 213, 18-24.	2.0	42
11	DPCPX, a selective adenosine A1 receptor antagonist, enhances the antidepressant-like effects of imipramine, escitalopram, and reboxetine in mice behavioral tests. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 1361-1371.	1.4	18
12	8-Cyclopentyl-1,3-dimethylxanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 694-702.	1.2	7
13	Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reuptake inhibitors in the forced swim and tail suspension tests in mice. Effects on <i>Comt</i> , <i>Slc6a15</i> and <i>Adora1</i> gene expression. <i>Toxicology and Applied Pharmacology</i> , 2017, 337, 95-103.	1.3	11
14	Selenium and manganese in depression – preclinical and clinical studies. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2017, 30, 151-155.	0.1	4
15	The Positive Synergism of CPT and MK-801 in Behavioral Tests and in Reduction of Environmental Stress and Redox Signaling Changes in Mice Cerebral Cortex. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017, 16, 837-845.	0.8	4
16	Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim test in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 211-221.	1.4	46
17	Traxoprodil, a selective antagonist of the NR2B subunit of the NMDA receptor, potentiates the antidepressant-like effects of certain antidepressant drugs in the forced swim test in mice. <i>Metabolic Brain Disease</i> , 2016, 31, 803-814.	1.4	21
18	Synergistic antidepressant-like effect of the joint administration of caffeine and NMDA receptor ligands in the forced swim test in mice. <i>Journal of Neural Transmission</i> , 2016, 123, 463-472.	1.4	10

#	ARTICLE	IF	CITATIONS
19	Caffeine augments the antidepressant-like activity of mianserin and agomelatine in forced swim and tail suspension tests in mice. <i>Pharmacological Reports</i> , 2016, 68, 56-61.	1.5	32
20	The influence of caffeine on the activity of moclobemide, venlafaxine, bupropion and milnacipran in the forced swim test in mice. <i>Life Sciences</i> , 2015, 136, 13-18.	2.0	15
21	An anti-immobility effect of spermine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2014, 66, 223-227.	1.5	8
22	The effects of ifenprodil on the activity of antidepressant drugs in the forced swim test in mice. <i>Pharmacological Reports</i> , 2014, 66, 1031-1036.	1.5	12
23	Effects of ifenprodil on the antidepressant-like activity of NMDA ligands in the forced swim test in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 29-35.	2.5	25