Go Omura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7680185/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	BCOR-CCNB3 sarcoma arising in the pharynx. Auris Nasus Larynx, 2023, 50, 618-622.	1.2	1
2	Transnasal photoimmunotherapy with cetuximab sarotalocan sodium: Outcomes on the local recurrence of nasopharyngeal squamous cell carcinoma. Auris Nasus Larynx, 2023, 50, 641-645.	1.2	7
3	Surgical technique for superselective neck dissection under local anesthesia in recurrent head and neck cancer. Head and Neck, 2022, , .	2.0	1
4	Carotid artery ligation via sternotomy as a palliative surgery: Case report of advanced intramediastinal malignant soft tissue tumor. Clinical Case Reports (discontinued), 2021, 9, .	0.5	0
5	Common carotid artery ligation at the proximal side before rupture in patients with ligation or occlusion of the external carotid artery at risk of carotid blowout syndrome. Japanese Journal of Clinical Oncology, 2019, 49, 839-844.	1.3	1
6	Impact of Surgical Margin in Skull Base Surgery for Head and Neck Sarcomas. Journal of Neurological Surgery, Part B: Skull Base, 2018, 79, 437-444.	0.8	9
7	Association between aldehyde dehydrogenase-2 polymorphisms, alcohol consumption, and prognosis in Japanese patients with hypopharyngeal cancer. Japanese Journal of Head and Neck Cancer, 2018, 44, 365-369.	0.1	0
8	Survival impact of local extension sites in surgically treated patients with temporal bone squamous cell carcinoma. International Journal of Clinical Oncology, 2017, 22, 431-437.	2.2	13
9	Prognostic value of lymphovascular invasion of the primary tumor in hypopharyngeal carcinoma after total laryngopharyngectomy. Head and Neck, 2017, 39, 1535-1543.	2.0	16
10	Chondrosarcoma of the cricoid cartilage treated with organ-preservation surgery ― a case repor. Journal of Japan Society for Head and Neck Surgery, 2017, 26, 383-387.	0.0	1
11	The prognostic value of TP53 mutations in hypopharyngeal squamous cell carcinoma. BMC Cancer, 2017, 17, 898.	2.6	21
12	Association of the upregulated expression of focal adhesion kinase with poor prognosis and tumor dissemination in hypopharyngeal cancer. Head and Neck, 2016, 38, 1164-1169.	2.0	10
13	Comorbidity as predictor poor prognosis for patients with advanced head and neck cancer treated with major surgery. Head and Neck, 2016, 38, 364-369.	2.0	17
14	Hypothyroidism after total laryngectomy or laryngopharyngectomy combined with hemithyroidectomy. Journal of Japan Society for Head and Neck Surgery, 2015, 25, 235-239.	0.0	1
15	Prognostic value of p16 expression irrespective of human papillomavirus status in patients with oropharyngeal carcinoma. Japanese Journal of Clinical Oncology, 2015, 45, 828-836.	1.3	25
16	Disease control and clinicopathological prognostic factors of total pharyngolaryngectomy for hypopharyngeal cancer: a single-center study. International Journal of Clinical Oncology, 2015, 20, 290-297.	2.2	10
17	Salvage surgery for local residual or recurrent pharyngeal cancer after radiotherapy or chemoradiotherapy. Laryngoscope, 2014, 124, 2075-2080.	2.0	23
18	Negative Human Papillomavirus Status and Excessive Alcohol Consumption are Significant Risk Factors for Second Primary Malignancies in Japanese Patients with Oropharyngeal Carcinomaâ€. Japanese Journal of Clinical Oncology, 2014, 44, 564-569.	1.3	18

#	Article	IF	CITATIONS
19	Prognostic value of p16 expression and alcohol consumption in Japanese patients with oropharyngeal squamous cell carcinoma. Cancer, 2013, 119, 2005-2011.	4.1	36
20	Organized hematoma in the paranasal sinus and nasal cavity—Imaging diagnosis and pathological findings. Auris Nasus Larynx, 2010, 37, 173-177.	1.2	41