

# Sebastien Carnicella

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7680900/publications.pdf>

Version: 2024-02-01

48  
papers

2,753  
citations

236925

25  
h-index

276875

41  
g-index

54  
all docs

54  
docs citations

54  
times ranked

2961  
citing authors

#	ARTICLE	IF	CITATIONS
1	A metabolic biomarker predicts Parkinson's disease at the early stages in patients and animal models. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	12
2	Dopamine D3 Receptors: A Potential Target to Treat Motivational Deficits in Parkinson's Disease. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , 109-132.	1.7	4
3	GPCR and Alcohol-Related Behaviors in Genetically Modified Mice. <i>Neurotherapeutics</i> , 2020, 17, 17-42.	4.4	8
4	Compound 21, a two-edged sword with both DREADD-selective and off-target outcomes in rats. <i>PLoS ONE</i> , 2020, 15, e0238156.	2.5	20
5	Reply to: Letter to the Editor by Martínez-Fernández. <i>Movement Disorders</i> , 2020, 35, 1084-1085.	3.9	0
6	Subthalamic Nucleus Stimulation Impairs Motivation: Implication for Apathy in Parkinson's Disease. <i>Movement Disorders</i> , 2020, 35, 616-628.	3.9	20
7	Compound 21, a two-edged sword with both DREADD-selective and off-target outcomes in rats. , 2020, 15, e0238156.		0
8	Compound 21, a two-edged sword with both DREADD-selective and off-target outcomes in rats. , 2020, 15, e0238156.		0
9	Compound 21, a two-edged sword with both DREADD-selective and off-target outcomes in rats. , 2020, 15, e0238156.		0
10	Compound 21, a two-edged sword with both DREADD-selective and off-target outcomes in rats. , 2020, 15, e0238156.		0
11	Plasma or serum? A qualitative study on rodents and humans using high-throughput microRNA sequencing for circulating biomarkers. <i>Biology Methods and Protocols</i> , 2019, 4, bpz006.	2.2	38
12	DREADDs: The Power of the Lock, the Weakness of the Key. Favoring the Pursuit of Specific Conditions Rather than Specific Ligands. <i>ENeuro</i> , 2019, 6, ENEURO.0171-19.2019.	1.9	28
13	Nigrostriatal Dopaminergic Denervation Does Not Promote Impulsive Choice in the Rat: Implication for Impulse Control Disorders in Parkinson's Disease. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 312.	2.0	12
14	Implication of dorsostriatal D3 receptors in motivational processes: a potential target for neuropsychiatric symptoms in Parkinson's disease. <i>Scientific Reports</i> , 2017, 7, 41589.	3.3	15
15	Psychostimulant effect of dopaminergic treatment and addictions in Parkinson's disease. <i>Movement Disorders</i> , 2017, 32, 1566-1573.	3.9	61
16	Reversing dopaminergic sensitization. <i>Movement Disorders</i> , 2017, 32, 1679-1683.	3.9	12
17	Trait Impulsivity and Anhedonia: Two Gateways for the Development of Impulse Control Disorders in Parkinson's Disease?. <i>Frontiers in Psychiatry</i> , 2016, 7, 91.	2.6	28
18	Emotional manifestations of PD: Neurobiological basis. <i>Movement Disorders</i> , 2016, 31, 1103-1113.	3.9	79

#	ARTICLE	IF	CITATIONS
19	What can rodent models tell us about apathy and associated neuropsychiatric symptoms in Parkinson's disease?. <i>Translational Psychiatry</i> , 2016, 6, e753-e753.	4.8	60
20	Motivational Deficits in Parkinson's Disease: Role of the Dopaminergic System and Deep-Brain Stimulation of the Subthalamic Nucleus. <i>Innovations in Cognitive Neuroscience</i> , 2016, , 363-388.	0.3	0
21	Apathy and Impulse Control Disorders: Yin& Yang of Dopamine Dependent Behaviors. <i>Journal of Parkinson's Disease</i> , 2015, 5, 625-636.	2.8	67
22	Subthalamic deep brain stimulation differently alters striatal dopaminergic receptor levels in rats. <i>Movement Disorders</i> , 2015, 30, 1739-1749.	3.9	25
23	Implication of dopamine D3 receptor activation in the reversion of Parkinson's disease-related motivational deficits. <i>Translational Psychiatry</i> , 2014, 4, e401-e401.	4.8	58
24	Pramipexole reverses Parkinson's disease-related motivational deficits in rats. <i>Movement Disorders</i> , 2014, 29, 912-920.	3.9	55
25	Intermittent ethanol access schedule in rats as a preclinical model of alcohol abuse. <i>Alcohol</i> , 2014, 48, 243-252.	1.7	257
26	Loss of dopaminergic nigrostriatal neurons accounts for the motivational and affective deficits in Parkinson's disease. <i>Molecular Psychiatry</i> , 2014, 19, 358-367.	7.9	166
27	Ethanol-Mediated Facilitation of AMPA Receptor Function in the Dorsomedial Striatum: Implications for Alcohol Drinking Behavior. <i>Journal of Neuroscience</i> , 2012, 32, 15124-15132.	3.6	83
28	The Small G Protein H-Ras in the Mesolimbic System Is a Molecular Gateway to Alcohol-Seeking and Excessive Drinking Behaviors. <i>Journal of Neuroscience</i> , 2012, 32, 15849-15858.	3.6	36
29	Subthalamic stimulation in Parkinson's disease: restoring the balance of motivated behaviours. <i>Brain</i> , 2012, 135, 1463-1477.	7.6	275
30	AKT Signaling Pathway in the Nucleus Accumbens Mediates Excessive Alcohol Drinking Behaviors. <i>Biological Psychiatry</i> , 2011, 70, 575-582.	1.3	104
31	Regulation of Operant Oral Ethanol Self-Administration: A Dose-Response Curve Study in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 116-125.	2.4	27
32	Glial Cell Line-Derived Neurotrophic Factor Reverses Alcohol-Induced Allostasis of the Mesolimbic Dopaminergic System: Implications for Alcohol Reward and Seeking. <i>Journal of Neuroscience</i> , 2011, 31, 9885-9894.	3.6	74
33	Prefrontal cortex and reversion of atropine-induced disruption of the degraded contingency effect by antipsychotic agents and N-desmethylclozapine in rats. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 109.	2.1	3
34	Noribogaine, but not 18-MC, exhibits similar actions as ibogaine on GDNF expression and ethanol self-administration. <i>Addiction Biology</i> , 2010, 15, 424-433.	2.6	35
35	Long-Lasting Adaptations of the NR2B-Containing NMDA Receptors in the Dorsomedial Striatum Play a Crucial Role in Alcohol Consumption and Relapse. <i>Journal of Neuroscience</i> , 2010, 30, 10187-10198.	3.6	161
36	Role for mammalian target of rapamycin complex 1 signaling in neuroadaptations underlying alcohol-related disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20093-20098.	7.1	140

#	ARTICLE	IF	CITATIONS
37	Nucleus Accumbens-Derived Glial Cell Line-Derived Neurotrophic Factor Is a Retrograde Enhancer of Dopaminergic Tone in the Mesocorticolimbic System. <i>Journal of Neuroscience</i> , 2010, 30, 14502-14512.	3.6	39
38	Endogenous BDNF in the Dorsolateral Striatum Gates Alcohol Drinking. <i>Journal of Neuroscience</i> , 2009, 29, 13494-13502.	3.6	167
39	GDNF " A potential target to treat addiction. , 2009, 122, 9-18.		78
40	GDNF is an Endogenous Negative Regulator of Ethanol-Mediated Reward and of Ethanol Consumption After a Period of Abstinence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1012-1024.	2.4	40
41	Excessive alcohol consumption is blocked by glial cell line-derived neurotrophic factor. <i>Alcohol</i> , 2009, 43, 35-43.	1.7	108
42	Cabergoline Decreases Alcohol Drinking and Seeking Behaviors Via Glial Cell Line-Derived Neurotrophic Factor. <i>Biological Psychiatry</i> , 2009, 66, 146-153.	1.3	40
43	GDNF is a fast-acting potent inhibitor of alcohol consumption and relapse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8114-8119.	7.1	117
44	Ãlaboration d'un modÃle de psychose dÃlirante chez le rat ayant une validitÃ thÃorique. , 2008, , 179-195.		0
45	Ethanol Induces Long-Term Facilitation of NR2B-NMDA Receptor Activity in the Dorsal Striatum: Implications for Alcohol Drinking Behavior. <i>Journal of Neuroscience</i> , 2007, 27, 3593-3602.	3.6	169
46	Fos immunolabelling evidence for brain regions involved in the Pavlovian degraded contingency effect and in its disruption by atropine. <i>Neuropharmacology</i> , 2006, 51, 102-111.	4.1	4
47	Cholinergic effects on fear conditioning II: nicotinic and muscarinic modulations of atropine-induced disruption of the degraded contingency effect. <i>Psychopharmacology</i> , 2005, 178, 533-541.	3.1	8
48	Cholinergic effects on fear conditioning I: the degraded contingency effect is disrupted by atropine but reinstated by physostigmine. <i>Psychopharmacology</i> , 2005, 178, 524-532.	3.1	10