

# Sattva S Neelapu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7681690/publications.pdf>

Version: 2024-02-01

175  
papers

23,804  
citations

17405

63  
h-index

8370

147  
g-index

179  
all docs

179  
docs citations

179  
times ranked

19891  
citing authors

#	ARTICLE	IF	CITATIONS
1	Axicabtagene Ciloleucel CAR T-Cell Therapy in Refractory Large B-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2017, 377, 2531-2544.	13.9	3,865
2	ASTCT Consensus Grading for Cytokine Release Syndrome and Neurologic Toxicity Associated with Immune Effector Cells. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 625-638.	2.0	1,741
3	Chimeric antigen receptor T-cell therapy "assessment and management of toxicities. <i>Nature Reviews Clinical Oncology</i> , 2018, 15, 47-62.	12.5	1,659
4	Long-term safety and activity of axicabtagene ciloleucel in refractory large B-cell lymphoma (ZUMA-1): a single-arm, multicentre, phase 1 trial. <i>Lancet Oncology</i> , The, 2019, 20, 31-42.	5.1	1,467
5	Use of CAR-Transduced Natural Killer Cells in CD19-Positive Lymphoid Tumors. <i>New England Journal of Medicine</i> , 2020, 382, 545-553.	13.9	1,252
6	Outcomes in refractory diffuse large B-cell lymphoma: results from the international SCHOLAR-1 study. <i>Blood</i> , 2017, 130, 1800-1808.	0.6	1,084
7	Follicular regulatory T cells expressing Foxp3 and Bcl-6 suppress germinal center reactions. <i>Nature Medicine</i> , 2011, 17, 983-988.	15.2	946
8	Safety and activity of PD1 blockade by pidilizumab in combination with rituximab in patients with relapsed follicular lymphoma: a single group, open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2014, 15, 69-77.	5.1	518
9	Phase 1 Results of ZUMA-1: A Multicenter Study of KTE-C19 Anti-CD19 CAR T Cell Therapy in Refractory Aggressive Lymphoma. <i>Molecular Therapy</i> , 2017, 25, 285-295.	3.7	498
10	Standard-of-Care Axicabtagene Ciloleucel for Relapsed or Refractory Large B-Cell Lymphoma: Results From the US Lymphoma CAR T Consortium. <i>Journal of Clinical Oncology</i> , 2020, 38, 3119-3128.	0.8	481
11	Characteristics of anti-CD19 CAR T cell infusion products associated with efficacy and toxicity in patients with large B cell lymphomas. <i>Nature Medicine</i> , 2020, 26, 1878-1887.	15.2	321
12	Cytokine release syndrome and associated neurotoxicity in cancer immunotherapy. <i>Nature Reviews Immunology</i> , 2022, 22, 85-96.	10.6	315
13	Double hit lymphoma: the MD Anderson Cancer Center clinical experience. <i>British Journal of Haematology</i> , 2014, 166, 891-901.	1.2	310
14	Transcription factor achaete-scute homologue 2 initiates follicular T-helper-cell development. <i>Nature</i> , 2014, 507, 513-518.	13.7	303
15	Preleukaemic clonal haemopoiesis and risk of therapy-related myeloid neoplasms: a case-control study. <i>Lancet Oncology</i> , The, 2017, 18, 100-111.	5.1	296
16	Eight-year experience with allogeneic stem cell transplantation for relapsed follicular lymphoma after nonmyeloablative conditioning with fludarabine, cyclophosphamide, and rituximab. <i>Blood</i> , 2008, 111, 5530-5536.	0.6	294
17	Lenalidomide in combination with rituximab for patients with relapsed or refractory mantle-cell lymphoma: a phase 1/2 clinical trial. <i>Lancet Oncology</i> , The, 2012, 13, 716-723.	5.1	274
18	Safety and activity of lenalidomide and rituximab in untreated indolent lymphoma: an open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1311-1318.	5.1	239

#	ARTICLE	IF	CITATIONS
19	Tumor burden, inflammation, and product attributes determine outcomes of axicabtagene ciloleucel in large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 4898-4911.	2.5	238
20	Axicabtagene ciloleucel in relapsed or refractory indolent non-Hodgkin lymphoma (ZUMA-5): a single-arm, multicentre, phase 2 trial. <i>Lancet Oncology</i> , The, 2022, 23, 91-103.	5.1	236
21	Vaccination With Patient-Specific Tumor-Derived Antigen in First Remission Improves Disease-Free Survival in Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2011, 29, 2787-2794.	0.8	230
22	Managing the toxicities of CAR T-cell therapy. <i>Hematological Oncology</i> , 2019, 37, 48-52.	0.8	214
23	Management guidelines for paediatric patients receiving chimeric antigen receptor T cell therapy. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 45-63.	12.5	178
24	Mocetinostat for relapsed classical Hodgkin's lymphoma: an open-label, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2011, 12, 1222-1228.	5.1	168
25	Phase I Multidose-Escalation Study of the Anti-CD19 Maytansinoid Immunoconjugate SAR3419 Administered by Intravenous Infusion Every 3 Weeks to Patients With Relapsed/Refractory B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 2776-2782.	0.8	162
26	A Pilot Study of CTLA-4 Blockade after Cancer Vaccine Failure in Patients with Advanced Malignancy. <i>Clinical Cancer Research</i> , 2007, 13, 958-964.	3.2	150
27	Safety, tolerability, and preliminary activity of CUDC-907, a first-in-class, oral, dual inhibitor of HDAC and PI3K, in patients with relapsed or refractory lymphoma or multiple myeloma: an open-label, dose-escalation, phase 1 trial. <i>Lancet Oncology</i> , The, 2016, 17, 622-631.	5.1	149
28	ATF4 induction through an atypical integrated stress response to ONC201 triggers p53-independent apoptosis in hematological malignancies. <i>Science Signaling</i> , 2016, 9, ra17.	1.6	147
29	Society for Immunotherapy of Cancer (SITC) clinical practice guideline on immune effector cell-related adverse events. , 2020, 8, e001511.		138
30	Phase I Study of a Novel Oral Janus Kinase 2 Inhibitor, SB1518, in Patients With Relapsed Lymphoma: Evidence of Clinical and Biologic Activity in Multiple Lymphoma Subtypes. <i>Journal of Clinical Oncology</i> , 2012, 30, 4161-4167.	0.8	137
31	Bridging therapy prior to axicabtagene ciloleucel for relapsed/refractory large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 2871-2883.	2.5	134
32	Placebo-Controlled Phase III Trial of Patient-Specific Immunotherapy With Mitumprotimut-T and Granulocyte-Macrophage Colony-Stimulating Factor After Rituximab in Patients With Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 3036-3043.	0.8	132
33	Use of Chimeric Antigen Receptor T Cell Therapy in Clinical Practice for Relapsed/Refractory Aggressive B Cell Non-Hodgkin Lymphoma: An Expert Panel Opinion from the American Society for Transplantation and Cellular Therapy. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2305-2321.	2.0	132
34	Clinical and pathological characteristics of HIV- and HHV-8-negative Castleman disease. <i>Blood</i> , 2017, 129, 1658-1668.	0.6	127
35	Clinical efficacy of anakinra to mitigate CAR T-cell therapy-associated toxicity in large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 3123-3127.	2.5	115
36	Toxicity management after chimeric antigen receptor T cell therapy: one size does not fit 'ALL'. <i>Nature Reviews Clinical Oncology</i> , 2018, 15, 218-218.	12.5	114

#	ARTICLE	IF	CITATIONS
37	Axicabtagene ciloleucel as first-line therapy in high-risk large B-cell lymphoma: the phase 2 ZUMA-12 trial. <i>Nature Medicine</i> , 2022, 28, 735-742.	15.2	114
38	MicroRNA profiling of follicular lymphoma identifies microRNAs related to cell proliferation and tumor response. <i>Haematologica</i> , 2012, 97, 586-594.	1.7	110
39	Vaccine-induced tumor-specific immunity despite severe B-cell depletion in mantle cell lymphoma. <i>Nature Medicine</i> , 2005, 11, 986-991.	15.2	106
40	Active vaccination with Dickkopf-1 induces protective and therapeutic antitumor immunity in murine multiple myeloma. <i>Blood</i> , 2012, 119, 161-169.	0.6	103
41	Phase I Study of Panobinostat plus Everolimus in Patients with Relapsed or Refractory Lymphoma. <i>Clinical Cancer Research</i> , 2013, 19, 6882-6890.	3.2	103
42	Selective Inhibition of HDAC3 Targets Synthetic Vulnerabilities and Activates Immune Surveillance in Lymphoma. <i>Cancer Discovery</i> , 2020, 10, 440-459.	7.7	103
43	Nonmyeloablative allogeneic transplantation with or without 90yttrium ibritumomab tiuxetan is potentially curative for relapsed follicular lymphoma: 12-year results. <i>Blood</i> , 2012, 119, 6373-6378.	0.6	97
44	Prognostic impact of corticosteroids on efficacy of chimeric antigen receptor T-cell therapy in large B-cell lymphoma. <i>Blood</i> , 2021, 137, 3272-3276.	0.6	95
45	Hematopoietic recovery and immune reconstitution after axicabtagene ciloleucel in patients with large B-cell lymphoma. <i>Haematologica</i> , 2021, 106, 2667-2672.	1.7	92
46	Outcomes of older patients in ZUMA-1, a pivotal study of axicabtagene ciloleucel in refractory large B-cell lymphoma. <i>Blood</i> , 2020, 135, 2106-2109.	0.6	90
47	Phase II Study of Yttrium-90 Ibritumomab Tiuxetan in Patients With Relapsed or Refractory Mantle Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 5213-5218.	0.8	87
48	Lenalidomide, idelalisib, and rituximab are unacceptably toxic in patients with relapsed/refractory indolent lymphoma. <i>Blood</i> , 2015, 125, 3357-3359.	0.6	87
49	Cancer immunotherapy: Strategies for personalization and combinatorial approaches. <i>Molecular Oncology</i> , 2015, 9, 2043-2053.	2.1	87
50	Ultra-low-dose radiotherapy for definitive management of ocular adnexal B-cell lymphoma. <i>Head and Neck</i> , 2017, 39, 1095-1100.	0.9	87
51	CD19 target evasion as a mechanism of relapse in large B-cell lymphoma treated with axicabtagene ciloleucel. <i>Blood</i> , 2021, 138, 1081-1085.	0.6	84
52	Expression of histone deacetylases in lymphoma: implication for the development of selective inhibitors. <i>British Journal of Haematology</i> , 2009, 147, 515-525.	1.2	83
53	Prophylactic anti-tumor effects in a B cell lymphoma model with DNA vaccines delivered on polyethylenimine (PEI) functionalized PLGA microparticles. <i>Journal of Controlled Release</i> , 2006, 113, 261-270.	4.8	81
54	Induction of p53-mediated transcription and apoptosis by exportin1 (XPO1) inhibition in mantle cell lymphoma. <i>Cancer Science</i> , 2014, 105, 795-801.	1.7	81

#	ARTICLE	IF	CITATIONS
55	Phase II study of an AKT inhibitor MK2206 in patients with relapsed or refractory lymphoma. <i>British Journal of Haematology</i> , 2015, 171, 463-470.	1.2	81
56	Long-term outcomes and mutation profiling of patients with mantle cell lymphoma (MCL) who discontinued ibrutinib. <i>British Journal of Haematology</i> , 2018, 183, 578-587.	1.2	81
57	Axicabtagene Ciloleucel (Axi-cel) CD19 Chimeric Antigen Receptor (CAR) T-Cell Therapy for Relapsed/Refractory Large B-Cell Lymphoma: Real World Experience. <i>Blood</i> , 2018, 132, 91-91.	0.6	81
58	CAR-T efficacy: is conditioning the key?. <i>Blood</i> , 2019, 133, 1799-1800.	0.6	79
59	The survival outcome of patients with relapsed/refractory peripheral T-cell lymphoma not otherwise specified and angioimmunoblastic T-cell lymphoma. <i>British Journal of Haematology</i> , 2017, 176, 750-758.	1.2	78
60	Cross Talk between Follicular Th Cells and Tumor Cells in Human Follicular Lymphoma Promotes Immune Evasion in the Tumor Microenvironment. <i>Journal of Immunology</i> , 2013, 190, 6681-6693.	0.4	77
61	Human Autologous Tumor-Specific T-Cell Responses Induced by Liposomal Delivery of a Lymphoma Antigen. <i>Clinical Cancer Research</i> , 2004, 10, 8309-8317.	3.2	75
62	Role of the tumor microenvironment in mature B-cell lymphoid malignancies. <i>Haematologica</i> , 2016, 101, 531-540.	1.7	75
63	Phase 2 study of rituximab plus ABVD in patients with newly diagnosed classical Hodgkin lymphoma. <i>Blood</i> , 2012, 119, 4123-4128.	0.6	70
64	Phase 2 study of gemcitabine in combination with rituximab in patients with recurrent or refractory Hodgkin lymphoma. <i>Cancer</i> , 2008, 112, 831-836.	2.0	69
65	Clinical and radiologic correlates of neurotoxicity after axicabtagene ciloleucel in large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 3943-3951.	2.5	69
66	Detection of circulating tumour DNA in patients with aggressive B-cell non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2013, 163, 123-126.	1.2	67
67	Encouraging activity for R-CHOP in advanced stage nodular lymphocyte-predominant Hodgkin lymphoma. <i>Blood</i> , 2017, 130, 472-477.	0.6	65
68	Management strategies and outcomes for very elderly patients with diffuse large B-cell lymphoma. <i>Cancer</i> , 2016, 122, 3145-3151.	2.0	61
69	3D microvascular model recapitulates the diffuse large B-cell lymphoma tumor microenvironment in vitro. <i>Lab on A Chip</i> , 2017, 17, 407-414.	3.1	60
70	Immune evasion of mantle cell lymphoma: expression of B7-H1 leads to inhibited T-cell response to and killing of tumor cells. <i>Haematologica</i> , 2013, 98, 1458-1466.	1.7	58
71	Inhibition of demethylase KDM6B sensitizes diffuse large B-cell lymphoma to chemotherapeutic drugs. <i>Haematologica</i> , 2017, 102, 373-380.	1.7	58
72	CRP and ferritin in addition to the EASIX score predict CAR-T-related toxicity. <i>Blood Advances</i> , 2021, 5, 2799-2806.	2.5	57

#	ARTICLE	IF	CITATIONS
73	Chemokine receptor-mediated delivery directs self-tumor antigen efficiently into the class II processing pathway in vitro and induces protective immunity in vivo. <i>Blood</i> , 2004, 104, 1961-1969.	0.6	55
74	Efficacy of venetoclax in high risk relapsed mantle cell lymphoma (<sc>MCL</sc>) â€•outcomes and mutation profile from venetoclax resistant <sc>MCL</sc> patients. <i>American Journal of Hematology</i> , 2020, 95, 623-629.	2.0	54
75	CAR T-Cell Therapy in Large B-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2018, 378, 1065-1065.	13.9	53
76	Chimeric Antigen Receptor T Cells in Hematologic Malignancies. <i>Pharmacotherapy</i> , 2017, 37, 334-345.	1.2	52
77	Idiotype vaccination for B-cell malignancies as a model for therapeutic cancer vaccines: from prototype protein to second generation vaccines. <i>Haematologica</i> , 2002, 87, 989-1001.	1.7	51
78	The prognostic value of interim positron emission tomography scan in patients with classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2014, 165, 112-116.	1.2	50
79	CCL3 and CCL4 are biomarkers for B cell receptor pathway activation and prognostic serum markers in diffuse large B cell lymphoma. <i>British Journal of Haematology</i> , 2015, 171, 726-735.	1.2	50
80	Safety of CAR T-cell therapy in patients with B-cell lymphoma and chronic hepatitis B or C virus infection. <i>Blood</i> , 2019, 133, 2800-2802.	0.6	49
81	Outcomes of Patients with Large B-cell Lymphoma Progressing after Axicabtagene Ciloleucel. <i>Blood</i> , 2021, 137, 1832-1835.	0.6	48
82	CD19-Loss with Preservation of Other B Cell Lineage Features in Patients with Large B Cell Lymphoma Who Relapsed Post-Axi-Cel. <i>Blood</i> , 2019, 134, 203-203.	0.6	48
83	Long-Term (â€•4 Year and â€•5 Year) Overall Survival (OS) By 12- and 24-Month Event-Free Survival (EFS): An Updated Analysis of ZUMA-1, the Pivotal Study of Axicabtagene Ciloleucel (Axi-Cel) in Patients (Pts) with Refractory Large B-Cell Lymphoma (LBCL). <i>Blood</i> , 2021, 138, 1764-1764.	0.6	48
84	Nivolumab Combined with Ibrutinib for CLL and Richter Transformation: A Phase II Trial. <i>Blood</i> , 2016, 128, 59-59.	0.6	47
85	Nonstereotyped Lymphoma B Cell Receptors Recognize Vimentin as a Shared Autoantigen. <i>Journal of Immunology</i> , 2013, 190, 4887-4898.	0.4	45
86	The promise of CAR T-cell therapy in aggressive B-cell lymphoma. <i>Best Practice and Research in Clinical Haematology</i> , 2018, 31, 293-298.	0.7	44
87	Targeting Wnt pathway in mantle cell lymphoma-initiating cells. <i>Journal of Hematology and Oncology</i> , 2015, 8, 63.	6.9	43
88	Genomic profiles and clinical outcomes of de novo blastoid/pleomorphic MCL are distinct from those of transformed MCL. <i>Blood Advances</i> , 2020, 4, 1038-1050.	2.5	43
89	Subtype-specific and co-occurring genetic alterations in B-cell non-Hodgkin lymphoma. <i>Haematologica</i> , 2022, 107, 690-701.	1.7	43
90	Comparison of 2-year outcomes with CAR T cells (ZUMA-1) vs salvage chemotherapy in refractory large B-cell lymphoma. <i>Blood Advances</i> , 2021, 5, 4149-4155.	2.5	42

#	ARTICLE	IF	CITATIONS
91	CXCR5+CD8+ T cells are a distinct functional subset with an antitumor activity. <i>Leukemia</i> , 2019, 33, 2640-2653.	3.3	40
92	A modified human ELISPOT assay to detect specific responses to primary tumor cell targets. <i>Journal of Translational Medicine</i> , 2004, 2, 9.	1.8	36
93	Development and Use of the Anti-CD19 Chimeric Antigen Receptor T-Cell Therapy Axicabtagene Ciloleucel in Large B-Cell Lymphoma. <i>JAMA Oncology</i> , 2020, 6, 281.	3.4	36
94	Distinct molecular and immune hallmarks of inflammatory arthritis induced by immune checkpoint inhibitors for cancer therapy. <i>Nature Communications</i> , 2022, 13, 1970.	5.8	34
95	A novel proteoliposomal vaccine induces antitumor immunity against follicular lymphoma. <i>Blood</i> , 2007, 109, 5160-5163.	0.6	33
96	Safety of CAR T-cell therapy in kidney transplant recipients. <i>Blood</i> , 2021, 137, 2558-2562.	0.6	33
97	Selective targeting of Toll-like receptors and OX40 inhibit regulatory T-cell function in follicular lymphoma. <i>International Journal of Cancer</i> , 2014, 135, 2834-2846.	2.3	31
98	The chimeric antigen receptor-intensive care unit (CAR-ICU) initiative: Surveying intensive care unit practices in the management of CAR T-cell associated toxicities. <i>Journal of Critical Care</i> , 2020, 58, 58-64.	1.0	31
99	Diagnosis, grading and management of toxicities from immunotherapies in children, adolescents and young adults with cancer. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 435-453.	12.5	31
100	Clonal Hematopoiesis Is Associated with Increased Risk of Severe Neurotoxicity in Axicabtagene Ciloleucel Therapy of Large B-Cell Lymphoma. <i>Blood Cancer Discovery</i> , 2022, 3, 385-393.	2.6	29
101	Developing idiotype vaccines for lymphoma: from preclinical studies to phase III clinical trials. <i>British Journal of Haematology</i> , 2008, 142, 179-191.	1.2	28
102	A pilot study of pembrolizumab in smoldering myeloma: report of the clinical, immune, and genomic analysis. <i>Blood Advances</i> , 2019, 3, 2400-2408.	2.5	28
103	Comparative effectiveness of ZUMA-5 (axi-cel) vs SCHOLAR-5 external control in relapsed/refractory follicular lymphoma. <i>Blood</i> , 2022, 140, 851-860.	0.6	28
104	Phase III Randomized Trial of Patient-Specific Vaccination for Previously Untreated Patients with Follicular Lymphoma in First Complete Remission: Protocol Summary and Interim Report. <i>Clinical Lymphoma and Myeloma</i> , 2005, 6, 61-64.	2.1	26
105	Prospective isolation of clonogenic mantle cell lymphoma-initiating cells. <i>Stem Cell Research</i> , 2010, 5, 212-225.	0.3	26
106	Patient-Reported Symptom and Functioning Status during the First 12 Months after Chimeric Antigen Receptor T Cell Therapy for Hematologic Malignancies. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 930.e1-930.e10.	0.6	24
107	Outcomes of Nodular Lymphocyte Predominant Hodgkin's Lymphoma (NLPHL) Patients Treated with R-CHOP. <i>Blood</i> , 2010, 116, 2812-2812.	0.6	24
108	Day 30 SUVmax predicts progression in patients with lymphoma achieving PR/SD after CAR T-cell therapy. <i>Blood Advances</i> , 2022, 6, 2867-2871.	2.5	24

#	ARTICLE	IF	CITATIONS
109	BiovaXID <sup>®</sup> : a personalized therapeutic cancer vaccine for non-Hodgkin's lymphoma. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 113-122.	1.4	23
110	Positron emission tomography-computed tomography predictors of progression after DA-R-EPOCH for PMBCL. <i>Blood Advances</i> , 2018, 2, 1334-1343.	2.5	23
111	Pre-treatment maximum standardized uptake value predicts outcome after frontline therapy in patients with advanced stage follicular lymphoma. <i>Haematologica</i> , 2020, 105, 1907-1913.	1.7	23
112	Clinical and Radiological Correlates of Neurotoxicity after Standard of Care Axicabtagene Ciloleucel in Patients with Relapsed/Refractory Large B-Cell Lymphoma. <i>Blood</i> , 2019, 134, 765-765.	0.6	23
113	Isotype-Selective HDAC Inhibitor MGCD0103 Decreases Serum TARC Concentrations and Produces Clinical Responses in Heavily Pretreated Patients with Relapsed Classical Hodgkin Lymphoma (HL).. <i>Blood</i> , 2007, 110, 2566-2566.	0.6	22
114	How I Manage: Pathophysiology and Management of Toxicity of Chimeric Antigen Receptor T-Cell Therapies. <i>Journal of Clinical Oncology</i> , 2021, 39, 456-466.	0.8	21
115	Early Survival Prediction Framework in CD19-Specific CAR-T Cell Immunotherapy Using a Quantitative Systems Pharmacology Model. <i>Cancers</i> , 2021, 13, 2782.	1.7	21
116	Safety and activity of pembrolizumab in combination with rituximab in relapsed or refractory follicular lymphoma. <i>Blood Advances</i> , 2022, 6, 1143-1151.	2.5	21
117	Chimeric Antigen Receptor-Engineered T Cell Therapy in Lymphoma. <i>Current Oncology Reports</i> , 2019, 21, 38.	1.8	20
118	Chimeric antigen receptor cell therapy toxicities. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2414-2424.	1.1	19
119	Radiation and CAR T-cell Therapy in Lymphoma: Future Frontiers and Potential Opportunities for Synergy. <i>Frontiers in Oncology</i> , 2021, 11, 648655.	1.3	19
120	A multicenter retrospective study of polatuzumab vedotin in patients with large B-cell lymphoma after CAR T-cell therapy. <i>Blood Advances</i> , 2022, 6, 2757-2762.	2.5	19
121	Risk assessment with low-pass whole-genome sequencing of cell-free DNA before CD19 CAR T-cell therapy for large B-cell lymphoma. <i>Blood</i> , 2022, 140, 504-515.	0.6	19
122	Therapeutic lymphoma vaccines: importance of T-cell immunity. <i>Expert Review of Vaccines</i> , 2006, 5, 381-394.	2.0	18
123	A novel proteoliposomal vaccine elicits potent antitumor immunity in mice. <i>Blood</i> , 2007, 109, 5407-5410.	0.6	18
124	Targeting the programmed death-1/programmed death-ligand 1 axis in lymphoma. <i>Current Opinion in Oncology</i> , 2015, 27, 384-391.	1.1	18
125	IL-15 enhances the antitumor effect of human antigen-specific CD8+ T cells by cellular senescence delay. <i>Oncolimmunology</i> , 2016, 5, e1237327.	2.1	17
126	Recurrent pseudogout after therapy with immune checkpoint inhibitors: a case report with immunoprofiling of synovial fluid at each flare. , 2019, 7, 126.		17



#	ARTICLE	IF	CITATIONS
127	COVID-19 Vaccine-Related Axillary and Cervical Lymphadenopathy in Patients with Current or Prior Breast Cancer and Other Malignancies: Cross-Sectional Imaging Findings on MRI, CT, and PET-CT. Korean Journal of Radiology, 2021, 22, 1938.	1.5	17
128	Phase I study of an active immunotherapy for asymptomatic phase Lymphoplasmacytic lymphoma with DNA vaccines encoding antigen-chemokine fusion: study protocol. BMC Cancer, 2018, 18, 187.	1.1	16
129	Stage I Non-Hodgkin Lymphoma: difference in survival outcome by primary extranodal site of involvement. British Journal of Haematology, 2019, 185, 334-338.	1.2	16
130	A novel strategy for rapid and efficient isolation of human tumor-specific CD4+ and CD8+ T-cell clones. Journal of Immunological Methods, 2008, 331, 13-26.	0.6	15
131	High ten-year remission rates following rituximab, fludarabine, mitoxantrone and dexamethasone (R-FND) with interferon maintenance in indolent lymphoma: Results of a randomized Study. British Journal of Haematology, 2017, 177, 263-270.	1.2	14
132	Acute leucoencephalomyelopathy and quadriparesis after CAR T-cell therapy. Haematologica, 2021, 106, 1504-1506.	1.7	14
133	Targeting CD123 in blastic plasmacytoid dendritic cell neoplasm using allogeneic anti-CD123 CAR T cells. Nature Communications, 2022, 13, 2228.	5.8	14
134	The Unique Symptom Burden of Patients Receiving CAR T-Cell Therapy. Seminars in Oncology Nursing, 2021, 37, 151216.	0.7	13
135	Gastrointestinal Adverse Events Observed After Chimeric Antigen Receptor T-Cell Therapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2019, 42, 789-796.	0.6	12
136	CAR-T failure: beyond antigen loss and T cells. Blood, 2021, 137, 2567-2568.	0.6	12
137	Stage I non-Hodgkin lymphoma: no plateau in disease-specific survival ?. Annals of Hematology, 2019, 98, 1169-1176.	0.8	11
138	Society for Immunotherapy of Cancer (SITC) clinical practice guideline on immunotherapy for the treatment of lymphoma. , 2020, 8, e001235.		11
139	PD-1 Expression Is Markedly Upregulated on Intratumoral CD4+ and CD8+ T Cells in Follicular Lymphoma and Is Associated with T-Cell Exhaustion.. Blood, 2007, 110, 2749-2749.	0.6	10
140	Vaccine Therapy for B-Cell Lymphomas: Next-Generation Strategies. Hematology American Society of Hematology Education Program, 2007, 2007, 243-249.	0.9	9
141	Targeting Human B-cell Malignancies through Ig Light Chain-Specific Cytotoxic T Lymphocytes. Clinical Cancer Research, 2011, 17, 5945-5952.	3.2	9
142	Novel Immunologic Approaches in Lymphoma: Unleashing the Brakes on the Immune System. Current Oncology Reports, 2015, 17, 30.	1.8	9
143	Vaccination strategies in follicular lymphoma. Current Hematologic Malignancy Reports, 2009, 4, 189-195.	1.2	8
144	Human herpesvirus 6 myelitis after chimeric antigen receptor T-cell therapy. International Journal of Infectious Diseases, 2021, 112, 327-329.	1.5	8

#	ARTICLE	IF	CITATIONS
145	Therapeutic Vaccine for Lymphoma. <i>Yonsei Medical Journal</i> , 2007, 48, 1.	0.9	7
146	Frontline antibiotic therapy for early-stage <i>Helicobacter pylori</i> -negative gastric MALT lymphoma. <i>American Journal of Hematology</i> , 2019, 94, E150-E153.	2.0	7
147	Hitting a Moving Target: Successful Management of Diffuse Large B-cell Lymphoma Involving the Mesentery With Volumetric Image-guided Intensity Modulated Radiation Therapy. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e51-e61.	0.2	7
148	Long-term follow-up of lenalidomide and rituximab as initial treatment of follicular lymphoma. <i>Blood</i> , 2021, 137, 1124-1129.	0.6	7
149	A Biologic Combination of Lenalidomide and Rituximab for Front-Line Therapy of Indolent B-Cell Non-Hodgkin's Lymphoma.. <i>Blood</i> , 2009, 114, 1714-1714.	0.6	7
150	Severity of Cytokine Release Syndrome Influences Outcome After Axicabtagene Ciloleucel for Large B cell Lymphoma: Results from the US Lymphoma CAR-T Consortium. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 753-759.	0.2	6
151	Anti-PD-1 antibodies for the treatment of B-cell lymphoma. <i>Oncolmmunology</i> , 2014, 3, e28101.	2.1	5
152	Targeting B-cell malignancies through human B-cell receptor specific CD4+T cells. <i>Oncolmmunology</i> , 2016, 5, e1232220.	2.1	5
153	Primary mediastinal large B-cell lymphoma in paediatric and adolescent patients: emerging questions in the era of immunotherapy. <i>British Journal of Haematology</i> , 2020, 190, e114-e117.	1.2	5
154	Abstract CT020: Immune signatures of cytokine release syndrome and neurologic events in a multicenter registrational trial (ZUMA-1) in subjects with refractory diffuse large B cell lymphoma treated with axicabtagene ciloleucel (KTE-C19). , 2017, , .		5
155	SUVmax on Pre-Treatment FDG PET Scan Is Not Predictive of Outcome in Follicular Lymphoma after R-CHOP Therapy. <i>Blood</i> , 2014, 124, 1629-1629.	0.6	5
156	Pretreatment SUVmax may influence the clinical benefit of BR over R-CHOP in patients with previously untreated FL. <i>Leukemia and Lymphoma</i> , 2020, 61, 1380-1387.	0.6	4
157	Targeting the tumor niche to treat cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 12907-12908.	3.3	3
158	Not So FAST: Tumor Cells Resisting Death Drive CAR T-cell Dysfunction. <i>Cancer Discovery</i> , 2020, 10, 492-494.	7.7	3
159	Safety and Efficacy of Ibrutinib in Combination with Rituximab and Lenalidomide in Previously Untreated Subjects with Follicular and Marginal Zone Lymphoma: An Open Label, Phase II Study. <i>Blood</i> , 2018, 132, 447-447.	0.6	3
160	Characteristics and Outcomes of Patients Who Did Not Develop CRS after Axicabtagene Ciloleucel for Relapsed/Refractory Large B-Cell Lymphoma: Results from the US Lymphoma CAR-T Consortium. <i>Blood</i> , 2019, 134, 1583-1583.	0.6	3
161	Human Autologous Tumor-Specific T-Cell Responses Induced by Liposome Encapsulated Lymphoma Membrane Proteins.. <i>Blood</i> , 2004, 104, 749-749.	0.6	3
162	Gene Expression Profiling Predicts Clinical Outcomes in Newly Diagnosed Multiple Myeloma Patients in a Standard of Care Setting. <i>Blood</i> , 2016, 128, 5628-5628.	0.6	3

#	ARTICLE	IF	CITATIONS
163	Clinical Efficacy of Polatuzumab Vedotin in Patients with Relapsed/Refractory Large B-Cell Lymphoma after Standard of Care Axicabtagene Ciloleucel. <i>Blood</i> , 2020, 136, 16-17.	0.6	3
164	SIRP $\beta$ macrophages are increased in patients with FL who progress or relapse after frontline lenalidomide and rituximab. <i>Blood Advances</i> , 2022, 6, 3286-3293.	2.5	3
165	Editorial: CAR T-Cell Therapies in Hematologic Tumors. <i>Frontiers in Oncology</i> , 2020, 10, 588134.	1.3	2
166	Targeting CAR T Resistance Due to CD19 Loss with CD79b-Specific CAR T Cells in B-Cell Malignancies. <i>Blood</i> , 2018, 132, 1662-1662.	0.6	2
167	Reply. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, e211-e212.	2.0	1
168	Prolonged neurotoxicity in a lymphoma patient after CD19-directed CAR T cell therapy: A case report and brief review of the literature. <i>Advances in Cell and Gene Therapy</i> , 2021, 4, e104.	0.6	1
169	Mechanisms of Resistance and Relapse After CAR-T Cell Therapy. <i>Cancer Drug Discovery and Development</i> , 2022, , 207-219.	0.2	1
170	Therapy of newly diagnosed follicular lymphoma. <i>Frontiers in Oncology</i> , 2012, 2, 188.	1.3	0
171	Rush Hour Traffic: Directing T Cells to Tumor. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju301-dju301.	3.0	0
172	A CAR against CAR for unintended consequences. <i>Blood</i> , 2020, 135, 460-462.	0.6	0
173	Targeting DKK1 for the Immunotherapy of B-Cell Lymphomas. <i>Blood</i> , 2009, 114, 465-465.	0.6	0
174	Expression of B7-H1 in Mantle Cell Lymphoma Leads to Inhibition of T Cell Response to Tumor Cells. <i>Blood</i> , 2011, 118, 2643-2643.	0.6	0
175	Long-Term Remissions Of Patients With Follicular Lymphoma Grade 3 Treated With Rituximab, Cyclophosphamide, Doxorubicine, Vincristine and Prednisone (R-CHOP). <i>Blood</i> , 2013, 122, 3028-3028.	0.6	0