
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7682512/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Maternal mortality and COVID-19. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 2355-2361.	0.7	62
2	Effectiveness of the peanut ball use for women with epidural analgesia in labour: a systematic review and meta-analysis. Journal of Obstetrics and Gynaecology, 2022, 42, 726-733.	0.4	5
3	World Health Organization Recommendation for Using Uterine Balloon Tamponade to Treat Postpartum Hemorrhage. Obstetrics and Gynecology, 2022, 139, 458-462.	1.2	9

Association of sFlt-1 and C-reactive protein with outcomes in severe preeclampsia. Medicine (United) Tj ETQq0 0 0 rgAT /Overlock 10 Tf

4		0.4	0
5	Urological outcomes in children with congenital Zika syndrome: The experience of a cohort in Campina Grande, Brazil. Tropical Medicine and International Health, 2022, 27, 583-591.	1.0	2
6	Vocalization during the second stage of labor to prevent perineal trauma: A randomized controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 275, 46-53.	0.5	0
7	Disproportionate Impact of Coronavirus Disease 2019 (COVID-19) Among Pregnant and Postpartum Black Women in Brazil Through Structural Racism Lens. Clinical Infectious Diseases, 2021, 72, 2068-2069.	2.9	45
8	Effect of Intensive Physiotherapy Training for Children With Congenital Zika Syndrome: A Retrospective Cohort Study. Archives of Physical Medicine and Rehabilitation, 2021, 102, 413-422.	0.5	10
9	COVID-19 and Pregnancy. Revista Brasileira De Saude Materno Infantil, 2021, 21, 337-353.	0.2	4
10	Classification of Congenital Zika Syndrome: Muscle Tone, Motor Type, Body Segments Affected, and Gross Motor Function. Developmental Neurorehabilitation, 2021, 24, 296-302.	0.5	7
11	Maternal mortality by COVID-19 in Brazil. Revista Brasileira De Saude Materno Infantil, 2021, 21, 253-256.	0.2	39
12	General aspects of the COVID-19 pandemic. Revista Brasileira De Saude Materno Infantil, 2021, 21, 29-45.	0.2	7
13	Zika Brazilian Cohorts (ZBC) Consortium: Protocol for an Individual Participant Data Meta-Analysis of Congenital Zika Syndrome after Maternal Exposure during Pregnancy. Viruses, 2021, 13, 687.	1.5	9
14	How can countries create outbreak response policies that are sensitive to maternal health?. BMJ, The, 2021, 373, n1271.	3.0	5
15	COVIDâ€19â€related deaths among women of reproductive age in Brazil: The burden of postpartum. International Journal of Gynecology and Obstetrics, 2021, 155, 101-109.	1.0	18
16	Factors associated with severe maternal outcomes in patients with eclampsia in an obstetric intensive care unit. Medicine (United States), 2021, 100, e27313.	0.4	3
17	Concerning the article â€~aromatherapy intervention on anxiety and pain during first stage labour in nulliparous women: a systematic review and meta-analysis'. Journal of Obstetrics and Gynaecology, 2021, 41, 1180-1180.	0.4	1
18	Obstetric Violence and Medical Education. Revista Brasileira De Saude Materno Infantil, 2021, 21, 965-966.	0.2	2

#	Article	IF	CITATIONS
19	Prenatal factors associated with fetal visceral adiposity. Jornal De Pediatria, 2020, 96, 341-349.	0.9	0
20	Motor function in children with congenital Zika syndrome. Developmental Medicine and Child Neurology, 2020, 62, 221-226.	1.1	51
21	Effectiveness of an oral versus sublingual loading dose of nifedipine for tocolysis. International Journal of Gynecology and Obstetrics, 2020, 148, 310-315.	1.0	3
22	The Brazilian Government's mistakes in responding to the COVID-19 pandemic. Lancet, The, 2020, 396, 1636.	6.3	84
23	Risk factors for adverse outcomes among pregnant and postpartum women with acute respiratory distress syndrome due to COVIDâ€19 in Brazil. International Journal of Gynecology and Obstetrics, 2020, 151, 415-423.	1.0	46
24	Obstetric and perinatal outcomes in cases of congenital Zika syndrome. Prenatal Diagnosis, 2020, 40, 1732-1740.	1.1	2
25	Letter to the editor: Is it time to abandon episiotomy use? A randomized controlled trial (EPITRIAL). International Urogynecology Journal, 2020, 31, 2451-2451.	0.7	0
26	Re: Preâ€eclampsiaâ€like syndrome induced by severe coronavirus disease 2019: a prospective observational study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1577-1577.	1.1	7
27	Clinical characteristics and risk factors for mortality in obstetric patients with severe COVIDâ€19 in Brazil: a surveillance database analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1618-1626.	1.1	75
28	Rates of Maternal and Perinatal Mortality and Vertical Transmission in Pregnancies Complicated by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-Co-V-2) Infection: A Systematic Review. Obstetrics and Gynecology, 2020, 136, 849-849.	1.2	0
29	Mistreatment during childbirth. Lancet, The, 2020, 396, 816.	6.3	2
30	COVID-19 and Maternal Death in Brazil: An Invisible Tragedy. Revista Brasileira De Ginecologia E Obstetricia, 2020, 42, 445-447.	0.3	33
31	Improving and protecting health in England needs more than the NHS. Lancet, The, 2020, 396, 1636.	6.3	6
32	Maternal Work and Spontaneous Preterm Birth: A Multicenter Observational Study in Brazil. Scientific Reports, 2020, 10, 9684.	1.6	10
33	Neurological outcomes of congenital Zika syndrome in toddlers and preschoolers: a case series. The Lancet Child and Adolescent Health, 2020, 4, 378-387.	2.7	37
34	The tragedy of COVIDâ€19 in Brazil: 124 maternal deaths and counting. International Journal of Gynecology and Obstetrics, 2020, 151, 154-156.	1.0	167
35	Outcomes of subsequent pregnancies following Zika virus infection: A comparative case series. International Journal of Gynecology and Obstetrics, 2020, 151, 470-474.	1.0	0
36	Maternal and perinatal outcomes and factors associated with twin pregnancies among preterm births: Evidence from the Brazilian Multicenter Study on Preterm Birth (<scp>EMIP</scp>). International Journal of Gynecology and Obstetrics, 2020, 149, 184-191.	1.0	7

#	Article	IF	CITATIONS
37	Misoprostol administered sublingually at a dose of 12.5 μg versus vaginally at a dose of 25 μg for the induction of full-term labor: a randomized controlled trial. Reproductive Health, 2020, 17, 47.	1.2	3
38	Maternal deaths with coronavirus disease 2019: a different outcome from low- to middle-resource countries?. American Journal of Obstetrics and Gynecology, 2020, 223, 298-299.	0.7	56
39	Who is afraid of obstetric violence?. Revista Brasileira De Saude Materno Infantil, 2020, 20, 623-626.	0.2	9
40	Posicionamento da Sociedade Brasileira de Cardiologia para Gravidez e Planejamento Familiar na Mulher Portadora de Cardiopatia – 2020. Arquivos Brasileiros De Cardiologia, 2020, 114, 849-942.	0.3	12
41	Risk factors for death in patients with sepsis admitted to an obstetric intensive care unit. Medicine (United States), 2020, 99, e23566.	0.4	3
42	Maternal near miss determinants at a maternity hospital for high-risk pregnancy in northeastern Brazil: a prospective study. BMC Pregnancy and Childbirth, 2019, 19, 271.	0.9	39
43	Anal prevalence of HPV in women with preâ€malignant lesion or cancer in the cervix and anal canal simultaneously: crossâ€sectional study. International Journal of Gynecology and Obstetrics, 2019, 147, 225-232.	1.0	2
44	Skin Color and Severe Maternal Outcomes: Evidence from the Brazilian Network for Surveillance of Severe Maternal Morbidity. BioMed Research International, 2019, 2019, 1-11.	0.9	2
45	Prevalence of Sexual Dysfunctions and their Associated Factors in Pregnant Women in an Outpatient Prenatal Care Clinic. Revista Brasileira De Ginecologia E Obstetricia, 2019, 41, 555-563.	0.3	13
46	Role of Body Mass Index and gestational weight gain on preterm birth and adverse perinatal outcomes. Scientific Reports, 2019, 9, 13093.	1.6	38
47	Profile of women with anal neoplasia associated with cervical neoplasia receiving care at a tertiary healthcare facility in northeastern Brazil. Journal of Coloproctology, 2019, 39, 297-302.	0.1	Ο
48	ls Moderate Intensity Exercise during Pregnancy Safe for the Fetus? An Open Clinical Trial. Revista Brasileira De Ginecologia E Obstetricia, 2019, 41, 531-538.	0.3	2
49	Reasons given by pregnant women for participating in a clinical trial aimed at preventing premature delivery: a qualitative analysis. BMC Pregnancy and Childbirth, 2019, 19, 97.	0.9	9
50	Cluster analysis identifying clinical phenotypes of preterm birth and related maternal and neonatal outcomes from the Brazilian Multicentre Study on Preterm Birth. International Journal of Gynecology and Obstetrics, 2019, 146, 110-117.	1.0	11
51	Does the Use of Antenatal Corticosteroids Decrease Levels of Neonatal Hyperbilirubinemia in Preterm Infants? [15K]. Obstetrics and Gynecology, 2019, 133, 121S-121S.	1.2	0
52	Electromyographic Response of the Pelvic Floor Muscles in Female Sex Workers [231]. Obstetrics and Gynecology, 2019, 133, 101S-101S.	1.2	0
53	Maternal Near Miss Determinants at a High-Risk Maternity Hospital in Northeastern Brazil: A Prospective Study [26N]. Obstetrics and Gynecology, 2019, 133, 157S-157S.	1.2	0
54	Serum magnesium levels during magnesium sulfate infusion at 1 gram/hour versus 2 grams/hour as a maintenance dose to prevent eclampsia in women with severe preeclampsia. Medicine (United States), 2019, 98, e16779.	0.4	17

#	Article	IF	CITATIONS
55	Knowledge, Attitude and Practice of Brazilian Obstetricians Regarding Episiotomy. Revista Brasileira De Ginecologia E Obstetricia, 2019, 41, 636-646.	0.3	7
56	Adverse perinatal outcomes are associated with severe maternal morbidity and mortality: evidence from a national multicentre cross-sectional study. Archives of Gynecology and Obstetrics, 2019, 299, 645-654.	0.8	24
57	Factors associated with spontaneous perineal lacerations in deliveries without episiotomy in a university maternity hospital in the city of Recife, Brazil: a cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3062-3067.	0.7	9
58	Human papillomavirus and risk factors for cervical adenocarcinoma in the state of Pernambuco, Brazil. Revista Brasileira De Saude Materno Infantil, 2019, 19, 641-649.	0.2	3
59	Chronic Aortic Dissection and Pregnancy: Clinical Case Report. Arquivos Brasileiros De Cardiologia, 2019, 112, 321-323.	0.3	4
60	Metabolic syndrome in pregnancy and postpartum: prevalence and associated factors. Revista Da Associação Médica Brasileira, 2019, 65, 1489-1495.	0.3	3
61	Correlation between electromyography and perineometry in evaluating pelvic floor muscle function in nulligravidas: A crossâ€sectional study. Neurourology and Urodynamics, 2018, 37, 1658-1666.	0.8	5
62	Misoprostol administered sublingually at a dose of 12.5Âμg versus vaginally at a dose of 25Âμg for the induction of full-term labor: a randomized controlled trial protocol. Reproductive Health, 2018, 15, 65.	1.2	5
63	Crossâ€ s ectional study of anal intraepithelial lesions in women with cervical neoplasia without <scp>HIV</scp> . International Journal of Gynecology and Obstetrics, 2018, 140, 233-240.	1.0	5
64	Acute pulmonary edema in an obstetric intensive care unit. Medicine (United States), 2018, 97, e11508.	0.4	18
65	Neonatal near miss determinants at a maternity hospital for high-risk pregnancy in Northeastern Brazil: a prospective study. BMC Pregnancy and Childbirth, 2018, 18, 401.	0.9	41
66	Concerning the Article by Bodner-Adler et al: "Management of the Perineum during Delivery with the Kiwi Omnicup: Effects of Mediolateral Episiotomy on Anal Sphincter Tears in Nulliparous Women― Gynecologic and Obstetric Investigation, 2018, 83, 415-416.	0.7	0
67	Selective episiotomy vs. implementation of a non-episiotomy protocol: a randomized clinical trial. Reproductive Health, 2017, 14, 55.	1.2	21
68	The spectrum of neuropathological changes associated with congenital Zika virus infection. Acta Neuropathologica, 2017, 133, 983-999.	3.9	155
69	Pushing/bearing down methods for the second stage of labour. The Cochrane Library, 2017, 2017, CD009124.	1.5	46
70	Immune activation in amniotic fluid from Zika virus–associated microcephaly. Annals of Neurology, 2017, 81, 152-156.	2.8	53
71	Planned caesarean section versus planned vaginal birth for severe pre-eclampsia. The Cochrane Library, 2017, 2017, CD009430.	1.5	21
72	Prevalence and Genotyping of HPV in Women With Cervical and Anal Neoplasia [32E]. Obstetrics and Gynecology, 2017, 129, 60S-60S.	1.2	0

MELANIA M AMORIM

#	Article	IF	CITATIONS
73	Anal Intraepithelial Lesions in HIV-Negative Women With Cervical Neoplasia: A Cross-Sectional Study [12J]. Obstetrics and Gynecology, 2017, 129, 105S-106S.	1.2	Ο
74	Correlation Between Sexual Function and Strength of the Pelvic Floor Muscles in Women With Dyspareunia [6G]. Obstetrics and Gynecology, 2017, 129, 73S-73S.	1.2	0
75	Evaluation of prenatal corticosteroid use in spontaneous preterm labor in the Brazilian Multicenter Study on Preterm Birth (<scp>EMIP</scp>). International Journal of Gynecology and Obstetrics, 2017, 139, 222-229.	1.0	2
76	Fetal Damage in Congenital Zika Virus Infection: Cohort Study [3P]. Obstetrics and Gynecology, 2017, 129, S164-S164.	1.2	0
77	Sonographic Findings in Congenital Zika Virus Infection: Cohort Study [4P]. Obstetrics and Gynecology, 2017, 129, S164-S165.	1.2	0
78	Pulmonary Function and Body Composition in Pregnant Women: A Transversal Study [26N]. Obstetrics and Gynecology, 2017, 129, S149-S149.	1.2	0
79	Maternal and perinatal outcomes in women with and without hypertensive syndromes submitted to induction of labor with misoprostol. Hypertension in Pregnancy, 2017, 36, 1-7.	0.5	3
80	Clonidine versus Captopril for Severe Postpartum Hypertension: A Randomized Controlled Trial. PLoS ONE, 2017, 12, e0168124.	1.1	12
81	Validation of full <scp>PIERS</scp> model for prediction of adverse outcomes among women with severe preâ€eclampsia. International Journal of Gynecology and Obstetrics, 2017, 138, 142-147.	1.0	17
82	Seroprevalence of Chagas' Disease in Pregnancy and Congenital Transmission of Trypanosoma cruzi in MaceiÃ3, Brazil [281]. Obstetrics and Gynecology, 2016, 127, 80S.	1.2	0
83	Congenital Syphilis Epidemiology in Alagoas—Brazil [22J]. Obstetrics and Gynecology, 2016, 127, 87S.	1.2	0
84	Staging Locally Advanced Uterine Cervical Carcinoma With Positron Emission Tomography—Computed Tomography [9P]. Obstetrics and Gynecology, 2016, 127, 133S-134S.	1.2	0
85	Abdominal Fat Distribution Among Breastfed and Formula-Fed Infants. Breastfeeding Medicine, 2016, 11, 231-234.	0.8	5
86	Transorbital Ultrasonographic Measurement of the Optic Nerve Sheath Diameter in Preeclampsia [24J]. Obstetrics and Gynecology, 2016, 127, 87S.	1.2	3
87	Continued Compliance and Degree of Satisfaction in Nulligravida and Parous Women with Intrauterine Contraceptive Devices. Revista Brasileira De Ginecologia E Obstetricia, 2016, 38, 132-139.	0.3	8
88	Congenital Zika Virus Infection. JAMA Neurology, 2016, 73, 1407.	4.5	334
89	Congenital Brain Abnormalities and Zika Virus: What the Radiologist Can Expect to See Prenatally and Postnatally. Radiology, 2016, 281, 203-218.	3.6	231
90	Perineal Pain Management with Cryotherapy after Vaginal Delivery: A Randomized Clinical Trial. Revista Brasileira De Ginecologia E Obstetricia, 2016, 38, 325-332.	0.3	9

#	Article	IF	CITATIONS
91	The role of infection and sepsis in the Brazilian Network for Surveillance of Severe Maternal Morbidity. Tropical Medicine and International Health, 2016, 21, 183-193.	1.0	12
92	Severe maternal morbidity due to respiratory disease and impact of 2009 H1N1 influenza A pandemic in Brazil: results from a national multicenter cross-sectional study. BMC Infectious Diseases, 2016, 16, 220.	1.3	18
93	Tumor necrosis factor (TNF) alpha and interleukin (IL) 18 genes polymorphisms are correlated with susceptibility to HPV infection in patients with and without cervical intraepithelial lesion. Annals of Human Biology, 2016, 43, 261-268.	0.4	19
94	Pushing/bearing down methods for the second stage of labour. , 2015, , CD009124.		28
95	Effect of Amniotic Fluid Volume on Perinatal and Maternal Outcomes in Women With Preterm Premature Rupture of Membranes [390]. Obstetrics and Gynecology, 2015, 125, 121S.	1.2	Ο
96	Respiratory Muscle Strength During Pregnancy. Obstetrics and Gynecology, 2015, 125, 71S.	1.2	0
97	Functionality of the Pelvic Floor Muscles in Nulliparous Women According to the Level of Physical Activity [234]. Obstetrics and Gynecology, 2015, 125, 76S.	1.2	0
98	Maternal Anthropometric Measures and Visceral Fat in the Newborn [233]. Obstetrics and Gynecology, 2015, 125, 75S-76S.	1.2	0
99	Observações clinicocirúrgicas em fraturas e luxações vertebrais toracolombares em cães. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2015, 67, 961-968.	0.1	1
100	The Impact of Cardiac Diseases during Pregnancy on Severe Maternal Morbidity and Mortality in Brazil. PLoS ONE, 2015, 10, e0144385.	1.1	21
101	Acute appendicitis in pregnancy: literature review. Revista Da Associação Médica Brasileira, 2015, 61, 170-177.	0.3	64
102	Factors associated with vaginal delivery in hypertensive and normotensive pregnant women submitted to labor induction with misoprostol: a cohort study. Hypertension in Pregnancy, 2015, 34, 153-170.	0.5	1
103	Clonidine Compared With Captopril for Severe Postpartum Hypertension [114]. Obstetrics and Gynecology, 2015, 125, 42S.	1.2	1
104	Diuretics vs. placebo for postpartum blood pressure control in preeclampsia (DIUPRE): a randomized clinical trial. Reproductive Health, 2015, 12, 66.	1.2	5
105	Highâ€resolution anoscopy in women with cervical neoplasia. International Journal of Gynecology and Obstetrics, 2015, 128, 216-219.	1.0	8
106	Robson Ten Group Classification System Applied to Women with Severe Maternal Morbidity. Birth, 2015, 42, 38-47.	1.1	9
107	Maternal outcomes according to mode of delivery in women with severe preeclampsia: a cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 654-660.	0.7	24
108	Severe maternal morbidity and near miss due to postpartum hemorrhage in a national multicenter surveillance study. International Journal of Gynecology and Obstetrics, 2015, 128, 131-136.	1.0	31

#	Article	IF	CITATIONS
109	Brazilian Multicentre Study on Preterm Birth (EMIP): Prevalence and Factors Associated with Spontaneous Preterm Birth. PLoS ONE, 2014, 9, e109069.	1.1	79
110	Applying the Maternal Near Miss Approach for the Evaluation of Quality of Obstetric Care: A Worked Example from a Multicenter Surveillance Study. BioMed Research International, 2014, 2014, 1-10.	0.9	30
111	Risk factors for episiotomy: a case-control study. Revista Da Associação Médica Brasileira, 2014, 60, 465-472.	0.3	17
112	Hypertension, pregnancy and weather: is seasonality involved?. Revista Da Associação Médica Brasileira, 2014, 60, 105-110.	0.3	11
113	Mammography in asymptomatic women aged 40-49 years. Revista De Saude Publica, 2014, 48, 931-939.	0.7	4
114	Prevalence of Post-Mastectomy Pain Syndrome and Associated Risk Factors: A Cross-Sectional Cohort Study. Pain Management Nursing, 2014, 15, 731-737.	0.4	42
115	Abbreviated (12â€hour) versus traditional (24â€hour) postpartum magnesium sulfate therapy in severe preâ€eclampsia. International Journal of Gynecology and Obstetrics, 2014, 126, 260-264.	1.0	19
116	Chlamydia trachomatis infection and human papillomavirus in women with cervical neoplasia in Pernambuco-Brazil. Molecular Biology Reports, 2014, 41, 865-874.	1.0	20
117	Selective episiotomy vs. implementation of a non episiotomy protocol: a randomized clinical trial. Reproductive Health, 2014, 11, 66.	1.2	24
118	Delays in receiving obstetric care and poor maternal outcomes: results from a national multicentre cross-sectional study. BMC Pregnancy and Childbirth, 2014, 14, 159.	0.9	147
119	Severe maternal morbidity and maternal near miss in the extremes of reproductive age: results from a national cross- sectional multicenter study. BMC Pregnancy and Childbirth, 2014, 14, 77.	0.9	52
120	Factors associated with severe maternal morbidity and near miss in the São FranciscoValley, Brazil: a retrospective, cohort study. BMC Pregnancy and Childbirth, 2014, 14, 91.	0.9	41
121	Correlation Between Visceral Adipose Tissue and Biochemical Rates Related to Obesity in Newborns. Obstetrics and Gynecology, 2014, 123, 51S.	1.2	Ο
122	12-Hour Compared With 24-Hour Postpartum Magnesium Sulfate Therapy in Preeclampsia. Obstetrics and Gynecology, 2014, 123, 64S.	1.2	5
123	Is Newborn Abdominal Adiposity Associated With Maternal Factors?. Obstetrics and Gynecology, 2014, 123, 51S.	1.2	1
124	Maternal Hemodynamic Responses During Two Types of Moderate-Intensity Physical Exercise in Pregnancy. Obstetrics and Gynecology, 2014, 123, 37S-38S.	1.2	3
125	Factors Associated With Perineal Lacerations Requiring Suture in Vaginal Births Without Episiotomy. Obstetrics and Gynecology, 2014, 123, 63S-64S.	1.2	7
126	Correlation Between Electromyography and Perineometry in Nulligravidas. Obstetrics and Gynecology, 2014, 123, 102S-103S.	1.2	0

#	Article	IF	CITATIONS
127	Is It Possible to Never Perform Episiotomy During Vaginal Delivery?. Obstetrics and Gynecology, 2014, 123, 38S.	1.2	12
128	COHELLP: collaborative randomized controlled trial on corticosteroids in HELLP syndrome. Reproductive Health, 2013, 10, 28.	1.2	15
129	Clonidine versus captopril for treatment of postpartum very high blood pressure: study protocol for a randomized controlled trial (CLONCAP). Reproductive Health, 2013, 10, 37.	1.2	2
130	Titrated oral misoprostol solution versus vaginal misoprostol for labor induction. International Journal of Gynecology and Obstetrics, 2013, 123, 207-212.	1.0	17
131	Misoprostol prior to inserting an intrauterine device in nulligravidas: a randomized clinical trial. Human Reproduction, 2013, 28, 2118-2125.	0.4	38
132	Visceral Adiposity in the First Half of Pregnancy Predicts Newborn Weight Among Adolescent Mothers. Journal of Obstetrics and Gynaecology Canada, 2013, 35, 704-709.	0.3	23
133	CaracterÃsticas maternas em gestações com risco de prematuridade tardia. Revista Brasileira De Saude Materno Infantil, 2013, 13, 161-166.	0.2	3
134	Effect of a Physical Exercise Program During Pregnancy on Uteroplacental and Fetal Blood Flow and Fetal Growth. Obstetrics and Gynecology, 2012, 120, 302-310.	1.2	88
135	Delayed Diagnosis of Leukemia and Association With Morbid-Mortality in Children in Pernambuco, Brazil. Journal of Pediatric Hematology/Oncology, 2012, 34, e271-e276.	0.3	24
136	Combined spinal-epidural anesthesia and non-pharmacological methods of pain relief during normal childbirth and maternal satisfaction: a randomized clinical trial. Revista Da Associação MÁ©dica Brasileira (English Edition), 2012, 58, 112-117.	0.1	0
137	Profile of women admitted at an obstetric ICU due to non-obstetric causes. Revista Da Associação Médica Brasileira (English Edition), 2012, 58, 160-167.	0.1	1
138	Combined spinal-epidural anesthesia and non-pharmacological methods of pain relief during normal childbirth and maternal satisfaction: a randomized clinical trial. Revista Da Associação MÁ©dica Brasileira, 2012, 58, 112-117.	0.3	13
139	Avoiding episiotomy is the best strategy to prevent OASIS: response to the article â€ ⁻ Episiotomy characteristics and risks for obstetric anal sphincter injuries: a case–control study'. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 1148-1148.	1.1	1
140	Episiotomy characteristics and risk for obstetric anal sphincter injuries: a case–control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 1148-1149.	1.1	0
141	The WHO Maternal Near-Miss Approach and the Maternal Severity Index Model (MSI): Tools for Assessing the Management of Severe Maternal Morbidity. PLoS ONE, 2012, 7, e44129.	1.1	134
142	IFN-gamma and IL-12B polymorphisms in women with cervical intraepithellial neoplasia caused by human papillomavirus. Molecular Biology Reports, 2012, 39, 7627-7634.	1.0	28
143	Combined spinal-epidural anesthesia and non-pharmacological methods of pain relief during normal childbirth and maternal satisfaction: a randomized clinical trial. Revista Da Associação Médica Brasileira, 2012, 58, 112-117.	0.3	4
144	Is it necessary to repeat cervical cytology at the tie of a colposcopy?. Revista Brasileira De Saude Materno Infantil, 2012, 12, 319-326.	0.2	0

MELANIA M AMORIM

#	Article	IF	CITATIONS
145	Prediction of severe complicatons and death in superobese patients undergoing open gastric bypass with the Recife Score. Arquivos De Gastroenterologia, 2011, 48, 8-14.	0.3	9
146	Randomized clinical trial comparing the efficacy of the vaginal use of metronidazole with a Brazilian pepper tree (Schinus) extract for the treatment of bacterial vaginosis. Brazilian Journal of Medical and Biological Research, 2011, 44, 245-252.	0.7	15
147	Effectiveness of Antenatal Corticosteroids in Reducing Respiratory Disorders in Late Preterm Infants: Randomized Clinical Trial. Obstetrical and Gynecological Survey, 2011, 66, 473-474.	0.2	2
148	Effectiveness of antenatal corticosteroids in reducing respiratory disorders in late preterm infants: randomised clinical trial. BMJ: British Medical Journal, 2011, 342, d1696-d1696.	2.4	144
149	Agreement between Methods for Diagnosing HPV-Induced Anal Lesions in Women with Cervical Neoplasia. Acta Cytologica, 2011, 55, 218-224.	0.7	10
150	Role of Fetal Sex in the Outcome of Antenatal Glucocorticoid Treatment to Prevent Respiratory Distress Syndrome: Systematic Review and Meta-Analysis. Journal of Obstetrics and Gynaecology Canada, 2011, 33, 216-226.	0.3	28
151	Combined spinal and epidural anaesthesia and maternal intrapartum temperature during vaginal delivery: a randomized clinical trial. British Journal of Anaesthesia, 2011, 107, 762-768.	1.5	43
152	Effect of the Loading Dose of Magnesium Sulfate (MgSO ₄) on the Parameters of Doppler Flow Velocity in the Uterine, Umbilical and Middle Cerebral Arteries in Severe Preeclampsia. Hypertension in Pregnancy, 2010, 29, 123-134.	0.5	16
153	Oncological repercussions of polycystic ovary syndrome. Gynecological Endocrinology, 2010, 26, 708-711.	0.7	16
154	Comment and Reply on–Comparison of Walking versus Stretching Exercises to Reduce the Incidence of Preeclampsia: A Randomized Clinical Trial. Hypertension in Pregnancy, 2010, 29, 120-121.	0.5	0
155	Uterine Artery Doppler in the Third Trimester of Pregnancy and Postnatal Outcome of Patients with Severe Preeclampsia. Hypertension in Pregnancy, 2010, 29, 135-147.	0.5	11
156	Doppler velocimetry of the uterine, umbilical and fetal middle cerebral arteries in pregnant women undergoing tocolysis with oral nifedipine. Ultrasound in Obstetrics and Gynecology, 2009, 34, 311-315.	0.9	26
157	Incidence and risk factors of corneal epithelial defects in mechanically ventilated children. Critical Care Medicine, 2009, 37, 1097-1100.	0.4	21
158	Postpartum dexamethasone for women with hemolysis, elevated liver enzymes, and low platelets (HELLP) syndrome: a double-blind, placebo-controlled, randomized clinical trial. American Journal of Obstetrics and Gynecology, 2008, 198, 283.e1-283.e8.	0.7	65
159	Comparison of sublingual versus vaginal misoprostol for the induction of labour: a systematic review. BJOC: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1340-1349.	1.1	39
160	Use of Misoprostol Prior to Hysteroscopy in Postmenopausal Women: A Randomized, Placebo-Controlled Clinical Trial. Journal of Minimally Invasive Gynecology, 2008, 15, 67-73.	0.3	39
161	Uterine Exteriorization Compared With In Situ Repair at Cesarean Delivery. Obstetrics and Gynecology, 2008, 111, 639-647.	1.2	54
162	Vaginal Misoprostol Prior to Diagnostic Hysteroscopy in Patients of Reproductive Age: A Randomized Clinical Trial. Journal of Minimally Invasive Gynecology, 2008, 15, 452-458.	0.3	21

MELANIA M AMORIM

#	Article	IF	CITATIONS
163	Uterine Exteriorization Compared With in Situ Repair at Cesarean Delivery: A Randomized Controlled Trial. Obstetrics and Gynecology, 2008, 112, 183.	1.2	1
164	Postpartum Dexamethasone for Women With Hemolysis, Elevated Liver Enzymes, and Low Platelets (HELLP) Syndrome: A Double-Blind, Placebo-Controlled, Randomized Clinical Trial. Obstetrical and Gynecological Survey, 2008, 63, 409-410.	0.2	0
165	Ressonância magnética hepática em puérperas estáveis com sÃndrome HELLP. Revista Da Associação Médica Brasileira, 2008, 54, .	0.3	1
166	Evaluation of risk factors in superobese patients submitted to conventional Fobi-Capella surgery. Arquivos De Gastroenterologia, 2008, 45, 3-10.	0.3	13
167	Infecção por Chlamydia em pacientes com e sem lesões intra-epiteliais cervicais. Revista Da Associação Médica Brasileira, 2008, 54, .	0.3	3
168	Pain evaluation in outpatients undergoing diagnostic anesthesia-free hysteroscopy in a teaching hospital: A cohort study. Journal of Minimally Invasive Gynecology, 2007, 14, 729-735.	0.3	42
169	Achados de laparoscopias ginecológicas realizadas em mulheres com dificuldade reprodutiva atendidas em um hospital-escola: série de casos. Revista Brasileira De Ginecologia E Obstetricia, 2007, 29, .	0.3	1
170	Problem Based Learning and the Stricto Sensu Postgraduate Education: proposal for the Masters in Mother and Child Health curriculum at the Instituto Materno Infantil Professor Fernando Figueira-IMIP, Recife, Brazil, 2007. Revista Brasileira De Saude Materno Infantil, 2007, 7, 507-511.	0.2	2
171	Sublingual vs. vaginal misoprostol for induction of labor. International Journal of Gynecology and Obstetrics, 2006, 94, 91-95.	1.0	27
172	Risk Factors for Death from Meningococcal Infection in Recife, Brazil. Journal of Tropical Pediatrics, 2005, 51, 227-231.	0.7	5
173	Comparação entre os achados ultra-sonográficos, histeroscópicos e histopatológicos no sangramento uterino da pós-menopausa. Revista Brasileira De Ginecologia E Obstetricia, 2003, 25, 229-235.	0.3	3
174	Risk factors for adverse outcome of newborns with gastroschisis in a Brazilian hospital. Journal of Pediatric Surgery, 2001, 36, 559-564.	0.8	42
175	Corticosteroid therapy for prevention of respiratory distress syndrome in severe preeclampsia. American Journal of Obstetrics and Gynecology, 1999, 180, 1283-1288.	0.7	126
176	Growth in children with congenital Zika syndrome: a 4-years longitudinal cohort study. Early Child Development and Care, 0, , 1-12.	0.7	1