

# Hendrik Simon Cornelis Metselaar

## List of Publications by Year in Descending Order

**Source:**

<https://exaly.com/author-pdf/7682729/hendrik-simon-cornelis-metselaar-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109  
papers

8,090  
citations

48  
h-index

89  
g-index

114  
ext. papers

9,422  
ext. citations

5.6  
avg, IF

6.37  
L-index

#	Paper	IF	Citations
109	Synthesis of europium-doped calcium silicate hydrate via hydrothermal and coprecipitation method. <i>Ceramics International</i> , <b>2021</b> , 47, 4803-4812	5.1	3
108	Recent Advances in Scaffolding from Natural-Based Polymers for Volumetric Muscle Injury. <i>Molecules</i> , <b>2021</b> , 26,	4.8	6
107	Thermophysical properties of sustainable cement mortar containing oil palm boiler clinker (OPBC) as a fine aggregate. <i>Construction and Building Materials</i> , <b>2021</b> , 268, 121091	6.7	9
106	Low-temperature green route synthesis of Fe <sub>3</sub> O <sub>4</sub> -C nanocomposite using Olive Leaves Extract. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2021</b> , 271, 115276	3.1	2
105	Performance improvement of solar thermal systems integrated with phase change materials (PCM), a review. <i>Solar Energy</i> , <b>2020</b> , 206, 330-352	6.8	82
104	An overview of fluoride-based solid lubricants in sliding contacts. <i>Journal of the European Ceramic Society</i> , <b>2020</b> , 40, 4974-4996	6	12
103	Parametric study on the thermal performance enhancement of a thermosyphon heat pipe using covalent functionalized graphene nanofluids. <i>Applied Thermal Engineering</i> , <b>2020</b> , 175, 115385	5.8	22
102	Elastic properties of electrospun PVDF nanofibrous membranes: Experimental investigation and numerical modelling using pixel-based finite element method. <i>Polymer Testing</i> , <b>2020</b> , 81, 106218	4.5	3
101	On-demand dynamic performance of a thermal battery in tankless domestic solar water heating in the tropical region. <i>Applied Thermal Engineering</i> , <b>2020</b> , 167, 114790	5.8	13
100	Antibacterial activity of graphene oxide nanosheet against multidrug resistant superbugs isolated from infected patients. <i>Royal Society Open Science</i> , <b>2020</b> , 7, 200640	3.3	25
99	Thermal Performance and Numerical Simulation of the 1-Pyrene Carboxylic-Acid Functionalized Graphene Nanofluids in a Sintered Wick Heat Pipe. <i>Energies</i> , <b>2020</b> , 13, 6542	3.1	9
98	A review on insulation materials for energy conservation in buildings. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 73, 1352-1365	16.2	298
97	Experimental study on heat transfer augmentation of graphene based ferrofluids in presence of magnetic field. <i>Applied Thermal Engineering</i> , <b>2017</b> , 114, 415-427	5.8	40
96	Thermal performance of a compact design heat pipe solar collector with latent heat storage in charging/discharging modes. <i>Energy</i> , <b>2017</b> , 127, 101-115	7.9	38
95	Heat transfer and entropy generation analysis of hybrid graphene/Fe <sub>3</sub> O <sub>4</sub> ferro-nanofluid flow under the influence of a magnetic field. <i>Powder Technology</i> , <b>2017</b> , 308, 149-157	5.2	92
94	Thermal Performance Study of Composite Phase Change Material with Polyacrylicand Conformal Coating. <i>Materials</i> , <b>2017</b> , 10,	3.5	12
93	Electrophoretic deposition of calcium silicate-reduced graphene oxide composites on titanium substrate. <i>Journal of the European Ceramic Society</i> , <b>2016</b> , 36, 319-332	6	58

92	A comprehensive review on graphene nanofluids: Recent research, development and applications. <i>Energy Conversion and Management</i> , <b>2016</b> , 111, 466-487	10.6	202
91	Mechanisms of interfacial bond in steel and polypropylene fiber reinforced geopolymer composites. <i>Composites Science and Technology</i> , <b>2016</b> , 122, 73-81	8.6	163
90	Preparation and thermal characteristics of eutectic fatty acids/Shorea javanica composite for thermal energy storage. <i>Applied Thermal Engineering</i> , <b>2016</b> , 100, 62-67	5.8	22
89	Thermal properties and heat storage analysis of palmitic acid-TiO <sub>2</sub> composite as nano-enhanced organic phase change material (NEOPCM). <i>Applied Thermal Engineering</i> , <b>2016</b> , 99, 1254-1262	5.8	139
88	Experimental investigation of the effect of graphene nanofluids on heat pipe thermal performance. <i>Applied Thermal Engineering</i> , <b>2016</b> , 100, 775-787	5.8	86
87	The green reduction of graphene oxide. <i>RSC Advances</i> , <b>2016</b> , 6, 27807-27828	3.7	159
86	Experimental investigation of thermophysical properties, entropy generation and convective heat transfer for a nitrogen-doped graphene nanofluid in a laminar flow regime. <i>Advanced Powder Technology</i> , <b>2016</b> , 27, 717-727	4.6	33
85	Ion size, loading, and charge determine the mechanical properties, surface apatite, and cell growth of silver and tantalum doped calcium silicate. <i>RSC Advances</i> , <b>2016</b> , 6, 190-200	3.7	19
84	Solar Hot Water Production by Using Latent Heat Storage Under Tropical Conditions <b>2016</b> ,		3
83	Temperature Regulation of Photovoltaic Module Using Phase Change Material: A Numerical Analysis and Experimental Investigation. <i>International Journal of Photoenergy</i> , <b>2016</b> , 2016, 1-8	2.1	47
82	Effect of nitrogen-doped graphene nanofluid on the thermal performance of the grooved copper heat pipe. <i>Energy Conversion and Management</i> , <b>2016</b> , 118, 459-473	10.6	60
81	From rice husk to high performance shape stabilized phase change materials for thermal energy storage. <i>RSC Advances</i> , <b>2016</b> , 6, 45595-45604	3.7	23
80	An ecofriendly graphene-based nanofluid for heat transfer applications. <i>Journal of Cleaner Production</i> , <b>2016</b> , 137, 555-566	10.3	58
79	Developments in organic solid-liquid phase change materials and their applications in thermal energy storage. <i>Energy Conversion and Management</i> , <b>2015</b> , 95, 193-228	10.6	456
78	Experimental and numerical investigation of the effective electrical conductivity of nitrogen-doped graphene nanofluids. <i>Journal of Nanoparticle Research</i> , <b>2015</b> , 17, 1	2.3	39
77	Preparation and thermal properties of form-stable phase change materials composed of palmitic acid/polypyrrole/graphene nanoplatelets. <i>Energy and Buildings</i> , <b>2015</b> , 99, 189-195	7	53
76	Effect of specific surface area on convective heat transfer of graphene nanoplatelet aqueous nanofluids. <i>Experimental Thermal and Fluid Science</i> , <b>2015</b> , 68, 100-108	3	79
75	Nitrogen doped activated carbon/graphene with high nitrogen level: Green synthesis and thermo-electrical properties of its nanofluid. <i>Materials Letters</i> , <b>2015</b> , 152, 192-195	3.3	44

74	A review on powder-based additive manufacturing for tissue engineering: selective laser sintering and inkjet 3D printing. <i>Science and Technology of Advanced Materials</i> , <b>2015</b> , 16, 033502	7.1	384
73	Facile synthesis and thermal performances of stearic acid/titania core/shell nanocapsules by sol-gel method. <i>Energy</i> , <b>2015</b> , 85, 635-644	7.9	52
72	A review on thermophysical properties of nanoparticle dispersed phase change materials. <i>Energy Conversion and Management</i> , <b>2015</b> , 95, 69-89	10.6	183
71	One-Step Preparation of Form-Stable Phase Change Material through Self-Assembly of Fatty Acid and Graphene. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 22787-22796	3.8	96
70	Theoretical model of an evacuated tube heat pipe solar collector integrated with phase change material. <i>Energy</i> , <b>2015</b> , 91, 911-924	7.9	59
69	Deoxygenation of graphene oxide using household baking soda as a reducing agent: a green approach. <i>RSC Advances</i> , <b>2015</b> , 5, 70461-70472	3.7	31
68	A state-of-the-art review on hybrid heat pipe latent heat storage systems. <i>Energy Conversion and Management</i> , <b>2015</b> , 105, 1178-1204	10.6	66
67	Characterization and Mechanical Properties of Calcium Silicate/Citric Acid Based Polymer Composite Materials. <i>International Journal of Applied Ceramic Technology</i> , <b>2015</b> , 12, 371-376	2	10
66	An experimental and numerical investigation of heat transfer enhancement for graphene nanoplatelets nanofluids in turbulent flow conditions. <i>International Journal of Heat and Mass Transfer</i> , <b>2015</b> , 81, 41-51	4.9	89
65	Solidification of Cu-Water nanofluid in a trapezoidal cavity: A CFD study. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2015</b> , 88, 012013	0.4	1
64	Indoor solar thermal energy saving time with phase change material in a horizontal shell and finned-tube heat exchanger. <i>Scientific World Journal, The</i> , <b>2015</b> , 2015, 291657	2.2	8
63	Latent Heat Thermal Storage (LHTS) for Energy Sustainability. <i>Green Energy and Technology</i> , <b>2015</b> , 245-263	3	3
62	Heat transfer and entropy generation for laminar forced convection flow of graphene nanoplatelets nanofluids in a horizontal tube. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 66, 23-31	5.8	65
61	Fabrication and Performances of Microencapsulated Palmitic Acid with Enhanced Thermal Properties. <i>Energy &amp; Fuels</i> , <b>2015</b> , 29, 1010-1018	4.1	38
60	Thermal characteristic reliability of fatty acid binary mixtures as phase change materials (PCMs) for thermal energy storage applications. <i>Applied Thermal Engineering</i> , <b>2015</b> , 80, 127-131	5.8	47
59	Mechanochemical Synthesis and Characterization of Silver (Ag+) and Tantalum (Ta5+) Doped Calcium Silicate Nanopowders. <i>Science of Advanced Materials</i> , <b>2015</b> , 7, 2664-2671	2.3	6
58	Potential energy savings by radiative cooling system for a building in tropical climate. <i>Renewable and Sustainable Energy Reviews</i> , <b>2014</b> , 32, 642-650	16.2	67
57	Investigation of thermal conductivity and rheological properties of nanofluids containing graphene nanoplatelets. <i>Nanoscale Research Letters</i> , <b>2014</b> , 9, 15	5	270

56	A review of available methods and development on energy storage; technology update. <i>Renewable and Sustainable Energy Reviews</i> , <b>2014</b> , 33, 532-545	16.2	511
55	Numerical and experimental investigation of heat transfer in a shell and tube thermal energy storage system. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 53, 71-78	5.8	48
54	Two parameter-tuned meta-heuristics for a discounted inventory control problem in a fuzzy environment. <i>Information Sciences</i> , <b>2014</b> , 276, 42-62	7.7	30
53	Facile synthesis of calcium silicate hydrate using sodium dodecyl sulfate as a surfactant assisted by ultrasonic irradiation. <i>Ultrasonics Sonochemistry</i> , <b>2014</b> , 21, 735-42	8.9	52
52	Compressive strength and microstructural analysis of fly ash/palm oil fuel ash based geopolymer mortar under elevated temperatures. <i>Construction and Building Materials</i> , <b>2014</b> , 65, 114-121	6.7	193
51	Mechanical and physical properties of calcium silicate/alumina composite for biomedical engineering applications. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2014</b> , 30, 168-75	4.1	46
50	Sodium laurate enhancements the thermal properties and thermal conductivity of eutectic fatty acid as phase change material (PCM). <i>Solar Energy</i> , <b>2014</b> , 102, 333-337	6.8	33
49	Exergetic analysis of a solar thermal power system with PCM storage. <i>Energy Conversion and Management</i> , <b>2014</b> , 78, 486-492	10.6	71
48	Numerical study for enhancement of solidification of phase change materials using trapezoidal cavity. <i>Powder Technology</i> , <b>2014</b> , 268, 38-47	5.2	45
47	Cooling of air using heptadecane phase change material in shell and tube arrangement: Analytical and experimental study. <i>Energy and Buildings</i> , <b>2014</b> , 85, 98-106	7	16
46	Effect of carbon nanospheres on shape stabilization and thermal behavior of phase change materials for thermal energy storage. <i>Energy Conversion and Management</i> , <b>2014</b> , 88, 206-213	10.6	71
45	Experimental Investigation of Convective Heat Transfer Using Graphene Nanoplatelet Based Nanofluids under Turbulent Flow Conditions. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 12455-12465	3.9	74
44	In vitro characterization and mechanical properties of calcium silicate/POC composite as a bone fixation device. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2014</b> , 102, 3973-85	5.4	27
43	Performance investigation of thermal energy storage system with Phase Change Material (PCM) for solar water heating application. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 57, 132-139	5.8	137
42	Preparation of nitrogen-doped graphene/palmitic acid shape stabilized composite phase change material with remarkable thermal properties for thermal energy storage. <i>Applied Energy</i> , <b>2014</b> , 135, 339-349	10.7	115
41	Preparation, characterization, viscosity, and thermal conductivity of nitrogen-doped graphene aqueous nanofluids. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 7156-7171	4.3	82
40	Viscosity analysis of polypropylene-kaolin composites measured using single-screw extruder. <i>Journal of Vinyl and Additive Technology</i> , <b>2014</b> , 20, 275-283	2	
39	Synthesis, mechanical properties, and in vitro biocompatibility with osteoblasts of calcium silicate-reduced graphene oxide composites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 3947-62	9.5	131

38	Kinetics of Grain Growth in 718 Ni-Base Superalloy. <i>Archives of Metallurgy and Materials</i> , <b>2014</b> , 59, 847-852		14
37	Mechanical and in vitro biological performance of graphene nanoplatelets reinforced calcium silicate composite. <i>PLoS ONE</i> , <b>2014</b> , 9, e106802	3-7	47
36	Facile preparation of carbon microcapsules containing phase-change material with enhanced thermal properties. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 379582	2.2	8
35	Thermal Reliability of Myristic Acid/Palmitic Acid/Sodium Laurate Eutectic Mixture: A Feasibility Study of Accelerated Aging for Thermal Energy Storage Application. <i>Energy Procedia</i> , <b>2014</b> , 61, 49-54	2-3	6
34	Nanoscale domain structures in 0.91Pb(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> -0.09PbTiO <sub>3</sub> (91PZN-9PT) single crystals studied by piezoresponse forcemicroscopy. <i>Phase Transitions</i> , <b>2014</b> , 87, 419-426	1-3	1
33	Preparation and characterisation of microencapsulated paraffin wax with polyaniline-based polymer shells for thermal energy storage. <i>Materials Research Innovations</i> , <b>2014</b> , 18, S6-480-S6-484	1-9	21
32	Thermo-physical stability of fatty acid eutectic mixtures subjected to accelerated aging for thermal energy storage (TES) application. <i>Applied Thermal Engineering</i> , <b>2014</b> , 66, 328-334	5-8	25
31	Palmitic acid/polypyrrole composites as form-stable phase change materials for thermal energy storage. <i>Energy Conversion and Management</i> , <b>2014</b> , 80, 491-497	10.6	69
30	The influence of surfactant and ultrasonic processing on improvement of stability, thermal conductivity and viscosity of titania nanofluid. <i>Experimental Thermal and Fluid Science</i> , <b>2013</b> , 51, 1-9	3	158
29	Prediction and optimization of stability parameters for titanium dioxide nanofluid using response surface methodology and artificial neural networks. <i>Science and Engineering of Composite Materials</i> , <b>2013</b> , 20, 319-330	1.5	15
28	Preparation and characterization of palmitic acid/graphene nanoplatelets composite with remarkable thermal conductivity as a novel shape-stabilized phase change material. <i>Applied Thermal Engineering</i> , <b>2013</b> , 61, 633-640	5-8	189
27	Synthesis, characterization and thermal properties of nanoencapsulated phase change materials via sol-gel method. <i>Energy</i> , <b>2013</b> , 61, 664-672	7-9	160
26	Analysis of a thermal energy storage system for air cooling/heating application through cylindrical tube. <i>Energy Conversion and Management</i> , <b>2013</b> , 76, 732-737	10.6	11
25	BoxBehnken experimental design for investigation of stability and thermal conductivity of TiO <sub>2</sub> nanofluids. <i>Journal of Nanoparticle Research</i> , <b>2013</b> , 15, 1	2-3	31
24	Performance and cost analysis of phase change materials with different melting temperatures in heating systems. <i>Energy</i> , <b>2013</b> , 53, 173-178	7-9	57
23	Phase change material: Optimizing the thermal properties and thermal conductivity of myristic acid/palmitic acid eutectic mixture with acid-based surfactants. <i>Applied Thermal Engineering</i> , <b>2013</b> , 60, 261-265	5-8	41
22	Investigation of viscosity and thermal conductivity of alumina nanofluids with addition of SDBS. <i>Heat and Mass Transfer</i> , <b>2013</b> , 49, 1109-1115	2.2	57
21	Curbing global warming with phase change materials for energy storage. <i>Renewable and Sustainable Energy Reviews</i> , <b>2013</b> , 18, 23-30	16.2	112

20	Shape-stabilized phase change materials with high thermal conductivity based on paraffin/graphene oxide composite. <i>Energy Conversion and Management</i> , <b>2013</b> , 67, 275-282	10.6	250
19	Accelerated Thermal Cycling Test of Microencapsulated Paraffin Wax/Polyaniline Made by Simple Preparation Method for Solar Thermal Energy Storage. <i>Materials</i> , <b>2013</b> , 6, 1608-1620	3.5	69
18	Investigation of interfacial damping nanotube-based composite. <i>Composites Part B: Engineering</i> , <b>2013</b> , 50, 354-361	10	32
17	Preparation and properties of highly conductive palmitic acid/graphene oxide composites as thermal energy storage materials. <i>Energy</i> , <b>2013</b> , 58, 628-634	7.9	107
16	Dental implants from functionally graded materials. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2013</b> , 101, 3046-57	5.4	82
15	Modelling of PV module with incremental conductance MPPT controlled buck-boost converter <b>2013</b> ,		7
14	Domain structures on (001) and (111) planes in PZN-PT single crystal. <i>Emerging Materials Research</i> , <b>2013</b> , 2, 104-108	1.4	0
13	Comparison of nanostructured nickel zinc ferrite and magnesium copper zinc ferrite prepared by water-in-oil microemulsion. <i>Electronic Materials Letters</i> , <b>2012</b> , 8, 639-642	2.9	5
12	Fabrication and mechanical properties of Al <sub>2</sub> O <sub>3</sub> /SiC/ZrO <sub>2</sub> functionally graded material by electrophoretic deposition. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2012</b> , 12, 144-50	4.1	50
11	Organosulfonic acid functionalized zeolite ZSM-5 as temperature tolerant proton conducting material. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 12513-12521	6.7	35
10	Biphasic calcium phosphate (BCP) macroporous scaffold with different ratios of HA/βTCP by combination of gel casting and polymer sponge methods. <i>Advances in Applied Ceramics</i> , <b>2012</b> , 111, 367-373	2.3	28
9	X-Ray Powder Diffraction Studies of Mechanically Milled Cobalt. <i>Advanced Materials Research</i> , <b>2012</b> , 626, 913-917	0.5	
8	A review of nanofluid stability properties and characterization in stationary conditions. <i>International Journal of Heat and Mass Transfer</i> , <b>2011</b> , 54, 4051-4068	4.9	750
7	Preparation of Nickel Zinc Ferrite by Electrophoretic Deposition. <i>Journal of the Electrochemical Society</i> , <b>2011</b> , 159, E18-E22	3.9	7
6	Residual stress and mechanical properties of Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> functionally graded material prepared by EPD from 2-butanone based suspension. <i>Advances in Applied Ceramics</i> , <b>2011</b> , 110, 35-40	2.3	22
5	Evaluating a strain energy fatigue method using cyclic plasticity models. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , <b>2010</b> , 33, 530-537	3	9
4	Evaluation of cyclic plasticity models of multi-surface and non-linear hardening by an energy-based fatigue criterion. <i>Journal of Mechanical Science and Technology</i> , <b>2010</b> , 24, 1255-1260	1.6	7
3	Wear of ceramics due to thermal stress: a thermal severity parameter. <i>Wear</i> , <b>2001</b> , 249, 962-970	3.5	20

2	The mechanical properties of thin alumina films deposited by metal-organic chemical vapour deposition. <i>Thin Solid Films</i> , <b>1995</b> , 254, 153-163	2.2	21
1	Clustering Theory Evaluation for Thermal Conductivity Enhancement of Titania Nanofluid. <i>Ceramic Transactions</i> , 219-227	0.1	